




3rd Edition

TI-84 Plus CE Graphing Calculator

for
dummies[®]

A Wiley Brand




Navigate menus and
modes with ease

Learn to graph inequalities
and piecewise functions

Access shortcut menus
to save time

Jeff McCalla



TI-84 Plus CE Graphing Calculator

3rd Edition

by Jeff McCalla

for
dummies[®]
A Wiley Brand

TI-84 Plus CE Graphing Calculator For Dummies®, 3rd Edition

Published by: **John Wiley & Sons, Inc.**, 111 River Street, Hoboken, NJ 07030-5774, www.wiley.com

Copyright © 2022 by John Wiley & Sons, Inc., Hoboken, New Jersey

Published simultaneously in Canada

No part of this publication may be reproduced, stored in a retrieval system or transmitted in any form or by any means, electronic, mechanical, photocopying, recording, scanning or otherwise, except as permitted under Sections 107 or 108 of the 1976 United States Copyright Act, without the prior written permission of the Publisher. Requests to the Publisher for permission should be addressed to the Permissions Department, John Wiley & Sons, Inc., 111 River Street, Hoboken, NJ 07030, (201) 748-6011, fax (201) 748-6008, or online at www.wiley.com/go/permissions.

Trademarks: Wiley, For Dummies, the Dummies Man logo, Dummies.com, Making Everything Easier, and related trade dress are trademarks or registered trademarks of John Wiley & Sons, Inc. and may not be used without written permission. All other trademarks are the property of their respective owners. John Wiley & Sons, Inc. is not associated with any product or vendor mentioned in this book.

LIMIT OF LIABILITY/DISCLAIMER OF WARRANTY: WHILE THE PUBLISHER AND AUTHOR HAVE USED THEIR BEST EFFORTS IN PREPARING THIS WORK, THEY MAKE NO REPRESENTATIONS OR WARRANTIES WITH RESPECT TO THE ACCURACY OR COMPLETENESS OF THE CONTENTS OF THIS WORK AND SPECIFICALLY DISCLAIM ALL WARRANTIES, INCLUDING WITHOUT LIMITATION ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. NO WARRANTY MAY BE CREATED OR EXTENDED BY SALES REPRESENTATIVES, WRITTEN SALES MATERIALS OR PROMOTIONAL STATEMENTS FOR THIS WORK. THE FACT THAT AN ORGANIZATION, WEBSITE, OR PRODUCT IS REFERRED TO IN THIS WORK AS A CITATION AND/OR POTENTIAL SOURCE OF FURTHER INFORMATION DOES NOT MEAN THAT THE PUBLISHER AND AUTHORS ENDORSE THE INFORMATION OR SERVICES THE ORGANIZATION, WEBSITE, OR PRODUCT MAY PROVIDE OR RECOMMENDATIONS IT MAY MAKE. THIS WORK IS SOLD WITH THE UNDERSTANDING THAT THE PUBLISHER IS NOT ENGAGED IN RENDERING PROFESSIONAL SERVICES. THE ADVICE AND STRATEGIES CONTAINED HEREIN MAY NOT BE SUITABLE FOR YOUR SITUATION. YOU SHOULD CONSULT WITH A SPECIALIST WHERE APPROPRIATE. FURTHER, READERS SHOULD BE AWARE THAT WEBSITES LISTED IN THIS WORK MAY HAVE CHANGED OR DISAPPEARED BETWEEN WHEN THIS WORK WAS WRITTEN AND WHEN IT IS READ. NEITHER THE PUBLISHER NOR AUTHOR SHALL BE LIABLE FOR ANY LOSS OF PROFIT OR ANY OTHER COMMERCIAL DAMAGES, INCLUDING BUT NOT LIMITED TO SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR OTHER DAMAGES.

For general information on our other products and services, please contact our Customer Care Department within the U.S. at 877-762-2974, outside the U.S. at 317-572-3993, or fax 317-572-4002. For technical support, please visit <https://hub.wiley.com/community/support/dummies>.

Wiley publishes in a variety of print and electronic formats and by print-on-demand. Some material included with standard print versions of this book may not be included in e-books or in print-on-demand. If this book refers to media such as a CD or DVD that is not included in the version you purchased, you may download this material at <http://booksupport.wiley.com>. For more information about Wiley products, visit www.wiley.com.

Library of Congress Control Number: 2022942903

ISBN 978-1-119-88760-7 (pbk); ISBN 978-1-119-88761-4 (ebk); ISBN 978-1-119-88762-1 (ebk)

Contents at a Glance

Introduction	1
Part 1: Making Friends with the Calculator	5
CHAPTER 1: Starting with the Basics	7
CHAPTER 2: Doing Basic Arithmetic	25
CHAPTER 3: Dealing with Fractions	35
CHAPTER 4: Solving Equations	41
Part 2: Taking Your Calculator Relationship to the Next Level	53
CHAPTER 5: Working with Complex Numbers	55
CHAPTER 6: Understanding the Math Menu and Submenus	61
CHAPTER 7: The Angle and Test Menus	69
CHAPTER 8: Creating and Editing Matrices	79
Part 3: Graphing and Analyzing Functions	89
CHAPTER 9: Graphing Functions	91
CHAPTER 10: Exploring Functions	111
CHAPTER 11: Evaluating Functions	127
CHAPTER 12: Graphing Inequalities	143
CHAPTER 13: Graphing Parametric Equations	155
CHAPTER 14: Graphing Polar Equations	163
Part 4: Working with Probability and Statistics	173
CHAPTER 15: Probability	175
CHAPTER 16: Dealing with Statistical Data	183
CHAPTER 17: Analyzing Statistical Data	193
Part 5: Doing More with Your Calculator	209
CHAPTER 18: Communicating with a PC Using TI Connect CE Software	211
CHAPTER 19: Communicating Between Calculators	221
CHAPTER 20: Fun with Images	227
CHAPTER 21: Managing Memory	231
Part 6: The Part of Tens	237
CHAPTER 22: Ten Essential Skills	239
CHAPTER 23: Ten Common Errors	243
CHAPTER 24: Ten Common Error Messages	249

Part 7: Appendices	253
APPENDIX A: Creating Calculator Programs.....	255
APPENDIX B: Controlling Program Input and Output.....	259
APPENDIX C: Controlling Program Flow	269
APPENDIX D: Introducing Python Programming.....	281
APPENDIX E: Mastering the Basics of Python Programming	287
Index	293

Table of Contents

INTRODUCTION	1
About This Book.....	1
Foolish Assumptions.....	2
Icons Used in This Book	3
Beyond the Book.....	3
Where to Go from Here	3
PART 1: MAKING FRIENDS WITH THE CALCULATOR.....	5
CHAPTER 1: Starting with the Basics	7
Why Didn't I Think of That?.....	8
Charging the Battery.....	9
Turning the Calculator On and Off	11
Using the Keyboard.....	12
Accessing the functions in blue.....	12
Using the <code>alpha</code> key to write words	12
Using the <code>enter</code> key.....	13
Using the <code>X,T,θ,n</code> key.....	13
Using the arrow keys.....	13
Keys to remember.....	13
What Is the Home Screen?.....	14
The Busy Indicator.....	14
Editing Entries	14
Copying and Pasting	15
Using Menus.....	16
Accessing a menu	16
Scrolling a menu	17
Selecting menu items	17
Setting the Mode.....	18
MathPrint mode versus Classic mode	18
Using the Catalog	22
CHAPTER 2: Doing Basic Arithmetic	25
Entering and Evaluating Expressions.....	25
Using Exponents and Roots.....	27
Working in Scientific Notation	28
Getting Familiar with Important Keys.....	29
Following the Order of Operations.....	30
Using the Previous Answer	31
Storing Variables	32
Combining Expressions	33

CHAPTER 3: Dealing with Fractions	35
Setting the Mode	35
Converting Fractions and Decimals	36
Accessing Shortcut Menus	37
Entering Fractions and Mixed Numbers	38
Entering Complex Numbers in Fractions.....	39
Entering Complex Fractions.....	39
CHAPTER 4: Solving Equations	41
Using the Numeric Solver.....	41
Step 1: Enter or edit the equation to be solved	42
Step 2: Guess a solution	43
Step 3: Solve the equation	43
Assigning Values to Variables	44
Finding Multiple Solutions	45
Making strategic guesses.....	45
Defining the solution bounds	46
Using the Solve Function	47
Discovering the PlySmlt2 App	48
Finding the roots of a polynomial.....	48
Solving systems of equations	50
PART 2: TAKING YOUR CALCULATOR RELATIONSHIP TO THE NEXT LEVEL	53
CHAPTER 5: Working with Complex Numbers	55
Setting the Mode	55
Entering Complex Numbers	56
Interpreting Strange-looking Results	57
Using the CMPLX menu	58
Finding the conjugate of a complex number	59
Finding the real and imaginary parts of a complex number.....	59
Finding the polar angle of a complex number	59
Finding the magnitude (modulus) of a complex number	60
Displaying a complex result in polar or rectangular form.....	60
CHAPTER 6: Understanding the Math Menu and Submenus	61
Getting to Know the Math Menu and Submenus	61
Accessing Catalog Help from the Math Menu.....	62
The Math MATH Submenu.....	63
Converting between decimals and fractions.....	63
Cubing and taking cube roots	64
Taking the x th root	64
Finding the location of maximum and minimum values.....	64
Using numerical differentiation and integration templates	65
Using summation and logarithm templates	66

The Math NUM Submenu.....	66
Finding the absolute value.....	66
Rounding numbers	67
Finding the integer and fractional parts of a value.....	67
Using the greatest-integer function	67
Finding minimum and maximum values in a list of numbers	67
Finding the least common multiple and greatest common divisor	68
Finding the remainder	68
CHAPTER 7: The Angle and Test Menus.....	69
The Angle Menu.....	70
Converting degrees to radians	70
Converting radians to degrees	71
Converting between degrees and DMS	72
Entering angles in DMS measure	72
Overriding the mode of the angle.....	73
Converting rectangular and polar coordinates.....	73
The Test Menu	74
Understanding Boolean logic	74
Comparing numbers.....	74
Testing equivalent expressions.....	75
Using Logic Commands	76
Using Conditions	77
CHAPTER 8: Creating and Editing Matrices.....	79
Entering Matrices.....	80
Storing a Matrix	81
Matrix Arithmetic.....	81
Evaluating the Determinant and Other Matrix Operations.....	84
Solving a System of Equations.....	85
A-1 * B method	85
Augmenting matrices method.....	87
PART 3: GRAPHING AND ANALYZING FUNCTIONS.....	89
CHAPTER 9: Graphing Functions	91
Entering Functions	92
Formatting Your Graph.....	93
Graphing Functions.....	96
Turning off Stat Plots (if necessary)	96
Selecting and deselecting a function	97
Adjusting the graph window	97
Stopping or pausing your graph	99

Adjusting Your Color/Line Settings	100
Graphing Families of Functions	102
Introducing the Improved Transformation App	102
Using Preset Parent Functions	104
Quitting the Transformation App	104
Graphing Piecewise Functions Using the Template	105
Graphing Trig Functions	107
Viewing the Function and Graph on the Same Screen	108
CHAPTER 10: Exploring Functions	111
Tracing a Graph	112
Changing the TraceStep	113
Moving the Trace cursor to any x-value in the graphing window	113
Using Zoom Commands	114
Storing and recalling your favorite graphing window	119
Displaying Functions in a Table	120
Automatically generated table	120
User-generated table	122
Editing a function in a table	123
Clearing a Table	123
Viewing the Table and the Graph on the Same Screen	124
CHAPTER 11: Evaluating Functions	127
Finding the Value of a Function	128
Using your graph to find the value of a function	128
Using your calculator to find the value of a function	129
Composing Functions	130
Using your graph to compose functions	130
Using your calculator to compose functions	131
Finding the Zeros of a Function	132
Finding Min and Max	133
Finding Points of Intersection	134
Finding the Slope of a Curve	135
Evaluating a Definite Integral	136
Graphing Derivatives to Find Critical Points	138
Solving Equations by Graphing	139
Drawing the Inverse of a Function	140
Drawing the Tangent of a Function	141
CHAPTER 12: Graphing Inequalities	143
Graphing One-Variable Inequalities	143
Starting Inequality Graphing	145
Entering Functions and Inequalities	146
Entering inequalities in the Y= editor	146
Entering inequalities in the X= editor	147

Exploring a Graph	148
Shading unions and intersections.....	149
Finding the points of intersection.....	149
Other ways to explore a graph	151
Storing Data Points	151
Clearing the INEQX and INEQY lists	152
Viewing stored data.....	152
Quitting Inequality Graphing.....	153
CHAPTER 13: Graphing Parametric Equations	155
Changing the Mode.....	156
Selecting the Graph Style.....	156
Entering Parametric Equations	157
Setting the Window.....	158
Graphing Parametric Equations	159
Using Zoom to Change the Window.....	160
Using Trace to Evaluate a Parametric Equation	160
Viewing the Table of a Parametric Graph	161
Taking the Derivative of Parametric Equations.....	162
CHAPTER 14: Graphing Polar Equations.....	163
Changing the Mode.....	164
Selecting the Graph Style.....	165
Entering Polar Equations	165
Setting the Window.....	166
Graphing Polar Equations	167
Using Zoom to Change the Window.....	168
Using Trace to Evaluate a Polar Equation	169
Viewing the Table of a Polar Graph	170
Taking the Derivative of Polar Equations.....	170
PART 4: WORKING WITH PROBABILITY AND STATISTICS.....	173
CHAPTER 15: Probability	175
Evaluating Factorials	175
Permutations and Combinations	176
Using the Binomial Theorem.....	177
Generating Random Numbers	179
Generating random integers.....	179
Generating random integers with no repetition.....	180
Generating random decimals	180
Seeding the random number generator	181

CHAPTER 16: Dealing with Statistical Data	183
Entering Data	183
Deleting and Editing Data	185
Inserting Data Lists	186
Using Formulas to Enter Data	187
Copying and Recalling Data Lists	188
Sorting Data Lists	189
Sorting data lists while keeping the rows intact	191
CHAPTER 17: Analyzing Statistical Data	193
Plotting One-Variable Data	193
Constructing a histogram	194
Adjusting the class size of a histogram	196
Constructing a box plot	197
Plotting Two-Variable Data	197
Tracing Statistical Data Plots	198
Analyzing Statistical Data	199
One-variable data analysis	200
Two-variable data analysis	201
Performing regressions	202
Graphing a regression model	204
Graphing a residual plot	205
Using Manual-Fit	205
Using statistics commands on the Home screen	207
PART 5: DOING MORE WITH YOUR CALCULATOR	209
CHAPTER 18: Communicating with a PC Using TI Connect CE Software	211
Downloading TI Connect	212
Installing and Running TI Connect	212
Connecting Calculator and PC	214
Transferring Files	215
Using the Calculator Explorer Workspace to Transfer Files from Calculator to Computer	217
Upgrading the OS using a TI CE Bundle file	217
CHAPTER 19: Communicating Between Calculators	221
Linking Calculators	221
Transferring Files	222
Using Resend to Multiply Your Efforts	224

CHAPTER 20: Fun with Images	227
Inserting Photo Images as a Background of a Graph.....	227
Using TI Connect CE Software to Transfer Images.....	228
Using Quick Plot & Fit Equation.....	229
CHAPTER 21: Managing Memory	231
Checking Available Memory.....	231
Deleting and Archiving to Preserve Memory.....	232
Resetting the Calculator.....	233
Grouping and Ungrouping Programs.....	234
Garbage Collecting	236
PART 6: THE PART OF TENS	237
CHAPTER 22: Ten Essential Skills	239
Copying and Pasting	239
Converting a Decimal to a Fraction.....	239
Changing the Mode.....	240
Accessing Hidden Menus	240
Entering Imaginary Numbers	240
Storing a variable.....	241
Graphing a Function	241
Finding the Intersection Point.....	242
Graphing a Scatter Plot.....	242
Performing a Linear Regression	242
CHAPTER 23: Ten Common Errors	243
Using \square Instead of \square to Indicate That a Number Is Negative	243
Indicating the Order of Operations Incorrectly by Using Parentheses	243
Improperly Entering the Argument for Menu Functions.....	244
Accidentally Deleting a List.....	244
Entering an Angle in Degrees in Radian Mode	245
Graphing Trigonometric Functions in Degree Mode	245
Graphing Functions When Stat Plots Are Active	245
Inadequately Setting the Display Contrast	246
Setting the Window Inappropriately for Graphing.....	246
Accidentally Deactivating a Function	246
CHAPTER 24: Ten Common Error Messages	249
ARGUMENT.....	249
BAD GUESS.....	250
DIMENSION MISMATCH	250

DIVIDE BY ZERO	250
INVALID	250
INVALID DIMENSION	251
NO SIGN CHANGE	251
SINGULAR MATRIX	251
SYNTAX	251
WINDOW RANGE	251
PART 7: APPENDICES	253
APPENDIX A: Creating Calculator Programs	255
Creating and Saving a Program on the Calculator	255
Editing a Program on the Calculator	257
Executing a Calculator Program	257
Deleting a Program from the Calculator	258
APPENDIX B: Controlling Program Input and Output	259
Using Input Commands	260
Using the Input command	260
Using the Prompt command	261
Using Output Commands	262
Using a program to write text	262
Using the Disp command	263
Using the Output command	263
Using a Program to Display a Graph	264
Changing the Color and Graph Style of a Function	265
Changing the Color of Text on a Graph	265
Housekeeping Issues	266
APPENDIX C: Controlling Program Flow	269
Entering Control Commands in a Program	270
Using Decision Commands	270
The If command	270
The If . . . Then . . . End Command	271
The If . . . Then . . . Else . . . End Command	272
Using Looping Commands	272
The While . . . End command	272
The Repeat . . . End Command	273
The For . . . End Command	274
Using Branching Commands	274
Using the Goto command	275
Creating a menu	276
Stopping a Program	278
Pausing a Program	278
Executing an External Program as a Subroutine	279

APPENDIX D: Introducing Python Programming.....	281
Getting to Know the Workspaces	281
Creating a Python program on the calculator.....	282
Running a Python program on the calculator.....	283
Managing a Python Program in your Calculator.....	284
APPENDIX E: Mastering the Basics of Python Programming.....	287
Using Input Commands in a Python Program.....	287
Using decision commands.....	290
Using the Tools menu to save time.....	292
INDEX.....	293

Introduction

Do you know how to use the TI-84 Plus or TI-84 Plus CE family of calculators to do each of the following?

- » Access hidden shortcut menus
- » Graph functions, inequalities, or transformations of functions
- » Copy and paste expressions
- » Insert an image as the background of a graph (TI-84 Plus CE only)
- » Write calculator programs (including Python for the TI-84 Plus CE)
- » Transfer files between two or more calculators
- » Create stat plots and analyze statistical data
- » Graph scatter plots, parametric equations, polar equations, and even piecewise functions

If not, then this is the book for you. Contained within these pages are straightforward, easy-to-follow directions that show you how to do everything listed here — and much, much more.

About This Book

The TI-84 Plus CE calculator is capable of doing a lot of things, and this book shows you how to utilize its full potential.

It covers more than just the basics of using the calculator, paying special attention to warn you of the problems that you could encounter if you know only the basics of using the calculator.

This is a reference book. It's process-driven, not application-driven. You won't be given a problem to solve and then be told how to use the calculator to solve that particular problem. Instead, you're given the steps needed to get the calculator to

perform a particular task, such as constructing a histogram or graphing a scatter plot.

When I refer to “your calculator,” I am referring to any calculator from the TI-84 Plus and TI-84 Plus CE family of calculators because the keystrokes on these calculators are almost the same. When I want you to press a key on the calculator, I use an icon for that key. For example, if I want you to press the ENTER key, I say press `enter`. If I want you to press a series of keys, such as the Stat key and then the right-arrow key, I say (for example) press `stat``right`. All keys on the calculator are pressed one at a time — there is no such thing as holding down one key while you press another key.

It’s tricky enough to get familiar with the location of the keys on the calculator, and even more of a challenge to remember the location of the secondary functions, such as the blue functions that appear above the key. So when I want you to access one of those functions, I give you the actual keystrokes. For example, if I want you to access the Angle menu, I tell you to press `2nd``apps`. This is a simpler method than that of the manual that came with your calculator — which would say press `2nd``angle` and then make you hunt for the location of the secondary function ANGLE. The same principle holds for using key combinations to enter specific characters; for example, I tell you to press `alpha``0` to enter a space.

When I want you to use the arrow keys, but not in any specific order, I say press the `↖↖↖↖` keys or use the arrow keys. If I want you to use only the up- and down-arrow keys, I say press `▲▼`.

All of the screenshots in this book were taken using the TI-84 Plus CE calculator. Of course, you will only be able to see color screenshots in the color insert pages.

Foolish Assumptions

My nonfoolish assumption is that you know (in effect) nothing about using the calculator, or you wouldn’t be reading this book. My foolish assumptions are as follows:

- » You own, or have access to, a calculator from the TI-84 Plus or TI-84 Plus CE family of calculators.
- » If you want to transfer files between your calculator and your computer, I assume that you have a computer and know the basics of how to operate it.

Icons Used in This Book

This book uses four icons to help you along the way. Here's what they are and what they mean:



TIP



TI-84+
TIP



REMEMBER



WARNING



TECHNICAL
STUFF

The text following this icon tells you about shortcuts and other ways of enhancing your use of the calculator.

The icon alerts you to keystroke and functionality differences between the TI-84 Plus and the newer TI-84 Plus CE calculators.

The text following this icon tells you something you should remember because if you don't, it may cause you problems later. Usually the Remember icon highlights a reminder to enter the appropriate type of number so you can avoid an error message.

There is no such thing as crashing the calculator. But this icon warns you of those *few* times when you can do something wrong on the calculator and be totally baffled because the calculator is giving you confusing feedback — either no error message or a cryptic error message that doesn't really tell you the true location of the problem.

This is the stuff you don't need to read unless you're really curious.

Beyond the Book

In addition to what you're reading right now, this product also comes with a free access-anywhere Cheat Sheet that lists some important TI-84 Plus keystrokes and explains the basics of graphing, among other things. To get this Cheat Sheet, simply go to <https://www.dummies.com/> and enter **TI-84 Plus CE Graphing Calculator For Dummies Cheat Sheet** in the Search box.

Where to Go from Here

This book is designed so you do not have to read it from cover to cover. You don't even have to start reading at the beginning of a chapter. When you want to know how to get the calculator to do something, just start reading at the beginning of the appropriate section. The Index and Table of Contents should help you find whatever you're looking for.

1 **Making Friends with the Calculator**

IN THIS PART . . .

Get up and running with your TI-84 Plus CE.

Figure out how to access the fraction tools using the shortcut menu.

Find out how to evaluate expressions and store variables.

See how to use Numeric Solver to solve equations.

Discover how you can use the PlySmlt2 app to find the roots of a polynomial and solve a system of equations.

IN THIS CHAPTER

- » Turning the calculator on and off
- » Using the keyboard
- » Utilizing the menus
- » Setting the mode of the calculator
- » Using the Catalog

Chapter 1

Starting with the Basics

The most popular calculator in the world just got a makeover! In this book, you find out how to take advantage of the improvements that have been made to the TI-84 Plus, as well as all of the built-in functionality that has not changed. The best way to use your calculator to the fullest is to read this book and start playing with the device.

The TI-84 Plus CE graphing calculator is loaded with many useful features. With it, you can solve equations of all types. You can graph and investigate functions, parametric equations, polar equations, and sequences. You can use it to analyze statistical data and to manipulate matrices.

What if you own the TI-84 Plus and not the TI-84 Plus CE? No worries! The vast majority of the steps will be exactly the same for both calculators. You'll see a difference in the appearance of the graph screen — the TI-84 Plus CE has a higher resolution color screen. If you own the TI-84 Plus, ignore any steps referencing color and skip Chapter 22 (about inserting color images) altogether.



TI-84+
TIP

Look for this TI-84 Plus Tip icon to point out differences between the TI-84 Plus and the TI-84 Plus CE.

If you've never used a graphing calculator before, you may at first find it a bit intimidating. After all, it contains about two dozen menus, many of which contain three or four submenus. But it's really not that hard to get used to using the

calculator. After you get familiar with what the calculator is capable of doing, finding the menu that houses the command you need is quite easy. And you have this book to help you along the way.


Why Didn't I Think of That?

You may have the same reaction that I did to some of the changes that have been made to the calculator: “Why didn’t I think of that?” It’s possible that you did actually! Many of the changes to the TI-84 Plus are a direct result of feedback received from teachers and students. After all, Texas Instruments is committed to providing the best tools for the teaching and learning of mathematics and science.

CE is short for color enhancement. Having a color screen is a game-changer! Say goodbye to having trouble distinguishing functions when you’re graphing more than one function on the same screen. Although some of the improvements are subtle, you’ll notice others the first time you pick up your new calculator. Here’s a small sampling of the changes:

» **New menu options:** I love that all additional menu options have been strategically placed at the end of menus. For example, a new option in the Stat CALC menu, QuickPlot & Fit-EQ, as illustrated in the first screen in Figure 1-1. Have you memorized keystrokes, like **zoom** [6] for ZStandard? No problem! The functionality you know hasn’t changed.

» **Status Bar:** A quick glance at the top of your screen informs you of the mode settings (like Radian or Degree) as well as a battery status icon. See the top of any of the screens in Figure 1-1. The Status Bar is always there whether you’re working on the current line of the Home screen, graph, or table!



- » **Higher resolution LCD backlit screen:** Not quite HD quality, but the new screen has more than twelve times as many graph area pixels as the original (320×244 versus 96×64)! Plus, you can work on problems at night on a screen that's backlit.
- » **Sleek design:** 30 percent thinner and lighter than the TI-84 Plus. It measures 7.59×3.42 inches; similar dimensions to an oversized cell phone, which makes it easy to fit in your pocket. Is it ever a bad idea to have your calculator with you?
- » **More memory:** Gone are the days of worrying about whether you have enough memory to store your programs! TI-84 Plus CE has three times as much RAM and about six times as much ROM.
- » **Border on graph screen:** Helpful info like function names and coordinates of intersection points are kept separate from the graph, as shown in the second screen in Figure 1-1. Whoever thought of this is brilliant!
- » **Table enhancements:** Separator lines and color-coded lists (matching the functions) are more pleasing to the eye. Built-in tips called Context Help are located at the top of the screen, including hints like Press + for ΔTbl . Check out the new table look in the third screen in Figure 1-1.

Think you've seen it all? Not even close. I explain these improvements and much more — just keep reading.

Charging the Battery

The TI-84 Plus CE uses a Li-ion battery, similar to the one in your cellphone, which holds a charge for up to two weeks. Texas Instruments (TI) recommends charging your battery for at least four hours for peak performance. On the right side of your calculator, an LED light lights up during the recharging process. An amber color indicates your calculator is charging, and a green color indicates your calculator is fully charged. There are three ways to recharge your calculator battery:



TI-84+
TIP

The TI-84 Plus does not have a rechargeable battery. You must open the back panel and insert four new AAA batteries.

- » **TI Wall Adapter:** Simply plug in the adapter that came bundled with your calculator.



TIP

» **USB computer cable:** Use the USB computer cable that came with your calculator and a computer to charge your calculator. Plug the USB hub into the computer and plug the mini-USB hub into your calculator.

Your computer may not recognize the USB computer cable you are using to charge your calculator. If this happens, download TI-Connect software from <http://education.ti.com>. For more details on downloading and installing TI-Connect, see Chapter 18.

» **TI-84 CE Charging Station:** If your classroom has one of these, simply place your calculator in one of the slots of the charging station.

In the top-right part of the screen, a battery status icon indicates the battery level. There are four different battery levels plus a charging icon, as shown in Figure 1-2.




FIGURE 1-2:
Battery status icon battery levels.



WARNING

If your battery loses its charge, the RAM memory on your calculator may be cleared. If you have programs or data that you don't want to lose, back up your calculator (see Chapter 21 for more details). Your calculator gives you a warning message, as shown in Figure 1-3.




FIGURE 1-3:
Battery level
warning screen.

Turning the Calculator On and Off

Press **[on]** to turn the calculator on. To turn the calculator off, press **[2nd]** and then press **[on]**. These keys are in the left column of the keyboard. The **[on]** key is at the bottom of the column, and the **[2nd]** key is the second key from the top of this column.

To prolong the life of the batteries, the calculator automatically turns itself off after five minutes of inactivity. But don't worry — when you press **[on]**, all your work will appear on the calculator just as you left it before the calculator turned itself off.

The first time you turn on your calculator, you're greeted by an information screen, as shown in Figure 1-4. A few helpful reminders are displayed on the information screen. If you want to see this screen the next time you turn on your calculator, press **[2]**. Otherwise, press **[1]** or **[enter]**.




FIGURE 1-4:
Information
screen.



In some types of light, the screen can be hard to see. To increase the contrast, press and release **[2nd]** and then hold down **[** until you have the desired contrast. To decrease the contrast, press **[2nd]** and hold **[]**.

Using the Keyboard

The row of keys under the calculator screen contains the keys you use when graphing. The next three rows, for the most part, contain editing keys, menu keys, and arrow keys. The arrow keys (\blacktriangleleft \triangleright \blacktriangledown \blacktriangleup) control the movement of the cursor. The remaining rows contain, among other things, the keys you typically find on a scientific calculator.



REMEMBER

Keys on the calculator are always pressed one at a time; they are *never* pressed simultaneously. In this book, an instruction such as [2nd][on] indicates that you should first press [2nd] and then press [on] .

Accessing the functions in blue

Above and to the left of most keys is a secondary key function written in blue. To access that function, first press [2nd] and then press the key. For example, π is in blue above the [cos] key, so to use π in an expression, press [2nd] and then press [cos] .

Because hunting for the function in blue can be tedious, in this book I use only the actual keystrokes. For example, I make statements like, “ π is entered into the calculator by pressing [2nd][cos] .” Most other books would state, “ π is entered into the calculator by pressing [2nd][pi] .”



TIP

Using the [alpha] key to write words

Above and to the right of most keys is a letter written in green. To access these letters, first press [alpha] and then press the key. For example, because the letter O is in green above the [7] key, to enter this letter, press [alpha] and then press [7] .

Because hunting for letters on the calculator can be tedious, I tell you the exact keystrokes needed to create them. For example, if I want you to enter the letter O, I say, “Press [alpha][7] to enter the letter O.” Most other books would say “Press [alpha][O] ” and leave it up to you to figure out where that letter is on the calculator.



TIP

You must press [alpha] before entering each letter. However, if you want to enter many letters, first press [2nd][alpha] to lock the calculator in Alpha mode. Then all you have to do is press the keys for the various letters. When you’re finished, press [alpha] to take the calculator out of Alpha mode. For example, to enter the word TEST into the calculator, press $\text{[2nd][alpha][4][sin][ln][4]}$ and then press [alpha] to tell the calculator that you’re no longer entering letters.



TIP

When the calculator is in Alpha mode, the blinking ■ cursor symbol is replaced with the **A** symbol. This symbol indicates that the next key you press will insert the green letter above that key. To take the calculator out of Alpha mode, press **[alpha]**.

Using the **[enter]** key

The **[enter]** key is used to evaluate expressions and to execute commands. After you have, for example, entered an arithmetic expression (such as $5 + 4$), press **[enter]** to evaluate that expression. In this context, the **[enter]** key functions as the equal sign. Entering arithmetic expressions is explained in Chapter 2.

Using the **[X,T,θ,n]** key

[X,T,θ,n] is the key you use to enter the variable in the definition of a function, a parametric equation, a polar equation, or a sequence. In Function mode, this key produces the variable **[X,T,θ,n]**. In Parametric mode, it produces the variable **T**; and in Polar and Sequence modes, it produces the variables **θ** and **n**, respectively. For more information, see the “Setting the Mode” section later in this chapter.

Using the arrow keys

The arrow keys (**[▶]**, **[◀]**, **[▲]**, and **[▼]**) control the movement of the cursor. These keys are in a circular pattern in the upper-right corner of the keyboard. As expected, **[▶]** moves the cursor to the right, **[◀]** moves it to the left, and so on. When I want you to use the arrow keys — but not in any specific order — I refer to them all together, as in “Use the **[▶◀▲▼]** keys to place the cursor on the entry.”



REMEMBER

Keys to remember

The following keystroke and keys are invaluable:

- » **[2nd][mode]**: This is the equivalent of the Escape key on a computer. It gets you out of whatever you’re doing (or have finished doing) and returns you to the Home screen. See the next section for more about the Home screen.
- » **[enter]**: This key is used to execute commands and to evaluate expressions. When evaluating expressions, it’s the equivalent of the equal sign.
- » **[clear]**: This is the “erase” key. If you enter something into the calculator and then change your mind, press this key. If you want to erase the contents of the Home screen, repeatedly press this key until the Home screen is blank.
- » **[del]**: If you only want to erase one character at a time and not the whole line, use this key.

What Is the Home Screen?

The Home screen is the screen that appears on the calculator when you first turn it on. This is the screen where most of the action takes place as you use the calculator — it's where you evaluate expressions and execute commands. This is also the screen you usually return to after you've completed a task such as entering a matrix in the Matrix editor or entering data in the Stat List editor.



REMEMBER

Press `2nd mode` to return to the Home screen from any other screen. This combination of keystrokes, `2nd mode`, is the equivalent of the Escape key on a computer. It always takes you back to the Home screen.



REMEMBER

If you want to clear the contents of the Home screen, repeatedly press `clear` until the Home screen is blank.

The Busy Indicator

If you see a moving dotted ellipse in the upper-right corner of the screen, this indicates that the calculator is busy graphing a function, evaluating an expression, or executing a command.



TIP

If it's taking too long for the calculator to graph a function, evaluate an expression, or execute a command, and you want to abort the process, press `on`. If you're then confronted with a menu that asks you to select either **Quit** or **Goto**, select **Quit** to abort the process.

Editing Entries

The calculator offers four ways to edit an entry:

» Deleting the entire entry:

Use the `◀ ▶ □ □` keys to place the cursor anywhere in the entry and then press `clear` to delete the entry.

» Erasing part of an entry:

To erase a single character, use the `◀ ▶ □ □` keys to place the cursor on the character you want to delete and then press `del` to delete that character.

» Inserting characters:

Because “typing over” is the default mode, to insert characters you must first press **2nd[del]** to enter Insert mode. When you insert characters, the inserted characters are placed to the left of the cursor. For example, if you want to insert CD between B and E in the word ABEF, you would place the cursor on E to make the insertion.

To insert characters, use the **►◄▲▼** keys to place the cursor at the location of the desired insertion, press **2nd[del]**, and then key in the characters you want to insert. Notice, the cursor does not blink with the typical **█** you’re used to seeing; instead, it blinks with an underscore. When you’re finished inserting characters, press one of the arrow keys to take the calculator out of Insert mode.


» Keying over existing characters:

“Type over” is the default mode of the calculator. So if you want to overtype existing characters, just use the **►◄▲▼** keys to put the cursor where you want to start, and then use the keyboard to enter new characters.

Copying and Pasting

Save time by not retyping similar expressions from scratch! Press **2nd[mode]** to access the Home screen.

Press the **▲** key to scroll through your previous calculations. When a previous entry or answer is highlighted, press **enter** to paste it into your current entry line. See the first two screens in Figure 1-5.



After you have pasted the expression into the current entry line, you can edit the expression as much as you like. See the third screen in Figure 1-5.



REMEMBER

Press **2nd****del** to insert characters into a copied expression. The cursor changes to an underscore, and you can add characters in the middle of an expression instead of typing over the top of other characters.



TIP

If the answer is in the form of a list or matrix, it cannot be copied and pasted. Instead, copy and paste the expression. Also, notice that the mode settings don't display in the Status bar when you're scrolling through the calculator history.

Using Menus

Most functions and commands that you use are found in the menus housed in the calculator — and just about every chapter in this book refers to them. This section is designed to give you an overview of how to find and select menu items.

Accessing a menu

Each menu has its own key or key combination. For example, to access the Math menu, press **[math]**; to access the Test menu, press **2nd****[math]**. An example of a menu appears in the first screen in Figure 1-6. This is a picture of the Math menu.




FIGURE 1-6:
Submenus of the
Math menu.

Some menus, such as the Math menu, contain submenus. This is also illustrated in the first screen in Figure 1-6. This screen shows that the submenus in the Math menu are MATH, NUM, CMPLX, PROB, and FRAC (Math, Number, Complex, Probability, and Fraction). Use the **►****▼** keys to view the items on the other submenus. This is illustrated in the second and third screens in Figure 1-6.

Scrolling a menu

After the number 9 in the first two pictures in Figure 1–6, a down arrow indicates that more items are available in the menu than appear on-screen. There's no down arrow after the 4 in the third screen in Figure 1–6 because that menu has exactly four items.

To see menu items that don't appear on-screen, repeatedly press **▼**.



TIP

To get quickly to the bottom of a menu from the top of the menu, press **▲**. Similarly, to quickly get from the bottom to the top, press **▼**.


Selecting menu items

To select a menu item from a menu, key in the number (or letter) of the item or use the **▲▼** keys to highlight the number (or letter) of the item and then press **enter**.


Some menus, such as the Mode menu shown in the first screen in the upcoming Figure 1–7, require that you select an item from a list of items by highlighting that item. The list of items usually appears in a single row and the calculator requires that one item in each row be highlighted. To highlight an item, use the **◀▶▲▼** keys to place the cursor on the item and then press **enter** to highlight the item. The selections on the Mode menu are described in the next section.



Mode menu



MathPrint mode



Classic mode

FIGURE 1–7: Mode, MathPrint, and Classic screens.



TIP

To access Catalog Help, scroll to the menu item you want to use and press **►**. A screen showing the syntax of the command is displayed.

Setting the Mode

The Mode menu, which is accessed by pressing `mode`, is the most important menu on the calculator; it tells the calculator how you want numbers and graphs to be displayed. The Mode menu for the TI-84 Plus CE is pictured in the first screen in Figure 1-7.

MathPrint mode versus Classic mode

The first choice on the Mode menu will have a big impact on the way your calculator displays expressions and answers. Use Classic mode at your own peril; everything is better with MathPrint. Full disclosure: The only reason to use Classic mode is if you have a really long expression and want to see the whole expression without scrolling. MathPrint is the default mode, and I strongly endorse using MathPrint at all times.

» **MathPrint mode:**

Fractions display like fractions, exponents look like exponents, text doesn't wrap to the next line, and templates make it easier to enter commands.

See the second screen in Figure 1-7.

» **Classic mode:**

Fractions use a forward slash (/) symbol, most exponents aren't elevated, text wraps to the next line, and templates aren't available. See the third screen in Figure 1-7.

One item in each row of this menu must be selected. Here are your choices:

» **Normal, Sci, or Eng:**

This setting controls how numbers are displayed on the calculator. In Normal mode, the calculator displays a number in the usual numeric fashion that you used in elementary school — provided it can display it using no more than ten digits. If the number requires more than ten digits, the calculator displays it using scientific notation.

In Scientific (**Sci**) mode, numbers are displayed using scientific notation; and in Engineering (**Eng**) mode, numbers are displayed in engineering notation.

These three modes are illustrated in Figure 1-8. In this figure, the first answer is displayed in normal notation, the second in scientific notation, and the third in engineering notation.

FIGURE 1-8:
Normal, scientific,
and engineering
notations.

NORMAL FLOAT AUTO REAL RADIAN MP	SCI FLOAT AUTO REAL RADIAN MP	ENG FLOAT AUTO REAL RADIAN MP
50*2000	50*2000	50*2000



REMEMBER

In scientific and engineering notation, the calculator uses **En** to denote multiplication by 10^n .

» **Float 0123456789:**

Select **Float** if you want the calculator to display as many digits as possible. Select **0** if you want all numbers rounded to an integer. If you're dealing with money, select **2** so that all numbers will be rounded to two decimal places. Selecting **5** rounds all numbers to five decimal places, and, well, you get the idea.

» Radian or Degree:

If you select **Radian**, all angles entered in the calculator are interpreted as being in radian measure; all angular answers given by the calculator will also be in radian measure. Similarly, if you select **Degree**, any angle you enter must be in degree measure, and any angular answer given by the calculator is also in degree measure.

» Function, Parametric, Polar, or Seq:

This setting tells the calculator what type of functions you plan to graph. Select **Function** to graph plain old vanilla functions in the form $y = f(x)$. Select **Parametric** to graph parametric equations; **Polar** to graph polar equations; and **Seq** to graph sequences. (Sequences are also called *iterative equations*.)

» Thick, Dot-Thick, Thin, or Dot-Thin:

In **Dot-Thick** or **Dot-Thin** mode, the calculator produces a graph by plotting only the points it calculates. In **Thick** or **Thin** mode, the calculator joins consecutively plotted points with a line. Thick or Thin has to do with the thickness of the line style in the $Y=$ editor.

My recommendation is to select the **Thick or Thin** mode because each of the graphing options (**Function**, **Parametric**, **Polar**, and **Seq**) enables you to select a graphing style with the options of **Dot-Thick** or **Dot-Thin** line style.



TIP

If you want to quickly change the line styles of all of your functions at once, choose **Thick**, **Dot-Thick**, **Thin**, or **Dot-Thin**.

» **Sequential or Simul:**

In **Sequential** mode, the calculator completes the graph of one function before it graphs the next function. In Simultaneous (**Simul**) mode, the calculator graphs all functions at the same time. It does so by plotting the values of all functions for one value of the independent variable, and then plotting the values of all functions for the next value of the independent variable.

Simul mode is useful if you want to see whether two functions intersect at the same value of the independent variable. You have to watch the functions as they are graphed in order to see if this happens.

» **Real, $a + bi$, or $re^{\theta i}$:**

If you're dealing with only real numbers, select the **Real** mode. If you're dealing with complex numbers, select **$a + bi$** if you want the complex numbers displayed in rectangular form. If you want complex numbers displayed in polar form, select the **$re^{\theta i}$** mode.

» **Full, Horizontal, or Graph-Table:**

The **Full** screen mode displays the screen as you see it when you turn the calculator on. The other screen modes are split-screens. The **Horizontal** mode is for when you want to display a graph and the $Y=$ editor or the Home screen at the same time. Use the **Graph-Table** mode when you want to display a graph and a table at the same time. (The split-screen modes are explained in detail in Chapters 9 and 10.)

» **Fraction Type: n/d or Un/d:**

The results display as simple fractions or mixed numbers.

» **Answers: Auto, Dec:**

Changing this setting affects how the answers are displayed. Choosing **Auto** displays answers in a similar form as the input. **Dec** displays answers in decimal form.

» **Stat Diagnostics: OFF, ON:**

I recommend turning this ON so that r and r^2 display when you run a regression. See the first screen in Figure 1-9.

» **Stat Wizards: ON, OFF:**

If you have this set to ON, an input screen provides syntax help for entering the proper syntax of certain statistical commands. See the second screen in Figure 1-9.

FIGURE 1-9:
Linear regression
wizard and
setting the clock.



» Set Clock:

This is where you set the clock on the TI-84 Plus family of calculators. To do this, use the arrow keys to place the cursor on the **SET CLOCK** option and press **enter**. You see the third screen in Figure 1-9. You use the **▲▼◀▶** keys to move from item to item. To select items in the first, fifth, and eighth rows, place the cursor on the desired item and press **enter** to highlight that item. To enter numbers in the other options, edit the existing number or press **clear** and use the keypad to enter a new number. When you're finished setting the clock, save your settings by placing the cursor on **SAVE** and pressing **enter**.

» Language

Use the **▲▼** keys to choose the language: English, Espanol, Francais, Nederlands, Portuguese, Svenska, or Deutsch.



TIP

There are a few differences in the Mode menu on a TI-84+. There is no option for changing the language. There are additional options for Frac-Approx and a mode called “Go to 2nd Format Graph” (which you can still access on a TI-84 CE by pressing **2nd [zoom]**.) The order of the items in the Mode menu also differs. Please keep this in mind when I give instructions later in the book to change the mode setting on a certain line number. Oh, and one last thing: Graph-Table is abbreviated as G-T. (Check out Chapter 10 for more on this epic feature).



REMEMBER

If you're planning on graphing trigonometric functions, put the calculator in Radian mode. Reason: Most trig functions are graphed for $-2\pi \leq x \leq 2\pi$. That's approximately $-6.28 \leq x \leq 6.28$. That's not a bad value for the limits on the x -axis. But if you graph in Degree mode, you will need $-360 \leq x \leq 360$ for the limits on the x -axis. This is doable . . . but trust me, it's easier to graph in Radian mode.



TIP

If your calculator is in Radian mode and you want to enter an angle in degrees, Chapter 3 tells you how to do so without resetting the mode.



REMEMBER

You can quickly check some of the mode settings (like radian or degree) by glancing at the status bar at the top of the screen.

Using the Catalog

The calculator's Catalog houses every command and function used by the calculator. However, it's usually easier to use the keyboard and the menus to access these commands and functions than it is to use the Catalog. There are several exceptions; for example, the hyperbolic functions are found only in the Catalog. If you have to use the Catalog, here's how to do it:

1. **If necessary, use the $\blacktriangleright\blacktriangleleft\blacktriangleup\blacktriangleleft$ keys to place the cursor at the location where you want to insert a command or function found in the Catalog.**

The command or function is usually inserted on the Home screen, or in the $Y=$ editor when you're defining a function you plan to graph.

2. **Press $2nd\ 0$ to enter the Catalog.**

This is illustrated in the first screen in Figure 1-10.

3. **Enter the first letter in the name of the command or function.**

Notice that the calculator is already in Alpha mode, as is indicated by the \mathbf{A} in the upper-right part of the screen. To enter the letter, all you have to do is press the key corresponding to that letter. For example, if you're using the Catalog to access the function `seq(`, press ln because the letter `S` is written in green above this key. Use the \blacktriangleleft key to scroll down to `seq(`. This is illustrated in the second screen in Figure 1-10.

4. **Repeatedly press \blacktriangleleft to move the indicator to the desired command or function.**




FIGURE 1-10:
Steps for using
the Catalog.

5. **(Optional) Press  to access Catalog Help for the listed command or function.**

This is illustrated in the third screen in Figure 1-10. After pressing , the command or function is inserted at the cursor location.

6. **Press  to select the command or function.**

After pressing , the command or function is inserted at the cursor location.

IN THIS CHAPTER

- » Entering and evaluating arithmetic expressions
- » Utilizing exponent and roots
- » Working in scientific notation
- » Knowing the important keys
- » Obeying the order of operations
- » Storing and recalling variables
- » Using the previous answer
- » Combining expressions

Chapter 2

Doing Basic Arithmetic

When you use the calculator to evaluate an arithmetic expression such as $5^{10} + 4^6$, the format in which the calculator displays the answer depends on how you have set the mode of the calculator. Do you want answers displayed in scientific notation? Do you want all numbers rounded to two decimal places?

Setting the *mode* of the calculator affords you the opportunity to tell the calculator how you want these — and other questions — answered. (Setting the mode is explained in Chapter 1.) As a general rule of thumb, highlight all the choices on the left side of the mode screen (refer to the first screen back in Figure 1-7).

Entering and Evaluating Expressions

Arithmetic expressions are evaluated on the Home screen. The Home screen is the screen you see when you turn the calculator on. If the Home screen is not already displayed on the calculator, press `2nd mode` to display it. If you want to clear the contents of the Home screen, repeatedly press `clear` until the screen is empty.



TIP

Repeatedly pressing `clear` doesn't delete your previous entries or answers — it just removes them from view! Press `⬅` to scroll through your previous calculations. When a previous entry or answer is highlighted, press `enter` to paste it into your current entry line.

Arithmetic expressions are entered in the calculator the same way you would write them on paper. If you use the division sign (/) for fractional notation, it's usually a good idea to use parentheses around the numerator or the denominator, as illustrated in the first two calculations in Figure 2-1.




FIGURE 2-1:
Evaluating
arithmetic
expressions.



WARNING

There is a major difference between the subtraction key (`>`) and the negation key (`⬅`). They are not the same (see Figure 2-2), nor are they interchangeable. Use the `>` key to indicate subtraction; use the `⬅` key before a number to identify that number as negative.

If you improperly use `⬅` to indicate a subtraction problem, or if you improperly use `>` to indicate that a number is negative, you get the ERROR: SYNTAX error message. The second screen in Figure 2-3 is the result of pressing `enter` on the first screen in Figure 2-3. Simply press `⬅` to automatically bring your cursor to the cause of your error where you can edit the entry as needed.



REMEMBER

Do not use commas when entering numbers. For example, the number 1,000,000 is entered in the calculator as `>[table][table][table][table][table][table]`. See the third screen in Figure 2-3.

After entering the expression, press `enter` to evaluate it. The calculator displays the answer on the right side of the next line.




FIGURE 2-2:
Scientific calculator keys.





FIGURE 2-3:
Entering calculations.

Using Exponents and Roots

In MathPrint mode, exponents actually look like exponents! There are two ways to square a number. One way is to type a number and press $\boxed{x^2}$. The advantage of using this technique is your cursor stays on the base of the Entry line (see the first screen in Figure 2-4). Another way of squaring a number is to type a number and press $\boxed{\wedge 2}$ to put the number to the second power. Notice that as soon as you press $\boxed{\wedge 2}$

(caret symbol), the cursor moves up to the exponent position. Type a number in the exponent position and the cursor will contain a small right arrow to remind you to press $\boxed{\text{Enter}}$ to bring the cursor back down to the base of the Entry line (see the second screen in Figure 2-4). Trust me when I tell you that it's really easy to forget to do this!

FIGURE 2-4:
Powers and
roots.



Of course, pressing $\boxed{\text{Expo}}$ allows you to put a number to any exponent you would like (including negative exponents and rational exponents). See the first two lines of the last screen in Figure 2-4. There are two convenient secondary keys to perform commonly used exponential functions. Press $\boxed{\text{2nd Log}}$ to produce the 10^x function, and press $\boxed{\text{2nd In}}$ to generate the e^x function.

Square roots work in a similar fashion to exponents. Press $\boxed{\text{2nd X^2}}$ to select a square root and type the expression you would like to evaluate. Notice that the cursor will stay under the radical sign until you press $\boxed{\text{Enter}}$ (see the last line of the third screen in Figure 2-4). To enter a root (other than a square root), press $\boxed{\text{math 5}}$ to access the $\sqrt[x]{}$ template. Simply type the index and use the $\boxed{\text{Enter}}$ key to enter the expression you would like to evaluate. Alternatively, save time by typing the index first, access the $\sqrt[x]{}$ template by pressing $\boxed{\text{math 5}}$, and then typing the expression.



TI-84+
TIP

The index is pre-populated, so be sure to type the index before accessing the $\sqrt[x]{}$ template.

Working in Scientific Notation

Scientific notation on a calculator looks a little different than what you're used to seeing in class. For example, $2.53*10^{12}$ will display as 2.53×10^{12} . You can enter an expression in scientific notation by pressing $\boxed{\text{2nd E}}$ to type an \times , but entering an expression in scientific notation doesn't guarantee that your answer will remain in scientific notation. See the first screen in Figure 2-5.




Accessing E	Using Normal mode	Using Sci mode
		

FIGURE 2-5:
Scientific notation.

In Normal mode, results that have a power of ten that are more than 9 or less than -3 are automatically expressed in scientific notation. In other words, any number that is more than ten digits or smaller than 0.001 will display in scientific notation. See the second screen in Figure 2-5.

Fortunately, you can force your calculator to display answers in scientific notation. Press **mode** and use the arrow keys to choose Sci (short for Scientific mode) and press **enter**. You can rest assured that all your answers will be displayed in scientific notation. See the third screen in Figure 2-5.



WARNING

It's not a good idea to leave your calculator in Sci mode. Doing so will not harm your calculator, but seeing every calculation in scientific notation may cause you to lose your mind!

Getting Familiar with Important Keys

Starting with the fifth row of the calculator, you find the functions commonly used on a scientific calculator. Here's what they are and how you use them:

» **π and e**

The transcendental numbers π and e are respectively located in the fifth and sixth rows of the last column of the keyboard. To enter π in the calculator, press **2nd** **^**; to enter e , press **2nd** **÷**, as shown in the first screen of Figure 2-6.

» **The trigonometric and inverse trigonometric functions**

The trigonometric and inverse trigonometric functions are located in the fifth row of the keyboard. These functions require that the argument of the function be enclosed in parentheses. To remind you of this, the calculator provides the first parenthesis for you (as shown in the second screen of Figure 2-6).

» The inverse function

The inverse function is located in the fifth row of the left column on the calculator. To enter the multiplicative inverse of a number, enter the number and press $[x^{-1}]$. When dealing with matrices, using the $[x^{-1}]$ key will calculate the inverse of the matrix (see Chapter 8 for more about matrices). The third screen in Figure 2-6 shows these operations.




FIGURE 2-6:
Examples of arithmetic expressions.



TIP

If you want to evaluate an arithmetic expression and you need a function other than those just listed, you'll most likely find that function in the Math menu (described in detail in Chapter 6).



TECHNICAL STUFF

You can impress your friends at parties by pointing out that TI-84 Plus uses 3.1415926535898 for π in calculations.

Following the Order of Operations

The order in which the calculator performs operations is the standard order that you are used to. Spelled out in detail, here is the order in which the calculator performs operations:

1. **The calculator simplifies all expressions surrounded by parentheses.**
2. **The calculator evaluates all functions that are followed by the argument.**

These functions supply the first parenthesis in the pair of parentheses that must surround the argument. An example is $\sin x$. When you press $[\sin]$ to access this function, the calculator inserts $\sin($ on-screen. You then enter the argument and press $]$.

3. **The calculator evaluates all functions entered after the argument.**

An example of such a function is the square function. You enter the argument and press $[x^2]$ to square it.



REMEMBER

Evaluating -3^2 may not give you the expected answer. You think of -3 as being a single, negative number. So when you square it, you expect to get $+9$. But the calculator gets -9 (as indicated in the first screen of Figure 2-7). This happens because the normal way to enter -3 into the calculator is by pressing $[\text{-}]\text{[3]}$ — and pressing the $[\text{-}]$ key is equivalent to multiplying by -1 . Thus, in this context, $-3^2 = -1 * 3^2 = -1 * 9 = -9$. To avoid this potentially hazardous problem, always surround negative numbers with parentheses *before* raising them to a power. See the first screen in Figure 2-7.

4. The calculator evaluates powers entered using the $\boxed{\square}$ key and roots entered using the $\times\sqrt{}$ function.

The $\times\sqrt{}$ function is found in the Math menu. You can also enter various roots by using fractional exponents — for example, the cube root of 8 can be entered by pressing $[\text{8}]\text{[\wedge]}\text{[1]}\text{[\div]}\text{[3]}$. See the second screen in Figure 2-7.

5. The calculator evaluates all multiplication and division problems as it encounters them, proceeding from left to right.

6. The calculator evaluates all addition and subtraction problems as it encounters them, proceeding from left to right.



Using the Previous Answer

You can use the previous answer in the next arithmetic expression you want to evaluate. If that answer is to appear at the beginning of the arithmetic expression, first key in the operation that is to appear after the answer. The calculator displays **Ans** followed by the operation. Then, key in the rest of the arithmetic expression and press **enter** to evaluate it. See the first screen in Figure 2-8. Pressing **enter** repeatedly will recycle the last entry and generate a sequence of numbers. See the second screen in Figure 2-8.

If you want to embed the last answer in the next arithmetic expression, key in the beginning of the expression to the point where you want to insert the previous answer. Then press **2nd****[\square]** to key in the last answer. Finally, key in the rest of the

expression and press **enter** to evaluate it. Pressing **enter** repeatedly will generate a sequence. See the third screen in Figure 2-8.




FIGURE 2-8:

Using the previous answer.

Press +

Pressing **enter**

Embedding the last answer

Storing Variables

The letters STO may look like texting language, but the **sto-** key on a calculator is a handy feature to have around. If you plan to use the same number many times when evaluating arithmetic expressions, consider storing that number in a variable. To do so, follow these steps:

1. If necessary, press **2nd mode** to enter the Home screen.
2. Enter the number you want to store in a variable.
You can store a number or an arithmetic expression.
3. Press **sto-**.
The result of this action is shown in the first screen in Figure 2-9.
4. Press **alpha** and press the key corresponding to the letter of the variable in which you want to store the number.

The letters used for storing variables are the letters of the alphabet and the Greek letter θ .




FIGURE 2-9:

Storing steps.

Press **sto-**

Enter a variable

Using a stored variable

5. Press `enter` to store the value.

This is illustrated in the second screen in Figure 2-9.

After you have stored a number in a variable, you can insert that number into an expression. To do so, place the cursor where you want the number to appear, press `alpha`, and press the key corresponding to the letter of the variable in which the number is stored. See the third screen in Figure 2-9.



TIP

The number you store in a variable remains stored in that variable until you or the calculator stores a new number in that variable. Because the calculator uses the letters X, T, and θ when graphing functions, parametric equations, and polar equations, it is possible that the calculator will change the value stored in these variables when the calculator is in graphing mode. For example, if you store a number in the variable X and ask the calculator to find the zero of the graphed function X^2 , the calculator will replace the number stored in X with 0, the zero of X^2 . So avoid storing values in these three variables if you want that value to remain stored in that variable after you have graphed functions, parametric equations, or polar equations.

Combining Expressions

You can *combine* (link) several expressions or commands into one expression by using a colon to separate the expressions or commands. The colon is entered into the calculator by pressing `alpha`. See the first screen in Figure 2-10. Combining expressions is not a timesaver, but it is a space saver. For comparison, see the second screen in Figure 2-10, where the expressions were not combined into one line.




FIGURE 2-10:
Combining
expressions.

IN THIS CHAPTER

- » Setting the mode
- » Converting fractions and decimals
- » Accessing hidden shortcut menus
- » Using fractions and mixed numbers
- » Entering complex numbers in fractions
- » Working with complex fractions

Chapter 3

Dealing with Fractions

I often hear students ask, “Where is the fraction key?” The short answer is that there’s no fraction key, per se. The long answer is that there are many fraction tools built into this calculator. For starters, isn’t a fraction just division in disguise? So, pressing \div between two numbers creates a fraction. Of course, there’s much more to dealing with fractions on this calculator. To learn all the fraction functionality that is at your fingertips, just continue reading this chapter.

Setting the Mode

Do you prefer fractions or decimals? Would you rather work with an improper fraction or a mixed number? There’s no right answer to these questions, but what would make you (or your teacher) happy? Changing the mode of your calculator forces the calculated answers into a form of your liking. Be careful; this is a big decision on your part! Setting the mode not only affects calculations on the Home screen, but also the way lists and sequences are displayed.

To change the form of your calculated answers, press `mode`. Use the arrow keys to scroll to the 11th line, ANSWERS. Here, there are three choices that affect how calculated answers are displayed:

- » **AUTO:** Choosing AUTO displays the answers in a similar format to the way the expressions are entered. If the expression contains a decimal, then you should expect the answer to be in decimal form. If the expression is entered in fraction form, then you should expect the answer to be expressed in fraction form. See the first screen in Figure 3-1.
- » **DEC:** The DEC mode forces the answers to be displayed as decimals. See the second screen in Figure 3-1.





FIGURE 3-1:
Modes of the
calculated
answer.

There's one more mode decision you need to make. What type of fraction do you prefer: improper fractions or mixed numbers? Press `mode` and change the FRACTION TYPE to one of these two choices:



TIP

- » **n/d:** Fractions are displayed in simplified fraction form.

The numerator of a fraction must contain less than seven digits and the denominator of a fraction must not exceed 9999.

- » **Un/d:** When possible, fractions are displayed as a mixed number.

To avoid errors and potential problems, enter *U*, *n*, and *d* as integers with a maximum of three digits.

Converting Fractions and Decimals

There's an easy way to convert a decimal to a fraction, regardless of the mode setting. You can access the **Frac** and **Dec** functions in the first two options in the Math menu. The **Frac** function displays an answer as a fraction. Type the expression and press `math``enter``enter` to display the expression as a fraction. Often, I don't think ahead and my answer is a decimal (when I wanted a fraction.) No problem! Press `math``enter``enter` and your answer is converted to a fraction. See the first screen in Figure 3-2. If your calculator can't convert an expression to a fraction, it lets you know by redisplaying the decimal.




FIGURE 3-2:
Converting
fractions and
decimals.



TIP

How do you convert an infinite repeating decimal into a fraction? Just type at least eleven digits of the repeating decimal and press $\text{math} \rightarrow \text{enter} \rightarrow \text{enter}$. See the second screen in Figure 3-2.

The **Dec** function converts a fraction to a decimal. Enter the fraction and press $\text{math} \rightarrow 2 \rightarrow \text{enter}$. Of course, if you’re not thinking ahead and your answer is in fraction form, just press $\text{math} \rightarrow 2 \rightarrow \text{enter}$ to display your answer as a decimal. An example is shown in the third screen in Figure 3-2.

Accessing Shortcut Menus

Did you know that there are four hidden shortcut menus on your calculator? The four menus are: FRAC (Fraction menu), FUNC (Function menu), MTRX (Matrix menu), and YVAR (Y-variables menu). To access the hidden FRAC menu, press $\text{alpha} \rightarrow \text{y=}$. See the first screen in Figure 3-3. Notice that after pressing alpha , the keys at the top of your keypad become soft keys that activate on-screen menus.




FIGURE 3-3:
Accessing the
FRAC menu.

The MTRX menu can only be accessed by pressing $\text{alpha} \rightarrow \text{zoom}$ to access the MTRX shortcut menu. However, the rest of the shortcut menus can also be accessed by standard menus. For example, the FRAC menu can also be accessed in two places in the MATH menu. Press $\text{math} \rightarrow \text{left}$ or press $\text{math} \rightarrow \text{right} \rightarrow \text{left}$ (at the bottom of the NUM menu) to find the FRAC menu in a standard menu. See the second and third screens in Figure 3-3.



Unlike with the TI-84 Plus CE, after you activate the soft keys by pressing [alpha][Y=] , you can't navigate to one of the other three soft keys menus by pressing $><$. Instead, you have to press the corresponding key ($\text{[Y=][window][zoom][trace]}$) that activates the soft keys on the screen (FRAC, FUNC, MTRX, YVAR.)

Entering Fractions and Mixed Numbers

Press [alpha][Y=] to access the FRAC menu. The first two options in the FRAC menu are easy-to-use fraction templates:

- » **n/d:** Enter fractions in the fraction template.
- » **Un/d:** Enter fractions in the mixed number template. See the first screen in Figure 3-4.

The next two options are used for conversion:

- » **►n/d◄►Un/d:** Converts a mixed number to an improper fraction, or an improper fraction to a mixed number. See the second screen in Figure 3-4.
- » **►F◄►D:** Converts a fraction to a decimal, or vice versa. See the third screen in Figure 3-4.



FIGURE 3-4:
Fraction templates and conversions tools.



Do you want to know a secret? Pressing [alpha][X,T,θ,n] accesses the fraction template with fewer keystrokes. Considering how often you will use fractions, this is a killer shortcut. Only share with friends. *Shhhh.*



That killer shortcut to enter a fraction described in the Tip above: That doesn't work on a TI-84+. You'll need to access the hidden menu by pressing [alpha][Y=] and choosing the n/d fraction template. Bummer, I know.

Entering Complex Numbers in Fractions

To enter the complex number using a TI-84 Plus CE, i , press alpha \Box . You may be surprised (if you have used calculators for a long time) what your calculator can do! Try pressing 2nd \cdot \Box \Box enter to evaluate i^{27} . In the first screen in Figure 3-5, I pressed alpha $\text{x},\text{t},\text{θ},\text{n}$ and used a fraction template to enter and evaluate the fraction, $\frac{5}{2+i}$. (For more about working with complex numbers, see Chapter 5.)




FIGURE 3-5:
Entering complex
numbers in
fractions.



TI-84+
TIP

Entering a complex number on a TI-84 Plus in the n/d fraction template produces an error message, as seen in the second screen in Figure 3-5. Don't worry! You can enter complex numbers into fractions the old-fashioned way, using parentheses and the \Box key. Your calculator automatically simplifies fractions that contain a complex number in the denominator. See the third screen in Figure 3-5.

Entering Complex Fractions

Complex fractions are fractions that contain one or more fractions in the numerator or denominator. In other words, complex fractions have fractions inside of fractions. No problem. Complex fractions can easily be entered in your calculator by using the n/d fraction template multiple times in the same fraction. See Figure 3-6.



REMEMBER




FIGURE 3-6:
Entering complex
fractions.

IN THIS CHAPTER

- » Entering, editing, and solving equations in the Numeric Solver
- » Guessing the value to find multiple solutions
- » Using the Solve function
- » Finding roots of polynomials
- » Solving systems of equations

Chapter 4

Solving Equations

Many students don't know what a powerful tool their calculator is! You can use your calculator to solve all kinds of different equations. Three methods are discussed in this chapter: Numeric Solver, Solve function, and the PlySmlt2 app. A fourth method of solving equations — graphing — is covered in Chapter 11.



TIP

One note that applies to all the methods of solving equations discussed in this chapter: Your calculator automatically displays irrational answers as decimals. For instance, the expression $\sqrt{2}$ will be displayed as 1.414213562. This can be problematic if you (or your teacher) want exact answers displayed. However, if you're taking a standardized test, you can easily check your answer by using your calculator to convert radical answers to a decimal.

Using the Numeric Solver

The Numeric Solver is a great tool for solving one-variable equations. The Numeric Solver is also capable of solving an equation for one variable given the values of the other variables. Keep in mind that the Numeric Solver can only produce real-number solutions.

The following lists the basic steps for using the Numeric Solver. Each of these steps is explained in detail following this list. If you have never used the Numeric Solver before, I suggest that you read the detailed explanations for each step because the Numeric Solver is a bit tricky. After you have had experience using the Numeric Solver, you can refer back to this list, if necessary, to refresh your memory on its use.

1. Enter a new equation in the Numeric Solver.
2. Enter a guess for the solution.
3. Press **alpha****enter** to solve the equation.

Step 1: Enter or edit the equation to be solved

For this exercise, I'm going to use the Numeric Solver to solve the equation, $2(3 - X) = 4X - 7$. To enter an equation in the Numeric Solver, follow these steps:

1. Press **math****enter** to access the Solver from the Math menu.

When the Numeric Solver appears, it should look similar to the first screen in Figure 4-1.



The Equation Solver in the TI-84 Plus works a little differently. See the tip after the “Defining the Solution Bounds” section of this chapter for instructions to navigate this tool.




FIGURE 4-1:
The Numeric
Solver.

2. Enter the left side of the equation to be solved in E1.

If equation **E1** already contains an equation, press **clear** before entering the left side of the equation to be solved. See the second screen in Figure 4-1.

3. Press **enter** and enter the right side of the equation to be solved in E2.

If equation **E2** already contains an equation, press **clear** before entering the right side of the equation to be solved.

4. Press **graph** to activate the on-screen OK prompt.

Notice that the on-screen OK prompt does not appear until you enter expressions in both **E1** and **E2**. See the third screen in Figure 4-1.



TIP

You can also use a function that you've entered in the **Y=** editor in the definition of your equation. To insert such a function into the **E1** or **E2**, press **alpha****trace** to access the **Y-variables** menu and then press the number of the **Y**-variable you want to enter. The **Y=** editor is explained in Chapter 9.

Step 2: Guess a solution

Guess at a solution. Any value in the interval defined by the **bound** variable will do. Guessing is necessary because your calculator solves problems through an iterative process. The **bound** variable at the bottom of the screen (see the first screen in Figure 4-2) is where you enter the bounds of the interval containing the solution you're seeking. The default setting for this interval is $[-10^{99}, 10^{99}]$, as is indicated by **bound** = $\{-1E 99, 1E 99\}$.



REMEMBER

The figure shows three screenshots of the TI-Nspire CX CAS calculator's Numeric Solver screen:

- Bound variable:** The screen shows the equation $2(3-X)=4X-7$ and the variable $X=1$. The **bound** is set to $\{-1E99, 1E99\}$.
- Press **alpha****enter**:** The screen shows the equation $2(3-X)=4X-7$ and the variable $X=2.166666666667$. The **bound** is set to $\{-1E99, 1E99\}$. The expression $E1-E2=0$ is also shown.
- Answer as a fraction:** The screen shows the variable X with the value 2.166666666667 and the fraction $\frac{13}{5}$.

FIGURE 4-2:
Steps for solving
an equation in
the Numeric
Solver.

If your guess is close to the solution, the calculator quickly solves the equation; if it's not, it may take the calculator a while to solve the equation. I usually guess 1 for an equation that has one solution.

If your equation has more than one solution, the calculator will find the one closest to your guess.

Step 3: Solve the equation

To solve an equation, follow these steps:

1. Use the **▲▼** keys to place the cursor anywhere in the line that contains the variable you're solving for.

Place your cursor in the variable for which you want to make a guess.

2. Press `alpha``enter` to solve the equation.

The second screen of Figure 4-2 shows this procedure; the square indicator shown next to the **X** indicates that **X** is the variable just solved for.



TIP

You can access the calculated solution on the Home screen. Press `2nd``mode` to quit the application. Next, type the variable you solved for, in this case, **X**. Press `[X,T,θ,n]``enter` to see your answer in decimal form. Press `[math]``enter``enter` to convert your answer to a fraction. See the third screen in Figure 4-2.

The **E1 – E2** value that appears at the bottom of the second screen in Figure 4-2 evaluates the two sides of the equation (using the values assigned to the variables) and displays the difference — that is, the accuracy of this solution.

An **E1 – E2** value of zero indicates an exact solution.



TIP

If you get the **ERROR: NO SIGN CHNG** error message when you attempt to solve an equation using the Numeric Solver, then the equation has no real solutions in the interval defined by the **bound** variable.

Assigning Values to Variables

Did you know that your calculator can solve equations that have more than one variable? The trick is that you must assign values to all the variables except the one that you're solving for. For example, here is a classic math question:

Find the equation of the line (in slope-intercept form) that goes through the point $(-3, -4)$ and has a slope of $1/4$.

To solve this problem, enter the equation $Y = M*X + B$ into the Numeric Solver. Press `[math]``enter` to access the Numeric Solver. Enter the equation into **E1** and **E2**. See the first screen in Figure 4-3.

After you have entered an equation in the Numeric Solver, the values assigned to the variables in your equation are the values that are currently stored in those variables in your calculator. You must assign an accurate value to all variables except the variable you're solving for. These values must be real numbers or arithmetic expressions that simplify to real numbers.

To assign a value to a variable, use the `▲``▼``◀``▶` keys to place the cursor on the number currently assigned to that variable and then key in the new value. As you start to key in the new value, the old value is erased. Press `enter` when you're finished entering the new value (as illustrated in the second screen of Figure 4-3, where values are assigned to variables **Y**, **M**, and **X**).

Enter a guess for **B** and press **alpha enter** to solve the equation. Because you have found the value of **B**, you can answer the question and write the equation of the line, $Y = 1/4X - 13/4$.




FIGURE 4-3:
Assigning values
to variables.

Finding Multiple Solutions

Some equations can have more than one solution. If you're dealing with an absolute value equation or an equation with a degree larger than one, there's a good chance the equation will have multiple solutions.

Using the Numeric Solver, you can employ one of two techniques to find multiple solutions to equations.



REMEMBER

Making strategic guesses

When I expect multiple solutions, I usually guess a large positive number as my first guess. This strategy typically produces the largest solution for the equation you're solving. The first screen in Figure 4-4 is the result of guessing 100.

After I find one solution, I guess the opposite of the large positive number as my second guess. Many times, this technique will find the smallest solution. I guessed -100 for my second guess, as shown in the second screen in Figure 4-4.


The result of guessing -100 is pictured in the third screen in Figure 4-4. Depending on the equation, it may be necessary to continue guessing until you find all the solutions to the equation.



REMEMBER

An **E1-E2** value of zero indicates an exact solution. The third screen in Figure 4-4 shows a solution that is off by the extremely small number (-1.1×10^{-11}) .

FIGURE 4-4:
Making strategic
guesses to find
multiple
solutions.



Defining the solution bounds

When the equation you're solving has multiple solutions, it's sometimes helpful to redefine the **bound** variable. Trigonometric functions are notorious for having infinite number of solutions. Often, a question will ask for the solutions within a certain interval. Adjusting the **bound** variable at the bottom of the screen assures that you will only find solutions that are in the interval defined by the **bound** variable.

Follow these steps to redefine the bound variable:

1. Use the $\boxed{\text{left}} \boxed{\text{right}} \boxed{\text{up}} \boxed{\text{down}}$ keys to place the cursor anywhere in the line containing the bound variable.
2. Press **clear** to erase the current entry.
3. Press **2nd** $\boxed{\text{left}}$ to insert the left brace.
4. Enter the lower bound, press **right**, enter the upper bound, and then press **2nd** $\boxed{\text{right}}$ to insert the right brace.
5. Press **enter** to store the new setting in the bound variable, or press **up** to make your guess.

Here is a typical question you might see:

Find all the real solutions to the function $Y = 3\sin(2X + 1)$, where $0 < X < \pi$.

Enter the equation into **E1**. Change the bounds following the preceding steps. See the first screen in Figure 4-5.

Guess a number close to the lower bound. I guessed 0.3 and you can see the resulting solution in the second screen in Figure 4-5.

Now, guess a number close to the upper bound. I guessed 3 and was able to find another solution, as shown in the third screen in Figure 4-5.



TIP

If the variable you're solving for is assigned a value (guess) that isn't in the interval defined by the **bound** variable, then you get the ERROR: BAD GUESS error message.

FIGURE 4-5:		
Defining the bound variable.		
Changing the bounds	Guessing 0.3	Guessing 3
<p>Press math to access the Numeric Solver. To solve the equation $2(3 - X) = 4X - 7$, follow these steps: First, set the equation equal to zero, $0 = 2(3 - X) - 4X + 7$. Then, enter the equation in the Numeric Solver. See the first screen in Figure 4-6. Press the enter key as shown in the second screen in Figure 4-6. Enter a guess, then press alpha enter to solve. See the result in the third screen in Figure 4-6.</p>		

TI-84+
TIP

Press **math** to access the Numeric Solver. To solve the equation $2(3 - X) = 4X - 7$, follow these steps: First, set the equation equal to zero, $0 = 2(3 - X) - 4X + 7$. Then, enter the equation in the Numeric Solver. See the first screen in Figure 4-6. Press the **enter** key as shown in the second screen in Figure 4-6. Enter a guess, then press **alpha** **enter** to solve. See the result in the third screen in Figure 4-6.

FIGURE 4-6:		
Using the Numeric Solver on the TI-84 Plus.		
Enter equation	Make guess	Press alpha enter
<p>EQUATION SOLVER $0 = 2(3 - X) - 4X + 7$</p>	<p>$2(3 - X) - 4X + 7 = 0$ $X = \blacksquare$ $bound = -1 \times 10^{99}, 1 \dots$</p>	<p>$2(3 - X) - 4X + 7 = 0$ $X = 2.16666666666\dots$ $bound = -1 \times 10^{99}, 1 \dots$ $left - rt = 0$</p>

Using the Solve Function

There are multiple ways to use the calculator to solve equations. The Solve function is difficult to locate, but relatively painless to use. Unfortunately, the Solve function can only be found in the catalog. Press **2nd** **0** to access the catalog.




REMEMBER

Alpha-lock is automatically on while viewing the catalog (as indicated by the **A** in the top right of the screen near the battery icon.) Pressing one of the many keys that have a letter jumps your cursor to the first item in the catalog that begins with the letter you pressed. For example, press **ln** to jump the items in the catalog that begin with the letter **S**.

Scroll to the Solve function and press **enter**. First, set the equation to be solved equal to zero. To solve $X/2 + 5 = -2X$, add $2X$ to both sides. The syntax of the Solve function is: `Solve(expression, variable, guess)`. The expression is the part of an equation that has been set equal to zero. See the first screen in Figure 4-7.

A strategic guess allows you to solve equations that have more than one solution. I usually guess a large negative number on the first calculation followed by a large positive number as shown in the second screen in Figure 4-7.



Discovering the PlySmlt2 App

Using the Numeric Solver or the Solve function works pretty well for linear or quadratic equations. But how can you use your calculator to solve polynomial equations with a degree bigger than two? Enter the PlySmlt2 app. Funny name. This app is truly multi-dimensional! Ply is short for Polynomial Root Finder. Smlt2 is short for Simultaneous Equation Solver. Unlike the Numeric Solver and the Solve function, this app can find imaginary or complex solutions. Keep reading to find out how this powerful app makes solving equations a little easier.

Press **apps** to access the list of apps that are pre-loaded on your calculator. Use **⇨** to scroll to PlySmlt2 and press **enter**.

Finding the roots of a polynomial

Once the PlySmlt2 app has started, press **1** on the MAIN MENU to begin finding the roots of polynomials. First, configure the poly root finder mode screen. To find roots of the polynomial, $Y = X^3 + 3X^2 - 6X - 8$, I set the order (degree) to three. See the first screen in Figure 4-8.



TIP

On the MAIN MENU, press **4** to access the Help menu. Here you'll find a short description of all the soft key commands at the bottom of the screen. One thing I did learn from this Help menu is that you can place your cursor on a solution and press the **=** key to store the solution as a variable. Press **2nd mode** to quit the Help menu.

Navigate to the next screen by using the five keys located on the top of your keypad. These keys are soft keys that select on-screen prompts. To advance to the next screen in the app, press **graph**, right below the on-screen NEXT prompt.

Enter the coefficients on the next page. See the second screen in Figure 4-8. If the polynomial is missing a term, be sure to enter a zero for the missing coefficient(s). For instance, for the polynomial $Y = X^3 + 8$, enter the coefficients 1,0,0,8.



TIP

On the second screen of Figure 4-8 you can see two different methods of entering a negative coefficient. To enter $-6X$, I changed the sign in front to subtraction using the **–** key and entered a positive 6. Then, to enter -8 , I changed the sign to addition and entered a negative 8 using the **[–]** key.

Finding the roots is easy: Just press **graph** right below the on-screen SOLVE prompt. The roots of the polynomial are displayed in a vertical column. See the third screen in Figure 4-8.

The figure consists of three side-by-side screenshots of the TI-Nspire CX CAS calculator. The first screenshot, labeled 'Mode screen', shows the 'POLY ROOT FINDER MODE' settings with 'ORDER' set to 3. The second screenshot, labeled 'Entering coefficients', shows the polynomial equation $1x^3 + 3x^2 - 6x + -8 = 0$ entered into the calculator. The third screenshot, labeled 'Solving polynomials', shows the roots $x_1 = -4$, $x_2 = 2$, and $x_3 = -1$ displayed vertically.

FIGURE 4-8:
Using the
Polynomial Root
Finder.




TI-84+
TIP

I like a few of the on-screen options on the page where the roots are displayed. Press **trace** to store one of three options: store coefficients to a list, store the polynomial equation to $Y=$, or store the roots to a list. Lastly, press **graph** to easily convert fractions to decimals, and vice versa.

Using Polynomial Root Finder in the original Plysmlt app on the TI-84 Plus has a few notable differences to watch out for. There is no on-screen prompt to change the mode. Simply press the **mode** key to access the mode inside the app as shown in the first screen in Figure 4-9. The coefficients are entered vertically as shown in the second screen in Figure 4-9. Pressing **graph** to solve produces the third screen shown in Figure 4-9. Warning! You may experience a pronounced delay after pressing **graph** to solve. Why? The processing speed on the TI-84 Plus is much slower than the processing speed of the TI-84 Plus CE. Not that noticeable in most situations, but here, I promise it is!

FIGURE 4-9:
Using the
Polynomial Root
Finder on the
TI-84 Plus.



Solving systems of equations

After starting the PlySmlt2 app, press **2** on the MAIN MENU screen to begin solving a system of equations. Configure the mode screen to match the system you're trying to solve. See the first screen in Figure 4-10.

Navigate to the next screen by using the five keys located on the top of your keypad. These keys are soft keys that select on-screen prompts. To advance to the next screen in the app, press **graph**, right below the on-screen NEXT prompt.

I chose three equations with three unknowns in order to solve the following system:

$$\begin{aligned} 2A + 3B - 2C &= 8 \\ A &\quad - 4C = 1 \\ 2A &\quad - B - 6C = 4 \end{aligned}$$



TIP

It's important to organize your system so that your coefficients are aligned vertically and your constants are on the right side of each equation in your system. Your coefficients and constants must be entered in augmented matrix form. You may notice a line in the matrix that separates the coefficients from the constants (where the equal sign in each equation is located.) See the second screen in Figure 4-10 to see how I entered my system of equations.


Solving the system of equations is easy: Just press **graph** right below the on-screen SOLVE prompt. The solutions of the system are displayed in a vertical column. See the third screen in Figure 4-10. Press **2nd|mode** to quit the PlySmlt2 app.



TIP

Press **trace** and you are given the option to store the system matrix or store the solution matrix. And, similar to the way the Polynomial Root Finder works, press **graph** to easily convert fractions to decimals, and vice versa.


FIGURE 4-10:
Using the
Simultaneous
Equation Solver.




TI-84+
TIP

Here are some things to know when operating the Simultaneous Equation Solver in the classic Polysmlt app on the TI-84 Plus. There is no on-screen prompt to change the mode. Just press the `mode` key to access the mode inside the app. Enter the number of equations and unknowns, as shown in the first screen of Figure 4-11. The coefficients are entered as an augmented matrix, as shown in the second screen in Figure 4-11. Pressing `graph` to solve produces the third screen shown in Figure 4-11. Depending on how complicated the system is, you should expect a few seconds of delay (for processing time).

FIGURE 4-11:
Using the
Simultaneous
Equation Solver
on the TI-84 Plus.





Taking Your Calculator Relationship to the Next Level

IN THIS PART . . .

See how to enter and work with complex numbers.

Explore the dozens of commands found in the Math menu.

Learn to evaluate expressions in both Radian and Degree mode.

Understand the Boolean logic feature and use it to your advantage.

Figure out how to enter and work with matrices.

IN THIS CHAPTER

- » Setting the mode to $a + bi$
- » Entering complex numbers
- » Deciphering strange-looking results
- » Utilizing the CMPLX menu

Chapter 5

Working with Complex Numbers

Early on in your math journey, you were probably told that you can't take the square root of a negative number. Then a teacher blew your mind by saying you really can take the square root of a negative number and the result will contain the imaginary number, i . Complex numbers are of the form $a + bi$, where a is the real part and b is the imaginary part. Fortunately, your calculator knows how to handle complex numbers. In fact, there's a CMPLX menu of functions on your calculator designed to accomplish just about any task you need to when working with complex numbers.

Setting the Mode

Try evaluating $\sqrt{-1}$ in your calculator. On the Home screen, press `2nd [x2] [(-)] [1] [enter]`. There's a good chance you'll get an **ERROR: NONREAL ANSWERS** message, as shown in the first screen in Figure 5-1.

In Real mode, your calculator usually returns an error for a complex-number result. The exception is when you enter your expression using i . In this case, your calculator produces a complex-number result regardless of the mode. The good

news is you can avoid this error altogether by setting the mode of your calculator to $a + bi$.



FIGURE 5-1:
Setting the mode.

To set the mode to $a + bi$, follow these steps:

1. Press **mode** to access the mode screen.
2. Press **▼** repeatedly to navigate to the eighth row.
3. Press **▶** to highlight $a + bi$ (see the second screen in Figure 5-1).
4. Press **enter** to change the mode.

Now, try evaluating $\sqrt{-1}$ a second time in your calculator.



REMEMBER

Press **▼** to scroll through your previous calculations. When a previous entry or answer is highlighted, press **enter** to paste into your current entry line.

Success! See the result on the third screen in Figure 5-1.

Entering Complex Numbers

You can enter an expression that includes the imaginary number, i , by pressing **2nd** **.**. Somewhere along the way, you have probably learned that $i^2 = -1$. Interestingly enough, your calculator not only knows that $i^2 = -1$, but automatically simplifies any result that would have had i^2 in it. For example, multiplying $(2 + i)(2 + i)$ would yield the trinomial, $4 + 4i + i^2$. Of course, this answer can be simplified to $3 + 4i$. Your calculator can even simplify the denominator when dividing two complex numbers, as shown in the first screen in Figure 5-2.




FIGURE 5-2:
Entering complex numbers.



On a TI-84 Plus, complex numbers may not be used with the n/d fraction template. Instead, enter complex numbers as fractions using parentheses and the \div key. Press **[math]****[enter]****[enter]** to display the complex number answer in fraction form. See the second screen in Figure 5-2.

In $a + bi$ mode, you can take the logarithm or square roots of negative numbers! Often, using your calculator protects you from making mistakes that are all too common for students. For example, given the expression, $\sqrt{-2} * \sqrt{-8}$, many students will mistakenly think the answer is 4. I typed the expression in the calculator and got the correct answer, -4 , as shown in the third screen in Figure 5-2. Why? Before applying the order of operations, always simplify the negative inside of a square root! Here is the mathematical progression that your calculator used to simplify the given expression, $\sqrt{-2} * \sqrt{-8} = i\sqrt{2} * i\sqrt{-8} = i^2\sqrt{16} = -1(4) = -4$. Pretty cool, huh?

Interpreting Strange-looking Results

A common classroom math activity is to explore the powers of the imaginary number, i . Mathematics is about finding patterns, and there's an interesting pattern that emerges when you explore the powers of i . The results of the first four powers of i form a repeating pattern as i is raised to successive higher powers. See the first screen in Figure 5-3.




FIGURE 5-3:
Interpreting strange-looking results.

Using your calculator, something unexpected happens when you evaluate i^{101} . I expected the answer, i . Instead, the calculator displayed $4.9E - 12 + i$, as shown in the second screen in Figure 5-3. The TI-84 Plus CE can handle the imaginary number, i , raised from the 1st to 99th power. However, when you get into exponents that are triple digits or more, you should expect to see some unusual looking answers.



TI-84+
TIP

On the TI-84 Plus, raising the imaginary number, i , to a power larger than 6 will result in unusual looking answers as well. When evaluating i^7 , I expected the answer, $-i$. Instead, the calculator displayed $-3E -13 -i$ as shown in the third screen in Figure 5-3.

To decipher this strange result, you must first remember that complex numbers are written in the form $a + bi$. Using parentheses to separate the real and imaginary parts, the calculated result looks like this, $(4.9E - 12) + (i)$. Now, remember that $4.9E - 12$ is equal to 4×10^{-12} in scientific notation. This is an extremely small number!



WARNING

What can you learn from this strange result? You should be wary of calculated results that are extremely small! It's likely that your calculator should have returned a result of zero. The reality is that your calculator deals with approximate results all the time. You usually don't notice this because the calculator regularly comes up with the results that you expect.

Using the CMPLX menu

The functions most often used with complex numbers are all located in one convenient location on your calculator. Press $\boxed{\text{math}}$ $\boxed{\text{D}}$ to access the CMPLX menu shown in the first screen in Figure 5-4.

The figure consists of three screenshots of the TI-84 Plus CE calculator's display. The first screenshot shows the CMPLX menu with various functions: conj(, real(, imag(, angle(, abs(, rect(, and polar(. The second screenshot shows the conj(function being used on the expression 2+3i, resulting in 2-3i. The third screenshot shows the real(and imag(functions being used on the same expression, resulting in 2 and 3 respectively.

FIGURE 5-4:
CMPLX menu
functions.

Finding the conjugate of a complex number

Finding the conjugate of a complex number is so easy that you probably don't need a calculator for the task. In case you do, press **1** on the CMPLX menu to use the **Conj** function. Enter the expression you want to find the conjugate of and press **enter**. See the second screen in figure 5-4.

Finding the real and imaginary parts of a complex number

This is another function that seems to do the obvious, indicating they are mainly used in programming. In the CMPLX menu, press **2** to insert the **Real** function or press **3** to insert the **Imag** function. Enter a complex number in the argument and press **enter** to see your predictable results shown in the third screen in Figure 5-4. These tools simply identify the real or imaginary part of a complex number.



TIP

Before proceeding, press **mode** and make sure your calculator is in RADIAn mode. Generally speaking, this is the recommended mode for all complex number calculations.

Finding the polar angle of a complex number

The Angle function uses the formula $\tan^{-1}(b/a)$ to calculate the polar angle of a complex number (where a is the real part and b is the imaginary part). In the CMPLX menu, press **4** to insert the Angle function, type a complex number in the argument, and then press **enter**. See the first screen in Figure 5-5.




FIGURE 5-5:
More CMPLX
menu functions.

Finding the magnitude (modulus) of a complex number

Entering a complex number in the absolute value template finds the magnitude (modulus) of the complex number. Algebraically your calculator uses the formula $\sqrt{a^2 + b^2}$ for the calculation. In the CMPLX menu, press **5** to access the **abs** function, type a complex number, and then press **enter**. See the second screen in Figure 5-5.



REMEMBER

Press **alpha****window** to access the **abs** function in the shortcut menu.

Displaying a complex result in polar or rectangular form

The last two choices in the CMPLX menu work only when inserted after typing a complex number. Use **Rect** to display a complex number in rectangular form. To display a complex number in polar form, select **Polar** from the CMPLX menu. See the first two lines of the last screen in Figure 5-5.



TIP

Save time converting complex numbers to polar form by changing the mode of your calculator to $re^{(\theta i)}$. As shown in the last line of the last screen in Figure 5-5, simply type a complex number and press **enter** to convert to polar form!

IN THIS CHAPTER

- » Familiarizing yourself with the Math menu and submenus
- » Accessing Catalog Help from the Math menu
- » Exploring the Math MATH submenu
- » Uncovering the Math NUM submenu

Chapter 6

Understanding the Math Menu and Submenus

Are you hunting for the absolute value function? Look no further — it's in the Math menu. Do you want to convert a decimal to a fraction? You can find the function that does this is in the Math menu as well. In general, any math function that cannot be directly accessed using the keyboard is housed in the Math menu. This chapter tells you how to access and use those functions.

Getting to Know the Math Menu and Submenus


Press math to access the Math menu. This menu contains five submenus: MATH, NUM, CMPLX, PROB, and FRAC. Use the $\boxed{\text{[} \text{]}}$ keys to get from one submenu to the next, and back again.

The TI-84 Plus Math Menu doesn't contain the FRAC submenu. However, the FRAC menu can be accessed by pressing $\text{alpha}[\text{y=}]$. Alternatively, you can find the four fraction commands at the bottom of the Math NUM menu. Press $\text{math}[\text{[} \text{]}\boxed{\text{[} \text{]}}]$ to see this secret stash of fraction commands. If you want to learn more about the FRAC menu, see Chapter 3.



The Math MATH submenu contains the general mathematical functions such as the cubed root function (see the first screen in Figure 6-1). It also contains the calculator’s Numeric Solver (see the second screen in Figure 6-1) that, as you would expect, is used to solve equations. The Numeric Solver is explained in Chapter 4. The Math NUM submenu contains the functions usually associated with numbers, such as the least common multiple function (see the third screen in Figure 6-1). A detailed explanation of the functions in these two menus is given later in this chapter.

The Math CMPLX submenu contains functions normally used with complex numbers. This submenu is explained in detail in Chapter 5. The Math PROB submenu contains the probability and random-number functions. (Probability is explained in Chapter 16.)



Accessing Catalog Help from the Math Menu

Many of the Math menu functions have a hidden Help feature available at the press of a single key! To access the Catalog Help from the Math menu, follow these steps:

1. Press **[math]**.
2. Use the **[\blacktriangleright]** keys to select the appropriate submenu of the Math menu.
3. Use the **[\blacktriangleleft]** keys to place the cursor on the function you want to use.
4. Press **[+]** to access the Catalog Help.

I placed the cursor in front of the **fMin** function from the MATH submenu. See the first screen in Figure 6-2.

I love this hidden feature! It’s easy to forget the syntax for a function you don’t use very often. To save time, go ahead and type the syntax directly on the Catalog Help screen before pressing **[enter]**. See the second screen in Figure 6-2.

5. Press **trace** to PASTE or **graph** to ESC.

Two on-screen prompts in the bottom-right corner of the screen can be activated by pressing the keys located directly below the on-screen prompts. ESC takes you back to the submenu, and PASTE inserts the function as shown in the third screen in Figure 6-2.




FIGURE 6-2:
Accessing Catalog Help from the Math menu.

The Math MATH Submenu

Press **math** to access the Math MATH submenu. This submenu contains general mathematical functions you can insert into an expression. The following sections explain the items housed in this submenu, except for the **Solver** function at the bottom of the Math MATH submenu. This latter function, used to solve equations, is discussed in Chapter 4.

Converting between decimals and fractions

The **Frac** function always converts a finite decimal to a fraction. If your calculator can't convert a decimal to a fraction, it lets you know by redisplaying the decimal. Be sure to enter the decimal before inserting the **Frac** function. Press **math****enter****enter** to quickly convert a decimal answer to a fraction as shown in the first screen in Figure 6-3.




FIGURE 6-3:
Converting fractions and decimals.



TIP

How do you convert an infinite repeating decimal into a fraction? Just type at least ten digits of the repeating decimal and press math enter enter . See the second screen in Figure 6-3.



REMEMBER

The **Dec** function converts a fraction to a decimal. Enter the fraction before you insert the **Dec** function. See the third screen in Figure 6-3.

If you are in Automatic mode, include a decimal in an expression to produce a decimal answer.

Cubing and taking cube roots

The cube function, ${}^3\sqrt{}$, cubes the value that precedes the function. The cube function is rarely used because it is easier to press 2nd 3 to cube an expression. The cube-root template, ${}^3\sqrt{x}$, finds the cube root of a value that follows the function. See the first screen in Figure 6-4.




FIGURE 6-4:
Cubes, roots, and
function
maximums and
minimums.

Taking the xth root

The xth root template, $\sqrt[x]{}$, finds the xth root of the value that follows the function. To use this function, first enter the root x, then insert the $\sqrt[x]{}$ function, and then enter the argument. Alternatively, on the TI-84 Plus CE you can insert the xth root template first. Then type the root, press D , and type the expression. This is illustrated in the second screen in Figure 6-4.

Finding the location of maximum and minimum values

The **fMin** and **fMax** functions approximate where the minimum or maximum value of a function occurs in a specified interval. They do not compute the minimum or maximum value of the function; they just give you the x-coordinate of the minimum or maximum point. Chapter 11 tells you how to get the calculator to compute minimum and maximum values of a function.


The **fMin** and **fMax** functions are stand-alone functions in the sense that they cannot be used in an expression. To use these functions, insert the appropriate function, **fMin** or **fMax**, at the beginning of a new line on the Home screen. Then enter the definition of the function whose minimum or maximum you want to locate. Press **□** and enter the variable used in the definition of the function you just entered. Press **□** and enter the lower limit of the specified interval. Then press **□**, enter the upper limit, and press **□**. Finally, press **enter** to *approximate* the location of the minimum or maximum in the specified interval. This is illustrated in the third screen in Figure 6-4. In this screen the calculator is *approximating* the location of the maximum value of the function x^2 in the interval $0 \leq x \leq 2$.

Using numerical differentiation and integration templates

The calculator cannot perform symbolic differentiation and integration. For example, it can't tell you the derivative of x^2 is $2x$, nor can it evaluate an indefinite integral. But the **nDeriv** template will approximate the derivative (slope) of a function at a specified value of the variable, and the **fnInt** template will approximate a definite integral.

Insert the **nDeriv** template. Templates are so intuitive to use that I feel silly giving you instructions. First, enter the variable you want to take the derivative with respect to and then press **□**. Enter the function whose derivative you want to find and then press **□**. Then enter the value at which the derivative is to be taken. Finally, press **enter** to *approximate* the derivative. This is illustrated in the first screen in Figure 6-5.

FIGURE 6-5:
Numerical differentiation and integration and other templates.



To use the **fnInt** template, insert **fnInt**. Enter the lower limit and press **□**, then enter the upper limit and press **□**. Enter the function you're integrating and press **□**. Enter the variable used in the definition of the function you just entered. Finally, press **enter** to *approximate* the definite integral. This is illustrated in the second screen in Figure 6-5.



REMEMBER

The calculator may give you an error message or a false answer if **nDeriv** is used to find the derivative at a nondifferentiable point or if **fnInt** is used to evaluate an improper integral.

Using summation and logarithm templates

These templates can be found by pressing $\boxed{\mathfrak{a}}$ to scroll in the MATH menu, or by pressing $\boxed{\text{alpha}}\boxed{\text{window}}$ to access the templates in the shortcut menu.

The summation template can be used to find the sum of a sequence. In math classrooms, this is commonly known as *Sigma notation*. The template should look exactly like a Sigma notation problem in your math textbook.

To use the summation template, insert **summation** \pm . Notice the cursor has a blinking “A” indicating your calculator is in Alpha mode. Press the key that corresponds to the variable you want to use and press $\boxed{\mathfrak{a}}$. Enter the lower limit, press $\boxed{\mathfrak{a}}$, then enter the upper limit and press $\boxed{\mathfrak{a}}$. Enter the expression and press $\boxed{\text{enter}}$ to find the sum of the sequence as shown in the first line of the last screen in Figure 6-5.



TIP

I have good news for you! Using the logarithm template, you can change the base of a logarithm! Press $\boxed{\text{math}}\boxed{\mathfrak{a}}\boxed{\mathfrak{a}}\boxed{\mathfrak{a}}\boxed{\text{enter}}$ to insert the **logBASE** template. Simply enter the base, press $\boxed{\mathfrak{a}}$, and enter the number you wish to take the logarithm of. Press $\boxed{\text{enter}}$ to display the answer. Isn’t that easy and fun?

The Math NUM Submenu

Press $\boxed{\text{math}}\boxed{\mathfrak{p}}$ to access the Math NUM submenu. The following sections explain the items housed in the Math NUM submenu.

Finding the absolute value

The **abs** template evaluates the absolute value of the number or arithmetic expression. Insert the **abs** template, type an expression, and press $\boxed{\text{enter}}$. An example of using the **abs** function is illustrated in the first screen in Figure 6-6.



REMEMBER

The **abs** template can also be found in the shortcut menu by pressing $\boxed{\text{alpha}}\boxed{\text{window}}$.




 <p>Absolute value</p>	 <p>round function</p>	 <p>iPart and fPart</p>
--	--	--

FIGURE 6-6:
The Math NUM
functions.

Rounding numbers

The **round** function rounds a number or arithmetic expression to a specified number of decimal places. The number or expression to be rounded and the specified number of decimal places are placed after the function, separated by a comma and surrounded by parentheses. The calculator supplies the opening parenthesis; you must supply the closing parenthesis. An example of using the **round** function is the second screen in Figure 6-7.

Finding the integer and fractional parts of a value

Although **iPart** may sound like the newest Apple product, it's actually a math function! The **iPart** and **fPart** functions (respectively) find the integer and fractional parts of the number, or the arithmetic expression that follows the function. This number or expression must be enclosed in parentheses. The calculator supplies the opening parenthesis; you must supply the closing parenthesis. An example of using the **iPart** function is the third screen in Figure 6-6.

Using the greatest-integer function

The **int** function finds the largest integer that is less than or equal to the number or arithmetic expression that follows the function. This number or expression must be enclosed in parentheses. The calculator supplies the opening parenthesis; you must supply the closing parenthesis. See the first line in the first screen in Figure 6-7.

Finding minimum and maximum values in a list of numbers

The **min** and **max** functions find (respectively) the minimum and maximum values in the list of numbers that follows the function. Braces must surround the

list, and commas must separate the elements in the list. You can access the braces on the calculator by pressing $\text{2nd}[\square]$ and $\text{2nd}[\}]$. The list must be enclosed in parentheses. The calculator supplies the opening parenthesis; you must supply the closing parenthesis. See the last two lines in the first screen in Figure 6-7.

FIGURE 6-7:
Additional Math
NUM functions.

	int, min, and max	lcm and gcd	remainder function																										
	<table border="1"><tr><td>int(π)</td><td>3</td></tr><tr><td>min({3, -2, 9, 7})</td><td>-2</td></tr><tr><td>max({3, -2, 9, 7})</td><td>9</td></tr><tr><td>min(2,4)</td><td>2</td></tr><tr><td></td><td></td></tr></table>	int(π)	3	min({3, -2, 9, 7})	-2	max({3, -2, 9, 7})	9	min(2,4)	2			<table border="1"><tr><td>gcd(6,10)</td><td>2</td></tr><tr><td>lcm(6,10)</td><td>30</td></tr><tr><td>lcm(lcm(4,6),10)</td><td>60</td></tr><tr><td></td><td></td></tr></table>	gcd(6,10)	2	lcm(6,10)	30	lcm(lcm(4,6),10)	60			<table border="1"><tr><td>remainder(5,3)</td><td>2</td></tr><tr><td>remainder(9,4)</td><td>1</td></tr><tr><td>remainder(9,3)</td><td>0</td></tr><tr><td></td><td></td></tr></table>	remainder(5,3)	2	remainder(9,4)	1	remainder(9,3)	0		
int(π)	3																												
min({3, -2, 9, 7})	-2																												
max({3, -2, 9, 7})	9																												
min(2,4)	2																												
gcd(6,10)	2																												
lcm(6,10)	30																												
lcm(lcm(4,6),10)	60																												
remainder(5,3)	2																												
remainder(9,4)	1																												
remainder(9,3)	0																												



TIP

When using the **min** or **max** function to find the minimum or maximum of a two-element list, you can omit the braces that surround the list. For example, **min(2, 4)** returns the value 2 as shown in the first screen in Figure 6-7.

Finding the least common multiple and greatest common divisor

The **lcm** and **gcd** functions find (respectively) the least common multiple and the greatest common divisor of the two numbers that follow the function. These two numbers must be separated by a comma and surrounded by parentheses. The calculator supplies the opening parenthesis; you must supply the closing parenthesis. Notice, the second screen in Figure 6-7 also demonstrates how to find the lcm of three numbers.

Finding the remainder

The **remainder** function finds the remainder resulting from dividing two positive whole numbers. The divisor cannot be zero. Press $\text{math}[\mathbf{MATH}]$ $\mathbf{0}$ to insert the **remainder** function. Enter the dividend and press \square . Finally, enter the divisor and press enter . See the third screen in Figure 6-7.

IN THIS CHAPTER

- » Converting between degrees and radians
- » Entering angles in degrees, minutes, and seconds
- » Converting rectangular and polar coordinates
- » Overriding the angle mode of the calculator
- » Comparing numbers using the Test menu
- » Testing equivalent expressions

Chapter 7

The Angle and Test Menus

“**W**hat mode is my calculator in?” I used to get that question all the time in my classroom. If you have the TI-84 Plus CE, a quick glance at the top of the screen informs you of your most important mode decision: Radian or Degree mode? That’s the question. It’s likely that your physics teacher needs your calculator in Degree mode and your pre-calculus teacher wants Radian mode. How can you make everyone happy?

The reality is you need to be able to change the mode to fit the needs of the class you’re in. In this chapter, I show tips on converting angles, expressions, and coordinates to the type that you need. I even show you a way to force your calculator to evaluate your angle in the correct form even if your mode isn’t set correctly.

You also discover some really interesting tools hidden in the Test menu. The Test and Logic menus make it possible for you to graph piece-wise functions (graphing piece-wise functions is covered in detail in Chapter 9.)



There is no status bar at the top of the page if you are using a TI-84 Plus calculator. Instead, you can press the `mode` key to access the mode and make any necessary changes.

The Angle Menu

The functions housed in the Angle menu enable you to convert between degrees and radians or convert between rectangular and polar coordinates. They also enable you to convert between decimal degrees and DMS (degrees, minutes, and seconds). You can also override the angle setting in the Mode menu of the calculator when you use these functions. For example, if the calculator is in Radian mode and you want to enter an angle measured in degrees, there's a function in the Angle menu that enables you to do so.

Converting degrees to radians

To convert degrees to radians, follow these steps:

1. **Put the calculator in Radian mode.**
Press `mode`, use the `▲▼◀▶` keys to highlight RADIAN, and then press `enter`.
2. **If necessary, press `2nd mode` to access the Home screen.**
3. **Enter the number of degrees.**
4. **Press `2nd apps` 1 to paste in the $^\circ$ function.**
5. **Press `enter` to convert the degree measure to radians.**

This is illustrated in the first screen in Figure 7-1.



If you're a purist (like me) who likes to see radian measures expressed as a fractional multiple of π whenever possible, continuing with the following steps accomplishes this goal if it's mathematically possible.

6. **Press `÷ 2nd □ enter` to divide the radian measure by π .**

This is illustrated in the second screen in Figure 7-1.

7. Press math enter enter to convert the result to a fraction, if possible.

This is illustrated in the third screen in Figure 7-1, where 30° is equal to $\pi/6$ radians. If the calculator can't convert the decimal obtained in Step 6 to a fraction, it says so by returning the decimal in Step 7.




FIGURE 7-1:
Converting
between degrees
and radians.

Converting radians to degrees

To convert radians to degrees:

1. Put the calculator in Degree mode.

Press mode , use the \blacktriangleright \blacktriangleleft \blacktriangleup \blacktriangledown keys to highlight DEGREE, and then press enter .

2. If necessary, press 2nd mode to access the Home screen.

3. Enter the radian measure.

If the radian measure is entered as an arithmetic expression, surround that expression with parentheses.

4. Press 2nd apps 3 to paste in the r function.

5. Press enter to convert the radian measure to degrees.

This is illustrated in the first screen in Figure 7-2.




FIGURE 7-2:
Converting from
radian to degrees
and from degrees
to DMS.

Converting between degrees and DMS

To convert decimal degrees to DMS (degrees, minutes, and seconds), follow these steps:

1. **Put the calculator in Degree mode.**
Press `mode`, use the `►◄▲▼` keys to highlight DEGREE, and then press `enter`.
2. **If necessary, press `2nd mode` to access the Home screen.**
3. **Enter the degree measure.**
4. **Press `2nd apps 4 enter` to convert the degrees to DMS.**

This is illustrated in the second screen in Figure 7-2.

Entering angles in DMS measure

To enter an angle in DMS measure (and convert to decimal degrees), follow these steps:

1. **Enter the number of degrees and press `2nd apps 1` to insert the degree symbol.**
2. **Enter the number of minutes and press `2nd apps 2` to insert the symbol for minutes.**
3. **Enter the number of seconds and press `alpha +` to insert the symbol for seconds.**
4. **Press `enter` to evaluate your DMS measure.**

Since your calculator is in Degree, pressing `enter` converts DMS to decimal degrees. See the first screen in Figure 7-3.




FIGURE 7-3:
Entering DMS
and overriding
the mode.

Overriding the mode of the angle

If the calculator is in Radian mode but you want to enter an angle in degrees, enter the number of degrees and then press `2nd[apps]1` to insert the $^{\circ}$ degree symbol as shown in the second screen in Figure 7-3. Essentially, you're forcing your calculator to evaluate your angle in degrees regardless of the mode setting. Getting into the habit of adding the degree symbol to your angle gives your math teacher the warm fuzzies all over!

If the calculator is in Degree mode and you want to enter an angle in radian measure, enter the number of radians and then press `2nd[apps]3` to insert the radian-measure symbol as shown in the third screen in Figure 7-3.



REMEMBER

If the radian measure is entered as an arithmetical expression, such as $\pi/4$, be sure to surround it with parentheses before you insert the radian-measure symbol!

Converting rectangular and polar coordinates

All four of the conversion tools discussed in this section operate the same way. You must insert the conversion tool you desire, then enter the coordinates and press `enter`.


Before you start your converting fun, decide the mode you want your calculator to be in. I chose Radian mode for these calculations. Press `mode`, use to highlight RADIAN, and then press `enter` to put your calculator in Radian mode.

Here are two easy-to-use tools that convert rectangular coordinates to polar coordinates:

- » **R►Pr:** This tool converts rectangular coordinates to polar coordinates and produces the **r** value.
- » **R►Pθ:** This tool converts rectangular coordinates to polar coordinates and produces the **θ** value. See the first screen in Figure 7-4.

What if you want to do the conversion from polar to rectangular coordinates? No worries! These tools can help you out:

- » **P►Rx:** This tool converts polar coordinates to rectangular coordinates and produces the **x** value.
- » **P►Ry:** This tool converts polar coordinates to rectangular coordinates and produces the **y** value. See the second screen in Figure 7-4.



The Test Menu

The often-overlooked Test menu enables you to use your calculator in creative ways to solve problems. Do you want to do better on your next standardized test? Keep reading because some of these tips just might help your score.

Understanding Boolean logic

Have you ever wondered how your calculator “thinks”? Your calculator employs Boolean logic and prefers to work with the integers 1 and 0. These are called truth values with 1 meaning True and 0 meaning False. Boolean operators like **and**, **or**, and **not** help your calculator organize its “thoughts.”

How does this help you? Just remember this: 1=True and 0=False.

Comparing numbers

The Test menu has a list of relational operators that you can use to compare values. To access the Test menu, press **2nd****math**.

Follow these steps to compare two expressions:

1. Enter an expression.

If necessary, press **2nd****mode** to access the Home screen. See the first screen in Figure 7-5.

2. Press **2nd**math** to access the Test menu.**

See the second screen in Figure 7-5.

3. Press the number associated with the relational operator you want.

4. Enter an expression.

This is illustrated in the third screen in Figure 7-5.

5. Press **enter** to evaluate the comparison statement.

Remember, 1=True and 0=False. Because 6 is larger than 3, entering the expression $5+1 > 3$ produced the truth value of 1 (True). Similarly, 6 is not smaller than 3, so entering the expression $5+1 < 3$ produced the truth value of 0 (False). In this way, you can use inequalities to compare two values.




FIGURE 7-5:
Comparing
numbers.

Testing equivalent expressions

Does $2 + 2 = 4$? You can check and see by entering the equation in your calculator. Try it! Press **2nd [math] [enter]** to type an = sign. Of course, you'll probably want to use this feature for slightly more complicated problems. See the first screen in Figure 7-6.

Have you ever seen a question like this on a standardized test?

Evaluate $\log_2(5) + \log_2(3)$

- A) $\log_2(5 - 3)$
- C) $\log_2(5 \times 3)$
- B) $\log_2(5 + 3)$
- D) $\log_2(5/3)$

As long as you can enter a logarithm in your calculator (**[math] ▾ ▾ [enter]**), you can solve this problem. Enter the expression, insert the = sign from the Test menu, and then enter one of the answers. When your calculator returns 1 (True), you have found the correct answer. See the second screen in Figure 7-6.



Press **⬅** to scroll through your previous calculations. When a previous entry or answer is highlighted, press **enter** to paste into your current entry line (where you can edit the expression.)




FIGURE 7-6:
Equivalent
expressions.

Using Logic Commands

Compound inequalities are two inequalities that are joined by the word **and** or by the word **or**. Often, an **and** inequality is written in a shortcut form where two inequalities are sandwiched together. For example, $2 < x < 5$ can also be written as a compound inequality: $2 < x$ and $x < 5$. Sorry, that last statement makes me uncomfortable. I like this statement better: $x > 2$ and $x < 5$. Thanks! Now, I'll be able to sleep better tonight.

Press **2nd****math****▶** to access the Logic menu. See the first screen in Figure 7-7.

For an **and** compound inequality to be true, both statements must be true. See the second screen in Figure 7-6. For an **or** compound inequality to be true, only one of the statements must be true. See the third screen in Figure 7-7.

Two more commands are also found in the Logic menu: **xor** and **not**. These are used almost exclusively in programming. The command **xor** means exactly one statement is true. The **not** command flips everything that is true to false, and vice versa.




FIGURE 7-7:
Logic commands.

Using Conditions

The Conditions menu makes it faster and easier to enter compound inequalities by providing templates of sorts. These work nicely when entering the domain using the Piecewise Function template (see Chapter 9). Press $\text{2nd}[\text{math}]$ to access the Conditions menu, as shown in the first screen of Figure 7-8. Press \blacktriangleleft to see the rest of the conditions, as pictured in the second screen in Figure 7-8. In order to use the **and** statements in the Conditions menu, the first number must be pre-populated. Enter a number, select the **and** condition from the menu, and then enter another number. Using an **and** compound inequality shows when both statements of the compound inequality are true. I demonstrated this on the third screen in Figure 7-8 by storing a value for x .



TI-84+
TIP



REMEMBER

The conditions menu is only available on the TI-84 Plus CE. As a workaround, you will need to use the Test and Logic menus to make your compound inequalities. Press $\text{2nd}[\text{math}]$ to access the Test menu and then press \blacktriangleright to access the Logic menu.

Using Boolean logic, your calculator returns 1 (True) and 0 (False).






FIGURE 7-8:
Using conditions.

Conditions menu

Conditions menu continued

Compound inequalities

IN THIS CHAPTER

- » Entering and editing a matrix
- » Storing a matrix
- » Doing matrix arithmetic
- » Finding determinants and other matrix operations
- » Solving systems of equations using matrices
- » Converting a matrix to reduced row-echelon form

Chapter **8**

Creating and Editing Matrices

A matrix is a rectangular array of numbers arranged in rows and columns. The dimensions, $r \times c$, of a matrix are defined by the number of rows and columns in the matrix. The individual elements in a matrix are called *elements*. Why is it that students are more familiar with the movie *The Matrix* than the actual mathematics? But I digress . . .

What are matrices used for? There are several scientific applications, but in the math classroom, they are mainly used to solve systems of equations. In this chapter, you learn the basics of dealing with matrices. There are many rules associated with matrix operations; if you break one, you should expect an error message. Keep reading so you can avoid error messages altogether!

Entering Matrices

Using the hidden MTRX shortcut menu is my preferred method of entering matrices (the easy way). Alternatively, you can use the Matrix editor found by pressing **2nd [x⁻¹]** (the hard way). Here are the instructions for entering matrices the easy way:

1. Press **alpha [zoom]** to display the Quick Matrix Editor.

I like the name! Quick and easy!

2. Use the **▶ ▾ ▷ ▷** keys to highlight the dimensions you want and press **[enter]**.

The default dimensions of a matrix are the dimensions of the matrix you last created. If you have never created a matrix, the default is a 2 by 2 matrix. I created a 3×2 matrix. See the first screen in Figure 8-1.




FIGURE 8-1:
Entering a matrix.

3. Use **☒** to highlight the word **OK** and then press **[enter]**.

See the result in the second screen in Figure 8-1.

4. Enter an expression and press **▶** to advance to the next element in the matrix.

Repeat this step until you have filled in every element in the matrix. When you press **▶** after entering the last element in the first row, the calculator moves to the beginning of the second row and waits for you to make another entry.



TIP

To enter a fraction, delete the zero first and then press **alpha [x,t,o,n]** to use the n/d fraction template.

5. Press **[enter]** to evaluate the matrix.

This is illustrated in the third screen in Figure 8-1.



TIP

You cannot copy and paste a matrix output from the calculator history. This is not a deal breaker! You may copy and paste the matrix expression you entered as many times as you would like.

Storing a Matrix

Storing a matrix is a handy feature to have around. This is especially helpful if you're reusing the same matrix in future calculations. Follow these steps to store a matrix:

1. Enter a matrix on the Home screen.

See the preceding section for details — but don't press **enter** yet!

2. Position your cursor to the right of your matrix and press **sto-.**

See the first screen in Figure 8-2.

3. Press **2nd[x¹] and then press **enter** (to choose Matrix [A]).**

Welcome to the Matrix editor. See the second screen in Figure 8-2.

4. Finally, press **enter.**

See the third screen in Figure 8-2.




FIGURE 8-2:
Storing a matrix.

Press **sto-**

Matrix editor

Press **enter**



TIP

You can delete a stored matrix by pressing **2nd[DEL]** and then pressing **del** with your cursor on the matrix you want to delete. However, deleting a matrix is completely unnecessary. Saving a different matrix as [A] overwrites the current matrix [A].

Matrix Arithmetic

When evaluating arithmetic expressions that involve matrices, you usually want to perform the following basic operations: scalar multiplication, addition, subtraction, and multiplication. You might also want to raise a matrix to an integral power.



TIP

Be careful! Matrix arithmetic is not like the arithmetic you've been doing for years. Expect the unexpected! Multiplying two matrices is quite different than multiplying two numbers.

Here's how you enter matrix operations in an arithmetic expression:

1. Enter a matrix on the Home screen.

To paste the name of a matrix into an expression, press $\text{2nd}[\text{x}^{-1}]$ and key in the number of the matrix name. I chose to use matrix [A]. Alternatively, you can press $\text{alpha}[\text{zoom}]$ to quickly create a new matrix.

2. Enter the operations you want to perform and press enter when you're finished.

Here's how you enter the various operations into the arithmetic expression:

- **Entering the scalar multiple of a matrix:** To enter the scalar multiple of a matrix in an arithmetic expression, enter the value of the scalar and then enter the name of the matrix, as shown in the first screen in Figure 8-3.




FIGURE 8-3:
Matrix arithmetic.

Scalar multiplication

Adding and subtracting

Product of a matrix

- **Adding or subtracting matrices:** When adding or subtracting matrices, both matrices must have the same dimensions. If they don't, you get the ERROR: DIMENSION MISMATCH error message.
Entering the addition and subtraction of matrices is straightforward; just combine the matrices by pressing $+$ or $-$, as appropriate. The second screen in Figure 8-3 illustrates this process.
- **Multiplying two matrices:** When finding the product $A*B$ of two matrices, the number of columns in the first matrix (matrix A) must equal the number of rows in the second matrix (matrix B). If this condition isn't satisfied, you get the ERROR: DIMENSION MISMATCH error message as shown in the third screen in Figure 8-3.

Matrix multiplication is a tricky process. However, entering matrix multiplication in a calculator is straightforward; just multiply the matrices by pressing \boxed{x} , as shown in the third screen in Figure 8-3.

- **Raising a matrix to a positive integral power:** When finding the power of a matrix, the matrix must be *square* (number of rows = number of columns). If it isn't, you get the ERROR: INVALID DIMENSION error message.



REMEMBER

Only non-negative integers can be used for the power of a matrix. If the exponent is a negative integer, you get the ERROR: DOMAIN error message.

Look at the top of the first screen in Figure 8-4. Is that the answer you expect to get when you square a matrix? It's better to think of squaring a matrix as multiplying a matrix by itself, as shown at the bottom of the first screen in Figure 8-4.




FIGURE 8-4:
The powers and
inverses of
matrices.

- **Finding the inverse of a matrix:** When finding the inverse of a matrix, the matrix must be *square* (number of rows = number of columns) and *nonsingular* (nonzero determinant). If it isn't square, you get the ERROR: INVALID DIMENSION error message. If it is singular (determinant = 0), you get the ERROR: SINGULAR MATRIX error message. Evaluating the determinant of a matrix is explained in the next section.

Enter the inverse of a matrix by entering the matrix and then pressing $\boxed{x^{-1}}$, as shown in the second screen of Figure 8-4.



TIP

It may look like you're putting a matrix to the power of -1 when you press $\boxed{x^{-1}}$. That isn't the case! In this setting, $[A]^{-1}$ is read as "the inverse of matrix A" or "inverting matrix [A]." This is similar to the notation that's used for inverse functions.

Evaluating the Determinant and Other Matrix Operations

Quite a few operations are unique to matrices. All the matrix-specific operations are found by pressing $\text{2nd}[\text{x}^{\text{-}1}]$. This is called the MATRIX MATH Operations menu (see the first two screens in Figure 8-5). I'm not going to go through every command in this list, but I do explain some of the most popular matrix operations.

FIGURE 8-5:
The determinant of a matrix and other matrix operations.



The determinant is used to perform all kinds of matrix operations, so the determinant is a good place to start. When finding the determinant of a matrix, the matrix must be square (number of rows = number of columns). If it isn't, you get the ERROR: INVALID DIMENSION error message.

To evaluate the determinant of a matrix, follow these steps:

1. If necessary, press $\text{2nd}[\text{mode}]$ to access the Home screen.
2. Press $\text{2nd}[\text{x}^{\text{-}1}] \blacktriangleright 1$ to select the `det(` command from the MATRIX MATH menu.
3. Enter the matrix.

Press $\text{alpha}[\text{zoom}]$ to create a matrix from scratch, or press $\text{2nd}[\text{x}^{\text{-}1}]$ to access a stored matrix.

4. Press enter to evaluate the determinant.

This procedure is illustrated in the third screen in Figure 8-5.

There are a few other skills that you will need when working with matrices. These skills are easily done by hand, but if you already have the matrix typed in your calculator, why not let the calculator do the work for you to save time?

» **Transposing of a matrix:** To transpose a matrix, enter the matrix and then press $\text{2nd}[\text{x}^{\text{-}1}] \blacktriangleright 2$ to select the Transpose command from the MATRIX MATH menu. See the first screen in Figure 8-6.

» **Entering the identity matrix:** You don't have to enter a matrix in order to find the identity matrix. To enter an identity matrix in an expression, press **2nd [x⁻¹] ▶ [5]** to select the identity command from the MATRIX MATH menu. Then enter the size of the identity matrix. For example, enter 2 for the 2×2 identity matrix, as shown in the second screen in Figure 8-6.



TIP




FIGURE 8-6:
MATRIX MATH
menu operations.

Solving a System of Equations

Finally, we get to the good stuff! Matrices are the perfect tool for solving systems of equations (the larger the better). All you need to do is decide which method you want to use.

$A^{-1} * B$ method

What do the A and B represent? The letters A and B are capitalized because they refer to matrices. Specifically, A is the coefficient matrix and B is the constant matrix. In addition, X is the variable matrix. No matter which method you use, it's important to be able to convert back and forth from a system of equations (shown below) to matrix form shown in Figure 8-7.

$$2x + 3y - 2z = 8$$

$$x - 4z = 1$$

$$2x - y - 6z = 4$$

Here's a short explanation of where this method comes from. Any system of equations can be written as the matrix equation, $A * X = B$. By pre-multiplying each side of the equation by A^{-1} and simplifying, you get the equation $X = A^{-1} * B$.

FIGURE 8-7:
The coefficient
and constant
matrices.

Using your calculator to find $A^{-1} * B$ is a piece of cake. Just follow these steps:

1. Enter the coefficient matrix, A.

Press **alpha****zoom** to create a matrix from scratch or press **2nd****x⁻¹** to access a stored matrix. See the first screen in Figure 8-8.




FIGURE 8-8:
The $A^{-1} * B$
method.

2. Press $\boxed{x^{-1}}$ to find the inverse of matrix A.

See the second screen in Figure 8-8.

3. Enter the constant matrix, B.

4. Press **enter** to evaluate the variable matrix, X .

The variable matrix indicates the solutions: $x=5$, $y=0$, and $z=1$. See the third screen in Figure 8-8.



TIR

If the determinant of matrix A is zero, you get the **ERROR: SINGULAR MATRIX** error message. This means that the system of equations has either no solution or infinite solutions.

Augmenting matrices method

Augmenting two matrices enables you to append one matrix to another matrix. Both matrices must be defined and have the same number of rows. Use the system of equations (shown below) to augment the coefficient matrix and the constant matrix.

$$2x + 3y - 2z = 8$$

$$x - 4z = 1$$

$$2x - y - 6z = 4$$

To augment two matrices, follow these steps:

1. Press **2nd [x⁻¹] ▶ 7** to select the **Augment** command from the **MATRIX MATH** menu.



TIP

2. Enter the first matrix and then press **[** (see the first screen in Figure 8-9).

To create a matrix from scratch, press **alpha [zoom]**. To access a stored matrix, press **2nd [x⁻¹]**.

3. Enter the second matrix and then press **[enter]**.

The second screen in Figure 8-9 displays the augmented matrix.

4. Store your augmented matrix by pressing **sto- 2nd [x⁻¹] 3 [enter]**.

I stored the augmented matrix as [C]. See the third screen in Figure 8-9.

FIGURE 8-9:
Augmenting two
matrices and
storing the result.


Systems of linear equations can be solved by first putting the augmented matrix for the system in reduced row-echelon form. The mathematical definition of reduced row-echelon form isn't important here. It's simply an equivalent form of the original system of equations, which, when converted back to a system of equations, gives you the solutions (if any) to the original system of equations.

To find the reduced row-echelon form of a matrix, follow these steps:

1. Press **2nd x⁻¹ ▶** and use **▲** to scroll to the **rref(** function in the MATRIX MATH menu.

See the first screen in Figure 8-10.

FIGURE 8-10:
Finding the
reduced
row-echelon
form.



2. Press `enter` to paste the function on the Home screen.
3. Press `2nd[x-1]` and press `3` to choose the augmented matrix you just stored.
4. Press `enter` to find the solution.

See the second screen in Figure 8-10.

To find the solutions (if any) to the original system of equations, convert the reduced row-echelon matrix to a system of equations:

$$1x + 0y + 0z = 5$$

$$0x + 1y + 0z = 0$$

$$0x + 0y + 1z = 1$$

As you see, the solutions to the system are $x=5$, $y=0$, and $z=1$.



Graphing and Analyzing Functions

IN THIS PART . . .

Learn the basics of graphing, setting the window, and changing the color and graph style of a function.

Make use of the Trace and Zoom features to explore a graph.

Find out how to evaluate a function and find its critical points.

Employ the Inequality Graphing app to analyze inequalities.

Get instructions for graphing and evaluating parametric and polar equations.

IN THIS CHAPTER

- » Entering functions into your calculator
- » Making graph formatting settings
- » Graphing functions
- » Changing the color and style of your graph
- » Graphing families of functions
- » Graphing piecewise and trigonometric functions
- » Viewing the graph and the function on the same screen
- » Saving and recalling a graph

Chapter 9

Graphing Functions

The calculator has a variety of features that help you easily graph a function. The first step is to enter the function into the calculator. Then to graph the function, you set the viewing window and press `Graph`. You might want to change the color of the function you graph (there are 15 colors to choose from). But why stop there? Why not change the color of your axes and graph border while you're at it? If you like the way graph paper looks, you could consider adding gridlines to your graph as well. And if you're graphing trig functions, you may want to customize the window to improve the look and functionality of your graph.

As you can see, there are a lot of choices to be made to get the graph to look exactly the way you want it to look! Keep reading to find out the details and hopefully learn a few new things along the way.

Entering Functions

Before you can graph a function, you must enter it into the calculator. The calculator can handle up to ten functions at once, Y_1 through Y_9 and Y_0 . To enter functions in the calculator, perform the following steps:


1. Press **mode** and put the calculator in Function mode.

To highlight an item in the Mode menu, use the \blacktriangleleft \triangleright \blacktriangledown keys to place the cursor on the item and then press **enter**. Highlight **FUNCTION** in the fourth line to put the calculator in Function mode. See the first screen in Figure 9-1.


FIGURE 9-1:
Setting the mode
and entering
functions.



Function mode



$Y =$ editor



Entering functions

2. Press **Y=** to access the $Y=$ editor.

See the second screen in Figure 9-1.

3. Enter your function.

If necessary, press **clear** to erase a previous function entry. Then enter your function.



TIP

Your math textbook may use a function notation like this: $f(x)=2x+1$. To graph a function in your calculator, you must realize $f(x)$ is interchangeable with y , only the notation differs. See the third screen in Figure 9-1.



REMEMBER

When you're defining functions, the only symbol the calculator allows for the independent variable is the letter X . Press **X,T,O,N** to enter this letter in your function.

As a timesaver, when entering functions in the $Y=$ editor, you can reference another function. Use the shortcut **Y-VAR** menu to paste a function name in the function you're entering in the $Y=$ editor. Just press **alpha** **trace** and choose the name of the function you want to insert in your equation. See the first screen in Figure 9-2.

How does calling up the name of another function save you time? Well, say you're trying to graph a circle in your calculator with the equation $x^2 + y^2 = 36$. Of course, you need to solve the equation for y to graph the circle equation in your calculator. Solving for y gives you: $y = \pm\sqrt{(36 - x^2)}$. Notice, it takes two functions to graph a circle! No problem. In function Y_1 I enter $Y_1 = \sqrt{(36 - X^2)}$. Then, to save time, I use the shortcut Y-VAR menu to enter $Y_2 = -Y_1$. See the second screen in Figure 9-2.




FIGURE 9-2:
Referencing
another function
in the $Y=$ editor.

Formatting Your Graph

Set the graph format settings by following these steps:

1. Press **2nd** **zoom** to access the Format menu.

See the first screen in Figure 9-3.




FIGURE 9-3:
Grid options in
the Format menu.

2. Set the format for the graph by using the **▲** **▼** **◀** **▶** keys to place the cursor on the desired format, and then press **enter** to highlight it.

In the Format menu, each line of the menu will have one item highlighted. An explanation of each menu selection follows:



TI-84+
TIP

Keep in mind, the TI-84 Plus does not have as many options in the Format menu as the TI-84 Plus CE does.

- **RectGC and PolarGC:** This gives you a choice between having the coordinates of the location of the cursor displayed in (x, y) rectangular form or in (r, θ) polar form. Select **RectGC** for rectangular form or **PolarGC** for polar form.
- **CoordOn and CoordOff:** This tells the calculator whether you want to see the coordinates of the cursor location displayed in the Graph border at the bottom of the screen as you move the cursor. Select **CoordOn** if you want to see these coordinates; select **CoordOff** if you don't. I always keep **CoordOn**. See the third screen in Figure 9-4.
- **GridOff, GridDot, and GridLine:** If you select **GridDot**, grid points appear in the graph at the intersections of the tick marks on the x - and y -axes. See the second screen in Figure 9-3. If you select **GridOff**, no grid points appear in the graph. If you select **GridLine**, your graph background looks a lot like graph paper, as shown in the third screen in Figure 9-3.
- **GridColor:** If you place your cursor on **GridColor**, a menu spinner is activated. Use the $\boxed{\square}$ keys to choose one of 15 grid colors. The default color is light gray.
- **Axes:** If you place your cursor on **Axes**, a spinner is activated. Use the $\boxed{\square}$ keys to choose one of 15 Axes colors. **AxesOff** is also a choice in the spinner. See the first screen in Figure 9-4. The default Axes color is black.
- **LabelOff and LabelOn:** If you want the x - and y -axes to be labeled, select **LabelOn** (as in the second screen in Figure 9-4). Because the location of the labels isn't ideal, selecting **LabelOff** is usually a wise choice.





FIGURE 9-4:
Format menu
options.

- **ExprOn and ExprOff:** If you select **ExprOn**, when you're tracing the graph of a function, the definition of that function appears in the Graph border in the upper-left corner of the screen (see the third screen in Figure 9-4). If you select **ExprOff** and **CoordOn**, then only the number of the function

appears when you trace the function. If you select **ExprOff** and **CoordOff**, then nothing at all appears on the screen to indicate which function you're tracing.

- **BorderColor:** If you place your cursor on **BorderColor**, a spinner is activated. Use the $\left[\begin{smallmatrix} \uparrow \\ \downarrow \end{smallmatrix}\right]$ keys to choose one of four border colors. Why only four color choices? Many of the other colors would be too dark, making it difficult to read the expression and coordinate information in the Graph border. The four color choices are: 1-Light Gray (default), 2-Light Green, 3-Teal, and 4-White. See the first screen in Figure 9-5.
- **Background:** If you place your cursor on **Background**, a spinner is activated. Use the $\left[\begin{smallmatrix} \uparrow \\ \downarrow \end{smallmatrix}\right]$ keys to choose one of 15 colors that can serve as the background of your graph page. See the second screen in Figure 9-5. In addition to colors, you can use the spinner to choose one of 10 images (see Chapter 22 for more info on inserting images). A preview of each image automatically pops up as you scroll through the spinner. See the third screen in Figure 9-5. The default background is set to Off.

FIGURE 9-5:
Border color and
background in
the Format menu.




- **Detect Asymptotes:** If you select **Detect Asymptotes On**, vertical asymptotes will not have any points graphed where the vertical asymptote is located as shown in the first screen in Figure 9-6. Another way of thinking about this is your calculator is not trying to connect every point graphed to the next (across singularities). If you select **Detect Asymptotes Off**, the graph rate increases. This means there's a strong likelihood that there will be a vertical line where the vertical asymptote is located as illustrated in the second screen in Figure 9-6. Confused? Your calculator is trying to connect all the points that are graphed. So, if the limit of the function is positive and negative infinity on opposite sides of the vertical asymptote, a vertical line will appear because your calculator is trying to connect the points on each side of the vertical asymptote.



TIP

Are you an impatient person? Setting Detect Asymptotes to Off allows your calculator to graph much more quickly!




Graphing Functions

After you have entered the functions into the calculator and formatted your graph, you're almost ready to start your graphing fun. Once you get the hang of graphing, you won't need to go through all these steps. Right now, I'm being very thorough so that you soon will be graphing like a pro!

Turning off Stat Plots (if necessary)

The top line in the $Y=$ editor tells you the graphing status of the Stat Plots. (Stat Plots are discussed in Chapter 18.) If **Plot1**, **Plot2**, or **Plot3** is highlighted, then that Stat Plot will be graphed along with the graph of your functions. If it's not highlighted, it won't be graphed. In the first screen in Figure 9-7, **Plot1** is highlighted and will be graphed along with the functions in the $Y=$ editor.

To turn off a highlighted Stat Plot in the $Y=$ editor, use the $\blacktriangleleft\blacktriangleright\blacktriangledown\blacktriangleup$ keys to place the cursor on the highlighted Stat Plot and then press **enter**. See the second screen in Figure 9-7. The same process is used to highlight the Stat Plot again in order to graph it at a later time.






WARNING

When you're graphing functions, Stat Plots can be a nuisance if they're turned on when you don't really want them to be graphed. The most common symptom of this problem is the **ERROR: INVALID DIMENSION** error message — which by itself gives you almost no insight into what's causing the problem. So if you aren't planning to graph a Stat Plot along with your functions, make sure all Stat Plots are turned off!

Selecting and deselecting a function

I remember the first time I saw this happen: A student in my class had the correct function entered in Y_1 but the function wasn't showing up on the graph. I could not figure out why this was happening — you have to be very observant to catch the problem (no pun intended)! Do you see the difference between the two screens in Figure 9-8? It turns out my student had accidentally turned off Y_1 by pressing **enter** with the cursor on the equal sign.


FIGURE 9-8:
Select (turn on)
and deselect
(turn off) a
function.



Deselect (turn off) Y_1 and Y_2 by removing the highlight from their equal signs. This is done in the $Y=$ editor by using the $\boxed{\text{[1]}}\boxed{\text{[2]}}\boxed{\text{[3]}}$ keys to place the cursor on the equal sign and then pressing **enter** to toggle the equal sign between highlighted and not highlighted. The calculator graphs a function only when its equal sign is highlighted!

Adjusting the graph window

When you graph a function, you usually can't see the whole graph. You are limited to viewing the graphing window, which typically shows only a small portion of the function. There are four values that determine the portion of the coordinate plane you can see: X_{min} , X_{max} , Y_{min} , and Y_{max} . Press **window** to display the current window variables. See the first two screens in Figure 9-9.



It takes practice to find a good viewing window for the function you're graphing. Here are the steps needed to set the window of your graph:

1. Press `window` to access the Window editor.
2. After each of the window variables, enter a numerical value that is appropriate for the functions you're graphing. Press `enter` after entering each number.

Entering a new window value automatically clears the old value.



TIP

Make sure your ($X_{\text{min}} < X_{\text{max}}$) and ($Y_{\text{min}} < Y_{\text{max}}$) or you'll get the `ERROR: WINDOW RANGE` error message.

Editing your Window variables is a good place to start as you search for a good viewing window. In addition, using the Zoom features described in Chapter 10 may be necessary to perfect your graphing window. The following gives an explanation of the variables you must set to adjust the graphing window:

- **Xmin and Xmax:** These are, respectively, the smallest and largest values of x in view on the x -axis.
If you don't know what values your graph will need for **Xmin** and **Xmax**, press `zoom`**6** to invoke the **ZStandard** command. This command automatically graphs your functions in the Standard viewing window.
- **Xscl:** This is the distance between tick marks on the x -axis. (Go easy on the tick marks; using too many makes the axis look like a railroad track. Twenty or fewer tick marks makes for a nice looking x -axis.)
If you want to turn off tick marks altogether, set **Xscl=0** and **Yscl=0**.
- **Ymin and Ymax:** These are, respectively, the smallest and largest values of y that will be placed on the y -axis.
If you have assigned values to **Xmin** and **Xmax** but don't know what values to assign to **Ymin** and **Ymax**, press `zoom`**0** to invoke the **ZoomFit** command. This command uses the **Xmin** and **Xmax** settings to determine the appropriate settings for **Ymin** and **Ymax**, and then automatically draws the graph.



TIP



TIP



TIP

- **Ysc1:** This is the distance between tick marks on the y -axis. (As with the x -axis, too many tick marks make the axis look like a railroad track. Fifteen or fewer tick marks is a nice number for the y -axis.)
- **Xres:** This setting determines the resolution of the graph. It can be set to any of the integers 1 through 8. When **Xres** is set equal to 1, the calculator evaluates the function at each of the 320 pixels on the x -axis and graphs the result. If **Xres** is set equal to 8, the function is evaluated and graphed at every fortieth pixel.



TIP

Xres is usually set equal to 1. If you're graphing a lot of functions, it may take the calculator a while to graph them at this resolution. If you change **Xres** to a higher number, your function will graph quicker, but you may not get as accurate of a graph.

- **ΔX and **TraceStep**:** These two variables are linked together, and **TraceStep** is always twice as big as ΔX value. ΔX determines how your cursor moves on a graph screen in "free trace." **TraceStep** controls the X -value jump when you are tracing a function on a graph screen. For more on Tracing a graph, see Chapter 10.

3. Press `graph` to graph the functions.

Stopping or pausing your graph

After pressing `graph`, there's usually a small delay before you begin to see your function plotting on the graph from left to right. If it's taking a long time for the calculator to graph your functions (maybe your **Xres** setting is too small), press `on` to terminate the graphing process. I also love having the capability to pause your graph! Simply press `enter` to pause the plotting of your graph and then press `enter` again to resume graphing. See the two screens in Figure 9–10. Notice, the elliptical busy indicator in the top right corner of the screen indicating that your calculator is working hard.




FIGURE 9-10:
Stopping or pausing your graph.


Adjusting Your Color/Line Settings

If you're graphing several functions at once, your calculator automatically graphs each function in a different color. If you have the TI-84 Plus CE, you may want to change the colors more to your liking or further distinguish your functions by choosing a different graph style. To do this, follow these steps:

1. Press **$y=$** to access the **$Y=$** editor.
2. Use the **$\boxed{\square}$** key to place the cursor on the two-piece icon appearing to the left of the equal sign.

See the first screen in Figure 9-11. The icon displays two pieces, a rectangular color indicator and a line style icon. I love taking a quick glance to the left of a function and identifying the color and graph line style.

FIGURE 9-11:
Color and graph
line style.



3. Press **enter** to open the Color / Line selection menu.

See the second screen in Figure 9-11.

4. Use the **$\boxed{\square}$** keys to operate the spinner menu until you get the desired graph color.

There are 15 colors to choose from: Blue, Red, Black, Magenta, Green, Orange, Brown, Navy, Light Blue, Yellow, White, Light Gray, Medium Gray, Gray, and Dark Gray.

5. Use the **$\boxed{\square}$** key or press **enter** to navigate your cursor to the next selection field in the menu.
6. Use the **$\boxed{\square}$** keys to operate the spinner menu until you get the desired graph line style.

You have eight graph line styles to choose from: — (Line), — (Thick Line—Default), — (shading above the curve), — (shading below the curve), — (Path), — (Animate), — (Dotted-Thick), and — (Dotted-Thin).

7. Use the key or press **enter to navigate your cursor to OK, and press **enter**.**

If you change your mind, navigate to CLEAR and press **enter**. This nullifies any changes you made to the color or graph line style. See an example of a function with dotted-thick graph line style in the third screen in Figure 9-11.

Here are the different line styles available:

- **Thin Line, Thick Line, Dotted Thin Line, and Dotted Thick Line:** The default graph style setting is Thick Line. See the first screen in Figure 9-12.




FIGURE 9-12:
Shading above
and below curve
styles.

- **Shading above and below the curve styles:** See the second screen in Figure 9-12 for an example of shading above the curve style.

Your calculator has four shading patterns: vertical lines, horizontal lines, negatively sloping diagonal lines, and positively sloping diagonal lines. These patterns help you to distinguish the solution region for a system of inequalities. See the third screen in Figure 9-12.

- **Path and Animated styles:** The Path style, denoted by the icon, uses a circle to indicate a point as it's being graphed (as illustrated in the first screen in Figure 9-13). When the graph is complete, the circle disappears and leaves the graph in Line style.




FIGURE 9-13:
Path and
animated styles.

The animate style, denoted by the  icon, also uses a circle to indicate a point as it's being graphed, but when the graph is complete, no graph appears on the screen. For example, if this style is used, graphing $y = -x^2 + 9$ looks like a movie of the path of a ball thrown in the air.



TIP

I like to use the animate tool to show students that two functions are identical. At first glance, the functions in the second screen in Figure 9-13 may not look identical. However, the animate tool shows they are identical as the bubble traces the original function. See the third screen in Figure 9-13.

Graphing Families of Functions

There's a little known technique that can be used to quickly graph a family of functions. The secret is to enter a list as an element of an expression. You must enter a list using brackets $\{ \}$ with numbers separated by commas.

For this example, I want to simulate the family of functions represented by the function: $f(x) = x^2 + c$, where c is an integer. In order to graph a few examples from the family of functions, I graph $Y_1 = x^2 + \{-3, -1, 1, 3\}$. See the screens in Figure 9-14.




FIGURE 9-14:
Families of
functions.

Introducing the Improved Transformation App

Using the Transformation app, you get to see for yourself how different functions transform (horizontal and vertical shifts, reflections, stretches, and so on) when changing coefficients and constants in the function equation. Make sure the GridLines on your graph are turned on by pressing [2nd][zoom] and choosing GridLine. Otherwise, it will be difficult to see how many units the function has shifted.

One other thing before you start the Transformation app: press **mode** and make sure you are in Function mode. To use the Transformation app, follow these steps:

1. Press **apps** to access an alphabetical list of all the apps.
2. Use the **key** to quickly scroll to the Transformation app.
3. Press any key to dismiss the welcome splash screen.


See the second screen in Figure 9-15.



WARNING

If you get a Conflicting Apps warning screen, it is because you are already running the Inequalities app. See the third screen in Figure 9-15. Press **2** to quit the Inequalities app and continue to the splash screen.

FIGURE 9-15:
Starting the
Transformation
app.



4. Press **Y=** to access the **Y=** editor.

Only the first two functions, Y_1 through Y_2 can utilize the features that the Transformation app provides. Use the **alpha** key to enter the function: $\text{Y}_1 = \text{AX} + \text{B}$ as shown in the first screen in Figure 9-16. Only A, B, C, and D are available to use as parameters when using the Transformation app.


5. Press **zoom [6]** to graph.

When the $=$ sign next to parameter A is highlighted, you can use the arrow keys to decrease and increase the value of A. Alternatively, you can change A by entering a value and pressing **enter**. Toggle the cursor to parameter B, by pressing **$\text{[} \text{]}$** , as shown in the second screen in Figure 9-16.

6. Press **graph** to activate the **SETUP** soft key.

Here you can adjust the settings. Change the initial values of the parameters, change the step, and even animate the transformation. See the third screen in Figure 9-16.

FIGURE 9-16:
Using the
Transformations
app.




Using Preset Parent Functions

My favorite feature of the Transformation app is the ability to enter preset functions. Start by pressing Y= to access the $Y=$ editor. To launch the Line Style Spinner, press $\text{[left]} \text{[right]} \text{[enter]}$. Then, press $\text{[up]} \text{[down]}$ to and use the $\text{[left]} \text{[right]}$ arrows to select the desired preset function as shown in the first screen in Figure 9-17. Here is a list of available functions: $AX + B$ (linear), $AX^2 + B$ (quadratic), $A(X - B)^2 + C$ (vertex form), $AX^2 + BX + C$ (standard form), $A(X - B)^3 + C$ (cubic), $AX^3 + BX^2 + CX + D$ (polynomial), $A \text{ abs}(X - C) + D$ (absolute value), $A \sin(B(X - C) + D$ (sine), $A \cos(B(X - C) + D$ (cosine), and $A \tan(B(X - C) + D$ (tangent). Press $\text{[zoom]} \text{[6]}$ to graph as shown in the second screen in Figure 9-17.



FIGURE 9-17:
Using preset
functions in the
Transformation
app.



Quitting the Transformation App

It is not a good idea to leave the Transformation app running in the background. The easiest way to quit the Transformation app is to press Y= to access the $Y=$ screen. Then, press to navigate to the upper-right corner of the $Y=$ screen, as shown in the screen in Figure 9-18. When **QUIT-APP** is highlighted, press **enter** to quit the Transformation app.




FIGURE 9-18:
Quitting the
Transformation
app.

Graphing Piecewise Functions Using the Template

A *piecewise function* is actually made up of “pieces” of different functions. Each function “piece” is defined over a certain interval. Using your calculator to graph piecewise functions can be a bit tricky, but you’ll get the hang of it soon enough.

$$f(x) = \begin{cases} x + 8 & x < -1 \\ x^2 & -1 \leq x \leq 2 \\ 1 - x & x > 2 \end{cases}$$

Here are the steps to graph the piecewise function shown above in your calculator:

1. Press $\boxed{\text{math}} \boxed{\Delta} \boxed{\Delta}$ to insert the piecewise template in the $Y=$ editor.
See the first screen in Figure 9-19.
2. Press $\boxed{\text{right}} \boxed{\leftarrow}$ to use the spinner to enter the number of pieces (1-5) for the function.

See the second screen in Figure 9-19.




REMEMBER

Press $\boxed{2nd} \boxed{\text{math}}$ to insert an inequality from the Test menu. Press $\boxed{2nd} \boxed{\text{math}} \boxed{\triangleright}$ to insert **and** from the Logic menu.

The TI-84 Plus CE can only evaluate a sandwiched inequality like this one: $(-1 < X < 2)$ when using the piecewise template. (See the third screen in Figure 9-19.) Of course, $(-1 < X < 2)$ can also be written as a compound inequality: $(-1 \leq X)$ and $(X \leq 2)$. As a matter of choice, you could use the Conditions menu to enter the compound inequality. I think I am experiencing choice fatigue!

3. Press $\boxed{\text{zoom}} \boxed{6}$ to graph the piecewise function.

See the first screen in Figure 9-20.




If you can successfully graph piecewise functions in your calculator, you're well on your way to becoming addicted to your calculator. If you know two different methods to graph piecewise functions in your calculator, then you may need to enter a 12-step program for calculator addiction! The first step is admitting you have a problem. In case you're wondering, I think I may have a problem!

When the piecewise function has 3 to 5 pieces, it can be difficult to see the whole function at one time. Here's a method of graphing piecewise functions that allows you to see every piece all at once.:

1. **On the Home screen, press $\text{alpha}+\text{ to enter quotes.}$**
Enclosing the piecewise function in quotes is a way to enter the function as a string.
2. **Press $\text{math} \blacktriangleright \text{ and enter the piecewise function as you did on the Y=screen.}$**
3. **Press $\text{alpha}+\text{ to close quotes around the piecewise function.}$**
4. **Press $\text{sto-} \text{ to enter the store command.}$**
5. **Press $\text{alpha}[\text{trace}] \text{ and choose the function where you want to store the piecewise function.}$**
6. **Press $\text{enter} \text{ to store the piecewise function.}$**

Refer to the second screen in Figure 9-20.





There is no piecewise template on the TI-84+. The workaround is to graph each piece as a separate function. Use the fraction template to restrict the domains. In the numerator, enter the function. In the denominator, enter the domain, as shown in the third screen in Figure 9-20.



If one or more of the functions in your piecewise-defined function is a trigonometric function, make sure the calculator is in Radian and not Degree mode. Otherwise, your piecewise-defined function may look like a step function instead of the graph you were expecting. The next section tells you how to change the mode and how to graph trigonometric functions.

Graphing Trig Functions

The calculator has built-in features especially designed for graphing trigonometric functions. They produce graphs that look like graphs you see in textbooks, and when you trace these graphs, the x -coordinate of the tracing point is always given as a fractional multiple of π . To use these features when graphing trigonometric functions, follow these steps:

1. Put the calculator in Function and Radian mode.

Press **mode**. In the fourth line, highlight **Radian**, and in the fifth line highlight **Function**. (To highlight an item in the Mode menu, use the $\blacktriangleleft\blacktriangleright\blacktriangleup\blacktriadown$ keys to place the cursor on the item, and then press **enter**.)

2. Enter your trigonometric functions into the **Y=** editor.

See the first screen in Figure 9-21.



3. Press **zoom** 7 to graph the function.

zoom 7 invokes the **ZTrig** command that graphs the function in a viewing window in which $-66\pi/24 \leq x \leq 66\pi/24$ and $-4 \leq y \leq 4$. It also sets the tick marks on the x-axis to multiples of $\pi/2$. Compare the graphing windows of **ZStandard** (**zoom** 6) and **ZTrig** in the last two screens in Figure 9-21. I like the **ZTrig** window better. What do you think?

When you trace a function graphed in a **ZTrig** window, the x-coordinate of the trace cursor will be a multiple of $\pi/24$, although the x-coordinate displayed at the bottom of the screen will be a decimal approximation of this value. (Tracing is explained in Chapter 10.)



TIP

If you want to graph trigonometric functions in Degree mode, put your calculator in degree mode first. Then, press **zoom** 7. The **ZTrig** window automatically adjusts to account for the mode of your calculator. Isn't that nice?

Viewing the Function and Graph on the Same Screen

If you're planning to play around with the definition of a function you're graphing, it's quite handy to have both the **Y=** editor and the graph on the same screen. That way you can edit the definition of your function and see the effect your editing has on your graph. To do so, follow these steps:

1. Put the calculator in Horizontal mode.

Press **mode** and highlight **Horizontal** in the ninth line of the menu, as illustrated in the first screen in Figure 9-22. To highlight an item in the Mode menu, use the **◀ ▶ ▲ ▼** keys to place the cursor on the item, and then press **enter**.




FIGURE 9-22: Horizontal mode. Horizontal mode Edit function Press **[graph]**

You may notice that the graphing window dimensions have not changed, but the graph now only takes up half of the screen. Having a smaller graphing window is the price you pay for viewing the $Y=$ editor on the same screen. If you don't like the look of the graph, try pressing $\text{zoom} \boxed{5}$ to square the graphing window.

2. Press $\boxed{Y=}$.

The Graph window appears at the top of the screen and the $Y=$ editor at the bottom of the screen.

3. Enter or edit a function in the $Y=$ editor.

See the second screen in Figure 9-22.

4. Press $\boxed{\text{graph}}$ to graph the function.

The graph doesn't update after entering a function in the $Y=$ editor. You must press $\boxed{\text{graph}}$ to update the graphing screen. See the third screen in Figure 9-22.



REMEMBER

To edit or enter a function, press $\boxed{Y=}$. To see the resulting graph, press $\boxed{\text{graph}}$.

IN THIS CHAPTER

- » Tracing the graph of a function
- » Using Zoom commands
- » Constructing tables of functional values
- » Creating and clearing user-defined tables
- » Viewing graphs and tables on the same screen

Chapter 10

Exploring Functions

The calculator has three very useful features that help you explore the graph of a function: tracing, zooming, and creating tables of functional values. Tracing shows you the coordinates of the points that make up the graph. Zooming enables you to quickly adjust the viewing window for the graph so you can get a better idea of the nature of the graph. And creating a table — well, I’m sure you already know what that shows you. This chapter explains how to use each of these features.

The TI-84 Plus CE has a graph border on the edge of the graph screen where the calculator displays functions, trace values, and helpful hints.

The TI-84 Plus displays most of the same information, but it does so directly on the bottom of the graph screen. Additionally, the TI-84 Plus CE has better screen resolution, so there are some small differences in the zoom window settings mentioned in this chapter if you use the TI-84 Plus calculator. In addition, the TraceStep feature is unavailable on the TI-84 Plus.



TI-84+
TIP

Tracing a Graph

After you graph your function (described in the Chapter 9), you can press `trace` and use \blacktriangleleft and \blacktriangleright to more closely investigate the function.



WARNING

If you use only the $\blacktriangleleft\blacktriangleright\blacktriangleup\blacktriangleleft$ keys (called a *free-moving trace*) instead of `trace` to locate a point on a graph, all you will get is an *approximation* of the location of that point; you rarely get an actual point on the graph. So always use `trace` to identify points on a graph!

The following list describes what you see, or don't see, as you trace a graph:

» **The definition of the function:** The function you're tracing is displayed in the top border of the screen, provided the calculator is in **ExprOn** format (refer to Chapter 9). If the Format menu is set to **ExprOff** and **CoordOn**, then the $Y=$ editor number of the function appears in the border at the top right of the screen, followed by the definition of the function.

If the Format menu is set to **ExprOff** and **CoordOff**, then tracing the graph is useless because all you see is a cursor moving on the graph. The calculator won't tell you the coordinates of the cursor location. (The Format menu and $Y=$ editor are described in Chapter 9.)

If you've graphed more than one function and you want to trace a different function, press $\boxed{\text{A}}$ or $\boxed{\text{B}}$. Each time you press one of these keys, the cursor jumps to another function. Eventually it jumps back to the original function.

» **The values of x and y :** In the border at the bottom of the screen, you see the values of the x - and y -coordinates that define the cursor location. In the **PolarGC** format, the coordinates of this point display in polar form.

When you press `trace`, the cursor is placed on the graph at the point having an x -coordinate that is approximately midway between **Xmin** and **Xmax**. See the first screen in Figure 10-1. If the y -coordinate of the cursor location isn't between **Ymin** and **Ymax**, then the cursor doesn't appear on the screen. See the upcoming sidebar, "Panning in Function mode," to find out how to correct this situation.

Each time you press \blacktriangleright , the cursor moves right to the next plotted point on the graph, and the coordinates of that point are displayed at the bottom of the screen. If you press \blacktriangleleft , the cursor moves left to the previously plotted point. And if you press $\boxed{\text{A}}$ or $\boxed{\text{B}}$ to trace a different function, the tracing of that function starts at the point on the graph that has the x -coordinate displayed on-screen before you pressed this key.




FIGURE 10-1:
Using Trace.

Press **clear** to terminate tracing the graph. This also removes the name of the function and the coordinates of the cursor from the screen.

Changing the TraceStep

The TI-84 Plus CE allows you to change the *TraceStep*. The *TraceStep* is the amount the *x*-value changes each time you press **▶** or **◀** when tracing a function. The default *TraceStep* is approximately 0.1515151515. Customizing the *TraceStep* is easy and can be done by following these steps:

1. Press **window** to access the Window editor.

See the second screen in Figure 10-1.

2. Use **▼** to move your cursor to the last line, titled **TraceStep**.
3. Enter your desired **TraceStep**.

After pressing **trace**, your Trace cursor will move by the amount of the *TraceStep* value you entered each time you use **▶** or **◀**.



WARNING

Moving the Trace cursor to any *x*-value in the graphing window

This is my favorite feature on the calculator! There's a hidden feature that works after you hit **trace**. See the first screen in Figure 10-2. If you want to start tracing your function at a specific value of the independent variable *x*, just key in that value and press **enter** when you're finished. (The value you assign to *x* must be between **Xmin** and **Xmax**; if it isn't, you get an error message.) When you're entering the *x*-value, your calculator displays the number you're entering in the border at the bottom of your screen, as shown in the second screen in Figure 10-2.

PANNING IN FUNCTION MODE

When you're tracing a function and the cursor hits the top or bottom of the screen, you will still see the coordinates of the cursor location displayed at the bottom of the screen but you won't see the cursor itself on the screen because the viewing window is too small. Press **enter** to get the calculator to adjust the viewing window to a viewing window that is centered about the cursor location. If the function you're tracing isn't displayed at the top of the screen, repeatedly press **□** until it is. The Trace cursor then appears in the middle of the screen and you can use **□** and **□** to continue tracing the graph.

When you're tracing a function and the cursor hits the left or right side of the screen, the calculator automatically pans left or right. It also appropriately adjusts the values assigned to **Xmin** and **Xmax** in the Window editor — but it doesn't change the values of **Ymin** and **Ymax**, so you may not see the cursor on the screen. When this happens, press **enter** to make the calculator adjust the viewing window to one that's centered about the cursor location.




FIGURE 10-2:
Moving the Trace cursor to a specific x-value.

After you press **enter**, the Trace cursor moves to the point on the graph having the x-coordinate you just entered. See the third screen in Figure 10-2. This is an easy way to quickly substitute x-values into a function and see the output (y-values) as well as the nice visual of the Trace cursor on the graph itself. Pretty neat stuff, don't you think?

Using Zoom Commands

After you've graphed your functions (as described in Chapter 9), you can use Zoom commands to adjust the view of your graph. Press **zoom** to see the 17 Zoom commands that you can use. The following list explains the Zoom commands and how to use them:

» **Zoom commands that help you initially graph or regraph your function in a preset viewing window:**

- **ZStandard:** This command graphs your function in a preset viewing window where $-10 \leq x \leq 10$ and $-10 \leq y \leq 10$. You access it by pressing **zoom****[6]**. See the first screen in Figure 10-3.

This Zoom command is the best way to begin graphing. After graphing the function using **ZStandard**, you can, if necessary, use the **Zoom In** and **Zoom Out** commands to get a better idea of the nature of the graph. Using **Zoom In** and **Zoom Out** is described later in this section.




FIGURE 10-3:
Zoom commands
with preset
windows.

- **ZDecimal:** This command graphs your function in a preset viewing window where $-6.6 \leq x \leq 6.6$ and $-4.1 \leq y \leq 4.1$. The **ZDecimal** command is accessed by pressing **zoom****[4]**.

When you trace a function graphed in a **ZDecimal** window, the x -coordinate of the Trace cursor will be a multiple of 0.1.

- **ZTrig:** This command, which is most useful when graphing trigonometric functions, graphs your function in a preset viewing window where $-11\pi/4 \leq x \leq 11\pi/4$ and $-4 \leq y \leq 4$. It also sets the tick marks on the x -axis to multiples of $\pi/2$. You access **ZTrig** by pressing **zoom****[7]**. See the second screen in Figure 10-3.

When you trace a function graphed in a **ZTrig** window, the x -coordinate of the Trace cursor will be a multiple of $\pi/24$.

- **ZQuadrant1:** This command graphs your function in a preset viewing window where $0 \leq x \leq 13.2$ and $0 \leq y \leq 13.2$. Of course, only Quadrant I can be viewed in this window. It is accessed by pressing **zoom****[alpha]****[math]**, or by pressing **zoom** and using **[** **]** to scroll to **ZQuadrant1**. See the third screen in Figure 10-3.

When you trace a function graphed in a **ZQuadrant1** window, the x -coordinate of the Trace cursor will be a multiple of 0.1.

To use the preceding zoom commands, enter your function into the calculator, press **zoom**, and then press the key for the number of the command. The graph automatically appears.

» **Zoom commands that help you find an appropriate viewing window for the graph of your functions:**

- **ZoomFit:** This is a really neat Zoom command! If you know how you want to set the x -axis, **ZoomFit** automatically figures out the appropriate settings for the y -axis. **Zoomfit** does not adjust the settings for the x -axis, only the y -axis. It took me a long time to figure that out, but it makes perfect sense now that I know!

To use **ZoomFit**, press **window** and enter the values you want for **Xmin**, **Xmax**, and **Xscl**. See the first screen in Figure 10-4. Then press **zoom** **0** to get **ZoomFit** to figure out the y -settings and graph your function. See the second screen in Figure 10-4. **ZoomFit** does not figure out an appropriate setting for **Yscl**, so you may want to go back to the Window editor and adjust this value.

The Window editor is discussed in Chapter 9.





FIGURE 10-4:
Zoom commands
that help you find
the appropriate
window.
Set X-values ZoomFit ZoomStat

- **ZoomStat:** If you're graphing functions, this command is useless. But if you're graphing Stat Plots (as explained in Chapter 17), this command finds the appropriate viewing window for your plots. See the third screen in Figure 10-4.

» **Zoom commands that readjust the viewing window of an already graphed function:**

- **ZSquare:** Because the calculator screen isn't perfectly square, graphed circles won't look like real circles unless the viewing window is properly set. **ZSquare** readjusts the existing Window settings for you and then regraphs the function in a viewing window in which circles look like circles. Pictured in the first screen in Figure 10-5 is a circle in a ZStandard graphing window. See the difference a ZSquare window makes, as shown in the second screen in Figure 10-5.

FIGURE 10-5:
Zoom commands
that help you
readjust the
graphing window.



To use **ZSquare**, graph the function as described in Chapter 9, and then press **zoom****5**. The graph automatically appears.

- **ZInteger:** This command is quite useful when you want the Trace cursor to trace your functions using integer values of the x-coordinate, such as when graphing a function that defines a sequence. **ZInteger** readjusts the existing Window settings and regraphs the function in a viewing window in which the Trace cursor displays integer values for the x-coordinate. In addition, **ZInteger** sets the **Xscl** and **Yscl** to 10.

To use **ZInteger**, graph the function as described in Chapter 9, and then press **zoom****8**. Use the **▲▼◀▶** keys to move the cursor to the spot on the screen that will become the center of the new screen. Then press **enter**. The graph is redrawn centered at the cursor location. See the third screen in Figure 10-5.

» **Zoom commands that zoom in or zoom out from an already graphed function:**

- **Zoom In and Zoom Out:** After the graph is drawn (as described in Chapter 9), these commands enable you to zoom in on a portion of the graph or to zoom out from the graph. They work very much like a zoom lens on a digital camera.

Press **zoom****2** to zoom in or press **zoom****3** to zoom out. Then use the **▲▼◀▶** keys to move the cursor (the cursor looks like a + sign) to the spot on the screen from which you want to zoom in or zoom out. Then press **enter**. The graph is redrawn centered at the cursor location.

You can press **enter** again to zoom in closer or to zoom out one more time. Press **clear** when you're finished zooming in or zooming out. You may have to adjust the window settings, as described in Chapter 9.

- **ZBox:** Some functions end up having really interesting graphs. One such function is shown in the Y= editor in the first screen in Figure 10-6. When graphing trig functions, it is usually a good idea to start by pressing **zoom****7** to access the ZTrig preset window. The ZBox command enables you to define a new viewing window for a portion of your graph by enclosing it in

a box, as illustrated in the second screen in Figure 10-6. Looking at the second screen in Figure 10-6, the function appears to be a normal cosine wave. The box becomes the new viewing window as shown in the third screen in Figure 10-6. After using ZBox to take a closer look at the function, it's easy to see that this isn't an ordinary cosine wave!





FIGURE 10-6:
Zoom commands
that help you
zoom in or out.

To construct the box, press `zoom``1` and use the \blacktriangleleft \triangleright \blacktriangledown \blacktriangleright keys to move the cursor (the cursor looks like a + sign) to the spot where you want one corner of the box to be located. Press `enter` to anchor that corner of the box. Then use the \blacktriangleleft \triangleright \blacktriangledown \blacktriangleright keys to construct the rest of the box. When you press these keys, the calculator draws the sides of the box. Press `enter` when you're finished drawing the box. The graph is then redrawn in the window defined by your box.

When you use **ZBox**, if you don't like the size of the box you get, you can use any of the \blacktriangleleft \triangleright \blacktriangledown \blacktriangleright keys to resize the box. If you don't like the location of the corner you anchored, press `clear` and start over.

When you use **ZBox**, `enter` is pressed only two times. The first time you press it is to anchor a corner of the zoom box. The next time you press `enter` is when you're finished drawing the box, and you're ready to have the calculator redraw the graph.



TIP



REMEMBER

» **Zoom commands that enable you to trace by fraction steps:**

- **ZFrac1/2:** This command graphs your function in a preset viewing window where $-66/2 \leq x \leq 66/2$ and $-41/2 \leq y \leq 41/2$. It is accessed by pressing `zoom``alpha``apps`, or by pressing `zoom` and using \blacktriangleright to scroll to **ZFrac1/2**.

When you trace a function graphed in a **ZFrac1/2** window, the x-coordinate of the Trace cursor will be a multiple of $1/2$. I love to see improper fractions as x-coordinates. See “Tracing a Graph” section which appears earlier in this chapter for more details.

UNDOING A ZOOM

If you use a Zoom command to redraw a graph and then want to undo what that command did to the graph, follow these steps:

1. Press **zoom** to access the Zoom Memory menu.
2. Press **1** to select **ZPrevious**.

The graph is redrawn as it appeared in the previous viewing window.

- **ZFrac1/3, ZFrac 1/4, ZFrac1/5, ZFrac 1/8, ZFrac1/10:** These commands graph your function in a preset viewing window and work in the same manner as **ZFrac1/2** does. If you think of d as the denominator of your fraction, then the viewing window is $-66/d \leq x \leq 66/d$ and $-41/d \leq y \leq 41/d$. Tracing with these commands enables you to trace the x -coordinates by multiples of $1/d$.

Storing and recalling your favorite graphing window

You can make a preset graphing window of your own! Maybe you (or your teacher) have a favorite setting for a graphing window? For example, I performed a **zoom** followed by a **5** to get the window that appears in the first screen in Figure 10-7. I like this window because it doesn't distort circles and it's large enough to see most functions. Follow the steps below to store and recall any graphing window that you happen to like:

1. Press **zoom** to access the Zoom MEMORY menu.

See the second screen in Figure 10-7.

FIGURE 10-7:
Storing and
recalling your
favorite graphing
window.



2. Press **2** to store your graphing window.

Most of the variables in the Window editor are saved; the exceptions are the **ΔX** and **TraceStep** values (which are not stored). Even if you turn your calculator off, your graphing window will remain stored in Zoom MEMORY.

3. Press **zoom****3** to recall your graphing window.

See the third screen in Figure 10-7.

Displaying Functions in a Table

After you've entered the functions in the **Y=** editor, you can have the calculator create a table of functional values. I love that the table values are automatically color-coded to match the color of the functions on the graph. There are two kinds of tables you can create: an automatically generated table and a user-generated table.

Automatically generated table

To automatically generate a table, perform the following steps:

1. Highlight the equal sign of those functions in the **Y=** editor that you want to appear in the table.

Only those functions in the **Y=** editor that are defined with a highlighted equal sign appear in the table. To highlight or remove the highlight from an equal sign, press **=**, use the **◀▶▲▼** keys to place the cursor on the equal sign in the definition of the function, and then press **enter** to toggle the equal sign between highlighted and not highlighted. See the first screen in Figure 10-8.



2. Press `2nd window` to access the Table Setup editor.

3. Enter a number in **TblStart**, and then press `enter`.

TblStart is the first value of the independent variable x to appear in the table. In the second screen in Figure 10-8, **TblStart** is assigned the value 5.

To enter the number you have chosen for **TblStart**, place the cursor on the number appearing after the equal sign, press the number keys to enter your new number, and then press `enter`.

4. Enter a number in **ΔTbl**, and then press `enter`.

ΔTbl gives the increment for the independent variable x . In the second screen in Figure 10-8, **ΔTbl** is assigned the value -1.

To enter the number you have chosen for **ΔTbl**, place the cursor on the number appearing after the equal sign, press the number keys to enter your new number, and then press `enter`.

5. Press `2nd graph` to display the table.

See the third screen in Figure 10-8. Here's what you see and what you can do with an automatically generated table:

- If **Indptn** and **Depend** are both in **Auto** mode, then when you press `2nd graph`, the table is automatically generated. To display rows in the table beyond the last row on the screen, repeatedly press `▼` until they appear. You can repeatedly press `▲` to display rows above the first row on the screen.
- Notice the Context Help message "Press + for Δ Tbl" in the border at the top of the third screen in Figure 10-8. If the TableStep is not to your liking, press `+`, enter your new TableStep, and press `enter`.
- If you're constructing a table for more than four functions, only the first four functions appear on the screen. To see the other functions, repeatedly press `▼` until they appear. This causes one or more of the initial functions to disappear. To see them again, repeatedly press `▼` until they appear.
- Each time the calculator redisplays a table with a different set of rows, it also automatically resets **TblStart** to the value of x that appears in the first row of the newly displayed table. To return the table to its original state, press `2nd window` to access the Table Setup editor, and then change the value that the calculator assigned to **TblStart**.



TIP



TIP

User-generated table

To create a user-generated table, perform the following steps:

1. Press **2nd** **window** to access the Table Setup editor.
2. Set the mode for **Indpnt** and **Depend**.

To change the mode of either **Indpnt** or **Depend**, use the **→** **←** **↑** **↓** keys to place the cursor on the desired mode, either **Auto** or **Ask**, and then press **enter**.



TIP

The figure consists of three screenshots of a handheld calculator's display. The first screenshot shows the 'TABLE SETUP' screen with the following settings: **TblStart = -4**, **ΔTbl = 1**, **Indpnt: Auto**, and **Depend: Ask**. The second screenshot shows the table with the first row filled: X=2, Y₁=, Y₂=. The third screenshot shows the table with the first row filled: X=2, Y₁=-1, Y₂=1.7921. The text 'X=' is at the bottom of the screen.

X	Y ₁	Y ₂
2	-1	1.7921
-2	11	ERRDR
4	59	2.2361
8	251	3
16		4.1231

FIGURE 10-9:
A user-generated
table.

3. Press **2nd** **graph** to display the table.

When you display the table, it should be empty. If it's not empty, clear the table (see the "Clearing a Table" section later in this chapter).

In an empty table, key in the first value of the independent variable *x* that you want to appear in the table, as shown in the second screen in Figure 10-9.

Press **enter** and the corresponding *y*-values of the functions in the table automatically appear. Key in the next value of *x* you want in the table and press **enter**, and so on. The values of *x* that you place in the first column of the table don't have to be in any specific order, nor do they have to be between the **Xmin** and **Xmax** settings in the Window editor!



TIP

For a user-defined table, you don't have to assign values to **TblStart** and **ΔTbl** in the Table Setup editor.

The other combinations of mode settings for **Indpnt** and **Depend** are not all that useful, unless you want to play a quick round of "Guess the *y*-coordinate."




TIP

The word **ERROR** appearing in a table doesn't indicate that the creator of the table has done something wrong. It indicates that either the function is undefined or the corresponding value of *x* is not a real-valued number. This is illustrated in the third screen in Figure 10-9.

Editing a function in a table

While displaying the table of functional values, you can edit the definition of a function without going back to the $Y=$ editor. To do this, use the $\boxed{\text{F1}}$ keys to place the cursor on the column heading for that function and then press $\boxed{\text{enter}}$. See the first screen in Figure 10-10.

FIGURE 10-10:
Editing a function
in a table.



Edit the definition of the function as shown in the second screen in Figure 10-10. Press $\boxed{\text{enter}}$ when you're finished. The calculator automatically updates the table and the definition of the function in the $Y=$ editor.



REMEMBER

Context Help in the Status bar in the border at the top of the screen gives helpful reminders. See the Context Help reminder, “Press $\boxed{\text{F1}}$ to edit function,” in the third screen in Figure 10-10.

Clearing a Table

Not all tables are created alike. An automatically generated table, for example, cannot be cleared. To change the contents of such a table, you have to change the values assigned to TblStart and ΔTbl in the Table Setup editor. After you have created a user-defined table, however, you can perform the following four steps to clear its contents:

1. Press $\boxed{\text{2nd}}\boxed{\text{window}}$ to access the Table Setup editor and then set Indpnt to **Auto**.
2. Press $\boxed{\text{2nd}}\boxed{\text{graph}}$ to display an automatically generated table.
3. Press $\boxed{\text{2nd}}\boxed{\text{window}}$ and set Indpnt back to **Ask**.
4. Press $\boxed{\text{2nd}}\boxed{\text{graph}}$ to display an empty table.

If these steps seem a little repetitive to you, there's another way to clear a table. Just follow these steps:

1. Press **2nd mode** to access the Home screen.
2. Press **2nd 0** to access the Catalog.
3. Press **prgm** to jump to the commands starting with the letter C, then use **▼** to scroll to the **ClrTable**.

See the first screen in Figure 10-11.




FIGURE 10-11:
Clearing a table.

4. Press **enter** to insert the **ClrTable** command, and then press **enter** again to clear the table.

See the second screen in Figure 10-11.

5. Press **2nd graph** to display the newly cleared table.

See the third screen in Figure 10-11.

Viewing the Table and the Graph on the Same Screen

After you have graphed your functions and created a table of functional values, you can view the graph and the table on the same screen. To do so, follow these steps:

1. Press **mode**.
2. Put the calculator in Graph-Table mode.

To do so, use the **►◄▲▼** keys to place the cursor on **Graph-Table** in the ninth line of the Mode menu, and then press **enter** to highlight it. This is illustrated in the first screen in Figure 10-12.




FIGURE 10-12:
A Graph-Table split screen.

3. Press **[graph].**

After you press **[graph]**, the graph and the table appear on the same screen (as shown in the second screen in Figure 10-12).

If you press any key used in graphing functions, such as **[graph]** or **[trace]**, the cursor becomes active on the graph side of the screen. To return the cursor to the table, press **[2nd][graph]**. See the first screen in Figure 10-13.




FIGURE 10-13:
Moving the cursor between the table and graph.



REMEMBER

In Graph-Table mode, only one function will display in the table at a time. If you have more than one function graphed, press the **[** key to see additional table values. For this to work, your cursor must be on the table side of the screen.

If you press **[trace]** and then use the **[** **[** **]** **]** keys to trace the graph, the value of the independent variable x corresponding to the cursor location on the graph is highlighted in the table and the column for the function you're tracing appears next to it. If necessary, the calculator updates the table so you can see that row in the table.



REMEMBER

Press **[window]** to change your TraceStep settings. When your cursor is on the graph side of the screen, your table values are determined by your TraceStep, as shown in the second screen in Figure 10-13.

To view the graph or the table in full screen mode, you can use these steps:

1. Press `mode`.
2. Put the calculator in Full screen mode.

To do so, use the `↖↖↖↖` keys to place the cursor on **Full** in the bottom-left corner of the Mode menu and press `enter` to highlight it.

3. Press `graph` to see the graph, or press `2nd graph` to see the table.

IN THIS CHAPTER

- » Finding the value of a function at a specific x -value
- » Composing functions
- » Finding the zeros, maximum, and minimum values of a function
- » Finding points of intersection graphically
- » Finding the slope of a tangent and the value of the definite integral
- » Graphing derivatives and drawing inverses of functions

Chapter **11**

Evaluating Functions

After graphing a function (as described in Chapter 9), you can use the options on the Calculate menu to find the value of the function at a specified value of x , to find the zeros (x -intercepts) of the function, and to find the maximum and minimum values of the function. You can even find the derivative of the function at a specified value of x , or you can evaluate a definite integral of the function. This, in turn, enables you to find the slope of the tangent to the graph of the function at a specified value of x or to find the area between the graph and the x -axis. Moreover, if you have graphed two functions, there's an option on the Calculate menu that finds the coordinates of these two functions' points of intersection.

The rest of this chapter tells you how to use the Calculate menu to find these values. But be warned: The calculator is not perfect. In most cases, using the options on the Calculate menu yields only an approximation of the true value (albeit a very good approximation). Before using the Calculate menu, double-check that your Format menu ($\text{[2nd]}\text{[zoom]}$) is set to ExprOn and CoordOn.

Finding the Value of a Function

If you want to substitute a value in a function, you could accomplish this task by using paper and a pencil. However, wouldn't it be easier to use your calculator to find the value of a function? There are a few different ways to accomplish this task.



REMEMBER

The TI-84 Plus CE displays functions and information in the border of the graph screen. The TI-84 Plus displays similar information directly on the graph screen.

Using your graph to find the value of a function

The **CALC** menu can be used to evaluate a function at any specified x -value. To access and use this command, perform the following steps:

1. **Graph the functions in a viewing window that contains the specified value of x .**
Graphing functions and setting the viewing window are explained in Chapter 9. To get a viewing window containing the specified value of x , that value must be between **Xmin** and **Xmax**.
2. **Press `2nd``trace` to access the Calculate menu.**
3. **Press `enter` to select the value option.**
4. **Enter the specified value of x .**



REMEMBER

When using the **value** command to evaluate a function at a specified value of x , that value must be an x -value that appears on the x -axis of the displayed graph — that is, it must be between **Xmin** and **Xmax**. If it isn't, you get an error message.

Use the keypad to enter the value of x (as illustrated in the first screen in Figure 11-1). If you make a mistake when entering your number, press `clear` and re-enter the number.

5. **Press `enter`.**

After you press `enter`, the first highlighted function in the $Y=$ editor appears in the border at the top of the screen, the cursor appears on the graph of that function at the specified value of x , and the coordinates of the cursor appear in the border at the bottom of the screen. See the second screen in Figure 11-1.



REMEMBER

You can also find the value of a function by pressing `trace`, entering an x -value, and pressing `enter`.

6. Repeatedly press the $\boxed{\square}$ keys to see the value of the other graphed functions at your specified value of x .

Each time you press the $\boxed{\square}$ keys, the name of the function being evaluated appears in the border at the top of the screen and the coordinates of the cursor location appears in the border at the bottom of the screen. This is illustrated in the third screen in Figure 11-1.




FIGURE 11-1:
Using a graph to
find a specific
 x -value of a
function.

After using the **value** command to evaluate your functions at one value of x , you can evaluate your functions at another value of x by keying in the new value and pressing **enter**. Pressing any function key (such as **enter** or **trace**) after evaluating a function deactivates the **value** command.



TIP

Using your calculator to find the value of a function

Using your calculator to find the value of a function

Another way to find the value of a function involves using your calculator. This method is easy and doesn't have the restrictions the graphing method has (the x -value has to be between the X_{\min} and X_{\max}).

Follow these steps to use your calculator to find the value of a function:

1. Enter your function in the $Y=$ editor.

You need to remember the name of the function you enter. I entered an equation in Y_1 , as shown in the first screen in Figure 11-2.

2. Press **2nd mode** to access the Home screen.
3. Press **alpha trace** to access the Y-VAR menu and choose the function you need.

See the second screen in Figure 11-2.

4. Press \square and enter the x -value you would like evaluated.
5. Press \square and then press enter .

See the third screen in Figure 11-2.




FIGURE 11-2:
Using your calculator to find a specific x -value of a function.

Composing Functions

Sometimes functions are composed together. In your textbook, this may look like, $f(g(x))$. Function composition is really just substituting one function into another function. Fortunately, you can use your calculator to accomplish this task.

Using your graph to compose functions

If you want a graphical representation of function composition, follow these steps:

1. Enter your functions in the Y= editor.

I entered my functions in Y_1 and Y_2 as shown in the first screen in Figure 11-3.

2. Use $\boxed{\text{[arrow keys]}}$ to place your cursor in an open equation in the $Y=$ editor.
3. Press $\boxed{\text{[alpha]}} \boxed{\text{[trace]}}$ to access the Y-VAR menu and choose the first function you need.
4. Press $\boxed{\text{[2nd]}}$ and press $\boxed{\text{[alpha]}} \boxed{\text{[trace]}}$ to access the Y-VAR menu and choose the second function you need.
5. Press $\boxed{\text{[2nd]}}$, then press $\boxed{\text{[X,T,θ,n]}}$ and press $\boxed{\text{[2nd]}}$ twice.
6. Press $\boxed{\text{[graph]}}$ to see the graph of the composed function.

See the second screen in Figure 11-3.

6. Press **graph** to see the graph of the composed function.

See the third screen in Figure 11-3.




FIGURE 11-3:
Graphing composed functions.

Using your calculator to compose functions

To evaluate composed functions at a specific x -value, follow these steps:

1. Enter your functions in the Y= editor.

I entered my functions in Y_1 and Y_2 as shown in the first screen in Figure 11-4.

2. Press **2nd **[mode]** to access the Home screen.**

3. Press **[alpha] [trace] to access the Y-VAR menu and choose the first function you need.**

See the second screen in Figure 11-4.

4. Press **[and press **[alpha] [trace]** to access the Y-VAR menu and choose the second function you need.**

5. Press **[, then enter an x -value and press **]** twice.**

6. Press **[enter] to see the result of your function composition.**

See the third screen in Figure 11-4.




FIGURE 11-4:
Function composition at a specific x -value.

Finding the Zeros of a Function

The *zeros* of the function $y = f(x)$ are the solutions to the equation $f(x) = 0$. Because $y = 0$ at these solutions, these zeros (solutions) are really just the x -coordinates of the x -intercepts of the graph of $y = f(x)$. (An x -intercept is a point where the graph crosses or touches the x -axis.)

To find a zero of a function, perform the following steps:

1. **Graph the function in a viewing window that contains the zeros of the function.**

Graphing a function and finding an appropriate viewing window are explained in Chapter 9. To get a viewing window containing a zero of the function, that zero must be between **Xmin** and **Xmax** and the x -intercept at that zero must be visible on the graph.

2. **Press $\text{2nd}[\text{trace}]$ to access the Calculate menu.**
3. **Press 2 to select the zero option.**
4. **If necessary, repeatedly press the $\boxed{\text{A}}$ keys until the appropriate function appears in the border at the top of the screen.**
5. **Set the Left Bound for the zero you desire to find.**

To do so, use the $\boxed{\text{[A]}}$ keys to place the cursor on the graph a little to the left of the zero, and then press **enter**. Alternatively, you can enter a number and press **enter** to establish the Left Bound.

On the TI-84 Plus CE, a Left Bound vertical line appears on the screen (as illustrated by the dotted line with a small triangular indicator in the first screen of Figure 11-5).

6. **Set the Right Bound for the zero.**

To do so, use the $\boxed{\text{[B]}}$ keys to place the cursor on the graph a little to the right of the zero, and then press **enter**. Alternatively, you can enter a number and press **enter** to establish the Right Bound.

On the TI-84 Plus CE, a Right Bound dotted line with a small triangular indicator appears on the screen, as shown in the second screen of Figure 11-5.

7. **Tell the calculator where you guess the zero is located.**

This guess is necessary because the calculator uses a numerical routine for finding a zero. The routine is an iterative process that requires a seed (guess) to get it started. The closer the seed is to the zero, the faster the routine finds the zero. To do this, use the $\boxed{\text{[C]}}$ keys to place the cursor on the graph as close to the zero as possible, and then press **enter**. The value of the zero appears in the border at the bottom of the screen, as shown in the third screen of Figure 11-5.




FIGURE 11-5:
Steps in finding
the zero of
a function.



TIP

The calculator uses scientific notation to denote really large or small numbers. For example, -0.00000001 is displayed on the calculator as $-1E-8$, and 0.000000005 is displayed as $5E-8$.

Finding Min and Max

Finding the maximum or minimum point on a graph has many useful applications. For example, the maximum point on the graph of a profit function tells you not only the maximum profit (the y -coordinate), but also how many items (the x -coordinate) the company must manufacture to achieve this profit. To find the minimum or maximum value of a function, perform the following steps:

- 1. Graph the function in a viewing window that contains the minimum and/or maximum values of the function.**

Graphing a function and finding an appropriate viewing window are explained in Chapter 9.

- 2. Press $\text{2nd}[\text{trace}]$ to access the Calculate menu.**
- 3. Press 3 to find the minimum, or press 4 to find the maximum.**
- 4. If necessary, repeatedly press the $\text{[} \text{]} \text{[} \text{]}$ keys until the appropriate function appears in the border at the top of the screen.**
- 5. Set the Left Bound of the minimum or maximum point.**

To do so, use the $\text{[} \text{]} \text{[} \text{]}$ keys to place the cursor on the graph a little to the left of the location of the minimum or maximum point, and then press [enter] . A *Left Bound indicator* (the dotted line with a triangular indicator shown in the first screen of Figure 11-6) appears on the screen.

- 6. Set the Right Bound for the zero.**

To do so, use the $\text{[} \text{]} \text{[} \text{]}$ keys to place the cursor on the graph a little to the right of the location of the minimum or maximum point, and then press [enter] . A *Right Bound indicator* (the rightmost dotted line with the triangular indicator in the second screen of Figure 11-6) appears on the screen.

7. Tell the calculator where you guess the min or max is located.

To do so, use the $\boxed{\text{[4]}}$ keys to place the cursor on the graph as close to the location of the minimum or maximum point as possible, and then press $\boxed{\text{[enter]}}$. The coordinates of the minimum or maximum point appears in the border at the bottom of the screen (as shown in the third screen of Figure 11-6).




FIGURE 11-6:
Steps in finding
the maximum
value of
a function.

Finding Points of Intersection

Using the $\boxed{\text{[4]}}$ $\boxed{\text{[5]}}$ $\boxed{\text{[6]}}$ $\boxed{\text{[7]}}$ keys in a graph activates a free-moving trace. However, using a free-moving trace rarely locates the point of intersection of two graphs but instead gives you an *approximation* of that point. To accurately find the coordinates of the point where two functions intersect, perform the following steps:

1. Graph the functions in a viewing window that contains the point of intersection of the functions.

Graphing a function and finding an appropriate viewing window are explained in Chapter 9.

2. Press $\boxed{\text{[2nd]}}$ $\boxed{\text{[trace]}}$ to access the Calculate menu.

3. Press $\boxed{\text{[5]}}$ to select the intersect option.

4. Select the first function.

If the name of one of the intersecting functions does not appear in the border at the top of the screen, repeatedly press the $\boxed{\text{[4]}}$ $\boxed{\text{[5]}}$ keys until it does. This is illustrated in the first screen in Figure 11-7. When the cursor is on one of the intersecting functions, press $\boxed{\text{[enter]}}$ to select it.


5. Select the second function.

If the calculator does not automatically display the name of the second intersecting function in the border at the top of the screen, repeatedly press the $\boxed{\text{[4]}}$ $\boxed{\text{[5]}}$ keys until it does. This is illustrated in the second screen in Figure 11-7. When the cursor is on the second intersecting function, press $\boxed{\text{[enter]}}$ to select it.

6. Use the \blacktriangleleft keys to move the cursor as close to the point of intersection as possible.

This is illustrated in the third screen in Figure 11-7.

7. Press **enter** to display the coordinates of the point of intersection.



TIP

If there are only two functions in the $Y=$ editor, you can save time by pressing **2nd** **trace** **5** **enter** **enter** to choose your functions. If there is only one point of intersection of the two functions, then press **enter** again to calculate the point of intersection. It is only necessary to make a guess when there is more than one point of intersection.

Finding the Slope of a Curve

The calculator is not equipped to find the derivative of a function. For example, it can't tell you that the derivative of x^2 is $2x$. But the calculator is equipped with a numerical routine that evaluates the derivative at a specified value of x . This numerical value of the derivative is the slope of the tangent to the graph of the function at the specified x -value. It is also called the slope of the curve. To find the slope (derivative) of a function at a specified value of x , perform the following steps:

1. Graph the function in a viewing window that contains the specified value of x .

Graphing a function and setting the viewing window are explained in Chapter 9. To get a viewing window containing the specified value of x , that value must be between **Xmin** and **Xmax**.

2. Press **2nd** **trace** to access the Calculate menu.
3. Press **6** to select the dy/dx option.

4. If necessary, repeatedly press the $\boxed{\square}$ keys until the appropriate function appears in the border at the top of the screen.

This is illustrated in the first screen in Figure 11-8.

5. Enter the specified value of x .

To do so, use the keypad to enter the value of x . As you use the keypad, **X=** appears, replacing the coordinates of the cursor location appearing at the bottom of the screen in Step 4. The number you key in appears after **X=**. This is illustrated in the second screen in Figure 11-8. If you make a mistake when entering your number, press **clear** and re-enter the number.



TIP

If you are interested only in finding the slope of the function in a general area of the function instead of at a specific value of x , instead of entering a value of x , just use the **◀** and **▶** to move the cursor to the desired location on the graph of the function.

6. Press **enter**.

After pressing **enter**, the slope (derivative) is displayed in the border at the bottom of the screen. This is illustrated in the third screen in Figure 11-8.




FIGURE 11-8:
Steps in finding
the slope at a
specified
value of x .

Evaluating a Definite Integral

If $f(x)$ is positive for $a \leq x \leq b$, and then the definite integral $\int_a^b f(x) dx$ also gives the area between the curve and the x -axis for $a \leq x \leq b$. To evaluate the definite integral, perform the following steps:

1. Graph the function $f(x)$ in a viewing window that contains the Lower Limit a and the Upper Limit b .

Graphing a function and setting the viewing window are explained in Chapter 9. To get a viewing window containing a and b , these values must be between **Xmin** and **Xmax**.

2. Press **2nd** **trace** to access the Calculate menu.
3. Press **7** to select the $\int f(x) dx$ option.
4. If necessary, repeatedly press the **▲** **▼** keys until the appropriate function appears in the border at the top of the screen.

This process is illustrated in the first screen in Figure 11-9.

5. Enter the value of the Lower Limit **a**.

To do so, use the keypad to enter the value of the Lower Limit **a**. As you use the keypad, **X=** appears, replacing the coordinates of the cursor location appearing at the bottom of the screen in Step 4. The number you key in appears after **X=**. This is illustrated in the second screen in Figure 11-9. If you make a mistake when entering your number, press **clear** and re-enter the number.


6. Press **enter**.

After pressing **enter**, a *Left Bound indicator* (the dotted line with a triangular indicator) appears on the graphing screen.

7. Enter the value of the Upper Limit **b** and press **enter**.

After pressing **enter**, the value of the definite integral appears in the border at the bottom of the screen and the area between the curve and the x-axis, for $a \leq x \leq b$, will be shaded. This is illustrated in the third screen in Figure 11-9. I really like how the TI-84 Plus CE uses interval notation to display the interval of the definite integral.

FIGURE 11-9:
Steps in evaluating a definite integral.



The shading of the graph produced by using the $\int f(x) dx$ option on the Calculate menu doesn't automatically vanish when you use another Calculate option. To erase the shading, press **2nd** **prgm** **enter** to invoke the **ClrDraw** command on the Draw menu. The graph is then redrawn without the shading.

Graphing Derivatives to Find Critical Points

In calculus, you need to graph the derivative of a function in order to find its critical points. Don't worry! Your calculator will help you; just follow these steps:

1. Enter your functions in the **Y=** editor.
2. Use the \blacktriangleleft , \blacktriangleright , \blacktriangledown , \blacktriangleup keys to place your cursor in an open equation in the **Y=** editor.
3. Press **math** **8** to access the **nDeriv** template.
4. Press **[X,T,θ,n]**, then press **alpha** **trace** and choose your function, then press **[X,T,θ,n]**.

See the first screen in Figure 11-10. This is a sneaky move. You aren't using the **nDeriv(** template to take the derivative at a specific x -value. Instead, by taking the derivative at $x = x$, you are taking the derivative at all points where the function is defined.

5. Press **graph** to display the graph of your function and the derivative of the function.

See the second screen in Figure 11-10.

6. Press **2nd** **trace** to access the Calculate menu.
7. Press **2** to select the zero option.
8. If necessary, repeatedly press the \blacktriangleleft , \blacktriangleright keys until the derivative function appears in the border at the top of the screen.

Don't forget to do this step! (I had the original function selected the first time I tried it.)

9. Enter the Lower and Upper Bounds, then a guess and press **enter**.

This is illustrated in the third screen in Figure 11-10. See the previous section in this chapter for the steps to find the zeros of a function.




FIGURE 11-10:
Graphing the derivative to find the critical points.

Solving Equations by Graphing

There are a number of different ways to solve an equation by graphing. Next, I show you a method that I am particularly fond of. The basic idea is to set the equation equal to zero, graph it, and find the zeros. The method I show you has a twist that I think you will enjoy.

To solve the equation $\sqrt{(x+2)} - 3 = 3 - x$, follow these steps:

1. Set your equation equal to zero.

I subtracted 3 and added x to both sides:

$$\sqrt{(x+2)} - 3 - 3 + x = 0$$

2. Press `Y=` and enter one side of your equation in Y_1 and enter the other side of your equation in Y_2 .


See the first screen in Figure 11-11. Notice, one of your functions is a horizontal line on the x -axis. I think it is easier to find intersection points than it is to find zeros. You might be wondering what the twist is with this method? When I find an intersection point of the two graphs, I have effectively found a zero of the equation! Pretty nifty, huh?

3. Press `graph` and graph your functions in a viewing window that contains the intersection points of the two functions.

See the second screen in Figure 11-11. I like having a really nice window for this, but you don't have to. You may need to zoom out by pressing `zoom 3` and pressing `enter` to make sure you have all the intersection points in the graphing window.

4. Press `2nd trace 5 enter enter enter` to find one of the intersection point(s) of the two graphed functions.

See the third screen in Figure 11-11. If there is more than one intersection point, you must press `2nd trace 5 enter enter` and use the `◀ ▶` keys to navigate near the other intersection point. Press `enter` to make your guess.



You find your solution in the border at the bottom of the screen beneath the word “Intersection.”

Drawing the Inverse of a Function

The big idea of inverse function is that x and y switch places. Your calculator has a built-in feature that enables you to “draw” the inverse of a function. Essentially, the calculator is “graphing” (not drawing) the inverse of the function. However, unlike a graph, you can’t perform a trace or any other type of function evaluation on the drawn inverse. Another reason this term is used may be that the drawn inverse need not be a function.

Follow these steps to draw the inverse of a function:

1. Enter your function in the $Y=$ editor.

See the first screen in Figure 11-12. I entered $Y_1 = e^x$. This function has a mathematically famous inverse, $f^{-1}(x) = \ln(x)$.

2. Press $2nd$ $mode$ to access the Home screen.

3. Press $2nd$ $prgm$ 8 to insert the `DrawInv` function

4. Press α α α α α α α and choose the name of the function you entered.

See the second screen in Figure 11-12.


5. Press $enter$ to display the graph of your function and draw the inverse of your function.

See the third screen in Figure 11-12.



TIP


Enter $Y_2 = \ln(x)$ to double-check that the inverse your calculator drew is the natural log function. In the $Y=$ editor, use the $\left[\right]$ key and press $enter$ to change the line style to I . Then press graph and enjoy the show!



Enter function



DrawInv command



Inverse function

FIGURE 11-12:
Draw the inverse
of a function.

Drawing the Tangent of a Function

Your calculator has a built-in feature that enables you to “draw” the tangent of a function. However, if you activate a new built-in feature, your calculator will graph the line and store it in the function of your choice. I’ll show you how. So, your calculator does more than just draw the tangent, it graphs it!

Follow these steps to draw the tangent of a function:

1. Enter your function in the **Y=** editor.

See the first screen in Figure 11-13. I entered $Y_1 = X^2 - 3X - 5$.

2. Press **zoom****6** to graph the function.

3. Press **2nd****prgm****5** to insert the Tangent function.

4. Press **graph** to activate the MENU soft key in the bottom-right corner of the graph screen.

If you want to store the tangent function in the **Y=** menu, you need to do this step before you draw the tangent line.


5. Press **▼** to navigate to the spinner, then press **▶** to select Y_2 where the tangent function will be stored.

See the second screen in Figure 11-13.


6. Press **enter****enter** to get back to the graph.

7. Enter 2.5, then press **enter** to store the function in the **Y=** menu.


See the third screen in Figure 11-13.



Enter the function



Store the tangent



Graph the tangent

FIGURE 11-13:
Graphing and
storing tangent
functions.

IN THIS CHAPTER

- » Graphing one-variable inequalities
- » Starting and quitting the Inequality app
- » Entering and graphing inequalities
- » Shading intersections and unions
- » Storing data points
- » Solving linear programming problems

Chapter 12

Graphing Inequalities

With the Inequality app that comes preloaded on the TI-84 Plus family of graphing calculators, you can graph functions and inequalities of the form $y \leq f(x)$, $y < f(x)$, $y \geq f(x)$, and $y > f(x)$. You can even graph and shade regions formed by the union or intersection of several inequalities. You can also use this app to solve linear programming problems. If you don't know what linear programming is, see the explanation in the linear programming section in this chapter.

Graphing One-Variable Inequalities

Sometimes, a product is used for tasks that it was not originally designed to accomplish. Play-Doh was originally meant to be a cleaner before it became a hit with kids everywhere. Your calculator was not made to graph inequalities on a number line, but it can be used to accomplish that task.

The reason your calculator is able to perform a task that it was not designed for is the Boolean logic your calculator uses to evaluate statements. If you read Chapter 7, you may remember that your calculator uses truth values: 1 = *True* and 0 = *False*.

When you enter a statement like $1 - X > 3$, your calculator figures out where the statement is true and returns a 1, and where the statement is false returns the value of 0. Why not use this to your advantage in a graphing environment?

Follow these steps to graph a one-variable inequality (as if graphing on a number line) on your calculator:

1. Press $\boxed{Y=}$ and enter the entire inequality.



REMEMBER

See the first screen in Figure 12-1. I entered: $Y_1 = 1 - X > 3$.

Press $\boxed{2nd} \boxed{\text{math}}$ to enter an inequality from the Test menu.




FIGURE 12-1:
Graphing a
one-variable
inequality.

2. Press $\boxed{\text{zoom}} \boxed{6}$ to graph the one-variable inequality.

See the second screen in Figure 12-1. When the y -value of the graph is 1, the inequality is true. When the y -value of the graph is 0, the inequality is false.

Your graph looks like a number line. The number line is slightly above the x -axis in a similar way that my students like to draw a number line on their homework. What is the only thing that is missing? Is the point at $x = -2$ opened or closed? See the next step for a method of checking the truth value at $x = -2$.

3. Press $\boxed{\text{trace}}$ and enter an x -value you would like to check.

See the third screen in Figure 12-1. I entered -2 , which yielded a y -value of 0 (which means false). I can safely conclude the point is open at $x = -2$ and the solution inequality is $x < -2$.



TIP

Press $\boxed{2nd} \boxed{\text{graph}}$ to display the table. This is a really interesting way of looking at the truth values (of 1 and 0) that are returned for the inequality you enter.

This technique works for compound inequalities as well. The only drawback is that it can be difficult to determine the exact value where the graph begins.

The steps for entering compound inequalities are exactly the same as entering one-variable inequalities. In the first screen in Figure 12-2, I entered an “or”

inequality for Y_1 and I entered an “and” inequality for Y_2 . I graphed Y_1 in the second screen in Figure 12-2 and I graphed Y_2 in the third screen in Figure 12-2.



REMEMBER




FIGURE 12-2:
Graphing compound inequalities.

Starting Inequality Graphing

You’re probably used to using apps with some of the other technologies you own. The Inequality app is a powerful mathematics tool. To start the Inequality app, press **apps**. See the first screen in Figure 12-3. Then, press **alpha****x²**; if necessary, use **⇨** to move the cursor to the **Inequalz** app, and press **enter** to select the app. In the list of apps, this app is titled, **Inequalz**. However, the official name of the app is the Inequality Graphing app. After choosing the app, you are confronted with one of the last two screens shown in Figure 12-3.




FIGURE 12-3:
Starting the Inequality app.

If no other apps are running, you see the second screen in Figure 12-3. Press any key to enter the Inequality Graphing app. If Inequality Graphing is already running, you see the third screen in Figure 12-3. Press **1** to re-enter the app.

After you enter Inequality Graphing, you are placed in the $Y=$ editor so that you can enter functions and inequalities. Your cursor will blink over the $=$ sign of

function Y_1 of the enhanced inequality $Y=$ editor, as illustrated in the first screen in Figure 12-4.



TIP

Follow the onscreen prompts at the top of the screen! The first screen in Figure 12-4 shows this context help message, SELECT RELATION: [\blacktriangleleft] [ENTER]. Do what it says! Press [[ENTER]] to open the graph style dialog box, as shown in the second screen in Figure 12-4.



TI-84+
TIP

On the TI-84 Plus, the Inequality app looks (and operates in) a different way. If you place your cursor over the $=$ sign in the $Y=$ screen, you will see a row of inequality symbols along the bottom of the screen, as shown in the third screen in Figure 12-4. To activate the inequality, press [[ALPHA]] followed by the appropriate equality or inequality symbol. For example, press [$\text{[ALPHA]} \text{[ZOOM]}$] to replace the $=$ sign with the less-than inequality sign ($<$).





FIGURE 12-4:
The $Y=$ editor
when Inequality
Graphing is
running.



Enhanced inequality $Y=$ editor

Graph Style dialog box



Using a TI-84+

Entering Functions and Inequalities

The Inequality Graphing app can graph functions and inequalities of the form $y = f(x)$, $y < f(x)$, $y \leq f(x)$, $y > f(x)$, and $y \geq f(x)$. Such functions and inequalities are defined in the $Y=$ editor. The app can also graph equalities and inequalities of the form $x = N$, $x < N$, $x \leq N$, $x > N$, and $x \geq N$, provided that N is a number. These equalities and inequalities are defined in the $X=$ editor. Using these editors is explained in the following sections.

Entering inequalities in the $Y=$ editor

To define a function or inequality of the form $y = f(x)$, $y < f(x)$, $y \leq f(x)$, $y > f(x)$, and $y \geq f(x)$, follow these steps:



TIP

1. Press $\boxed{Y=}$ to access the $Y=$ editor.

To erase any unwanted functions or inequalities from the $Y=$ editor, use the arrow keys to place the cursor after the equality or inequality symbol in the definition of the unwanted function or inequality and press $\boxed{\text{clear}}$.

2. Use the arrow keys to place the cursor on the sign ($=$, $<$, \leq , $>$, or \geq) of the function or inequality you are defining.

3. Press $\boxed{\text{enter}}$ to open the Graph Style dialog box.

4. Press $\boxed{\text{up}}$ or $\boxed{\text{down}}$ to choose the color of your inequality.

The color spinner menu contains 15 different colors to choose from.

5. Press $\boxed{\text{OK}}$, then use $\boxed{\text{up}}$ or $\boxed{\text{down}}$ to choose your inequality.

I chose \leq , as shown in the first screen in Figure 12-5.



WARNING

When you exit the Inequality Graphing app, all inequality signs in the $Y=$ editor are converted to equal signs and the original inequality sign is not reinstated the next time you run the app.

6. Press $\boxed{\text{OK}}$ to highlight OK, then press $\boxed{\text{enter}}$ to close the dialog box.

Press $\sim\sim$ to navigate your cursor to the right of the inequality. I entered

$$Y_1 \leq -0.5x+4$$

7. Repeat the process to enter a second inequality. Press $\boxed{\text{graph}}$ to see the graph of the inequalities.


I entered $Y_2 > 2$, as shown in the second screen in Figure 12-5.

8. Press $\boxed{\text{graph}}$ to graph the inequalities.


The graph is shown in the third screen in Figure 12-5.



Choosing inequality



Entering inequalities



Graphing inequalities

FIGURE 12-5:

Defining inequalities in the $Y=$ editor and changing colors.

Entering inequalities in the $X=$ editor


Equalities and inequalities of the form $x = N$, $x < N$, $x \leq N$, $x > N$, and $x \geq N$ (where N is a number) are defined in the $X=$ editor the same way inequalities are defined

in the $Y=$ editor, as explained in the preceding section. To access the $X=$ editor, follow these steps:

1. If you are not currently in the $Y=$ editor, press $\boxed{Y=}$ to get there.
2. Repeatedly press $\boxed{\square}$ until the cursor is on $X=$ in the upper-left corner of the $Y=$ editor.

This is illustrated in the first screen in Figure 12-6.

FIGURE 12-6:
Defining
inequalities in
the $X=$ editor.



3. Press $\boxed{\text{enter}}$ to access the $X=$ editor.
4. Press $\boxed{\square}$ $\boxed{\text{enter}}$ to access the Graph Style dialog box of the $X=$ editor.
Choose $>$ and enter the inequality $X_1 > 1$, as shown in the second screen in Figure 12-6.
5. Press $\boxed{\text{graph}}$ to graph the system of inequalities, as illustrated in the third screen in Figure 12-6.



TIP

To return to the $Y=$ editor from the $X=$ editor, repeatedly press $\boxed{\square}$ until the cursor is in the upper-left corner of the screen, and then press $\boxed{\text{enter}}$.



WARNING

When you exit the Inequality Graphing app, all entries made in the $X=$ editor are erased.

Exploring a Graph

The graph shown in the third screen in Figure 12-6 has a lot going on. Even in color, you can barely make out the solution region. In black and white? Forget about it. Wouldn't it be nice if your calculator could shade only the intersection of the three inequalities we just graphed? There is a way. Read on to find out the details.

Shading unions and intersections


Get rid of the clutter by shading only the union or the intersection of the regions. To accomplish this, follow these steps:

1. Press **2nd****trace** and press **▶** to display the **INEQUALITY** menu, as shown in the first screen in Figure 12-7.
2. Press **2** to shade the intersection, or press **3** to shade the union of the inequalities.


I pressed **2**, as shown in the second screen in Figure 12-7. Notice only the intersection is shaded. This comes in handy if you are solving linear programming problems.



On the TI-84 Plus, this is an onscreen menu. On the graph screen, press **[alpha]y=** or **[alpha]window** to display the **Shades** menu, as shown in the third screen in Figure 12-7. Simply press **1** to shade only the intersection or press **2** to shade the union of the system of inequalities.



INEQUALITY menu



Intersection shading



Using a TI-84+

FIGURE 12-7: Graphing the intersection or union.



After graphing the union or intersection of the regions in your graph, you can redisplay the original shading of the graph by selecting the third option in the **INEQUALITY** menu.

Finding the points of intersection

The **Pt of Intersection-Trace** option is used to find the points of intersection appearing on the graph screen. When the calculator finds such a point, you can store the x - and y -coordinates of that point in the calculator. This is quite handy when solving linear programming problems. To find and store the points of intersection in an inequality graph, follow these steps:

1. Press **2nd****trace** and press **▶** to display the **INEQUALITY** menu, as shown in the first screen in Figure 12-8.




TI-84+
TIP

2. Press **1** to choose Point of Interest Trace.

Use the arrow keys to navigate from point to point, as shown in the second screen in Figure 12-8.

On the graph screen of the TI-84 Plus, press **[alpha]zoom** or **[alpha]trace** to select the onscreen Pt of Intersection-Trace option. After selecting this option, the cursor moves to one point of intersection and the coordinates of that point are displayed at the bottom of the screen, as illustrated in the third screen of Figure 12-8. In the upper-left corner of the screen, you see the names of the intersecting inequalities.

FIGURE 12-8:
Finding points of
intersection.



3. Press **sto→** to store the coordinates of the point of intersection.

If you don't need to store these coordinates, you can skip this step. If you do press **sto→**, you get a message saying, "Point appended to (LINEQX, LINEQY)," as shown in the first screen in Figure 12-9. This tells you that the x-coordinate is stored in the list named INEQX and the y-coordinate is stored in list INEQY. Press **enter** to get rid of the message and return to the graph.

4. Use the arrow keys to move to the next point of intersection and, if you desire, press **sto→** to store its coordinates.

Pressing **↖** or **↗** moves the cursor to the next point of intersection on the graph of the left inequality in the upper-left corner of the screen. After I pressed **↖**, the cursor jumped to the other point of intersection on this line. Because this line has only two points of intersection, if I were to press **↖** again, the cursor would go back to the point of intersection in the first picture in this figure.

Pressing **↖** or **↗** changes the left inequality in the upper-left corner of the screen. This may or may not move the cursor. If the cursor doesn't move, press **↖** or **↗** to move the cursor to the next point of intersection. For example, to get from the second to the third screen in Figure 12-10, I pressed **↖** to change the left inequality to X_1 . But this gave me the intersection same point of intersection. So I pressed **↖** to get the other point of intersection on line X_1 .

5. Press `clear` when you are finished using Point of Interest Trace.



TIP



TI-84+
TIP

If the point is already stored in the calculator, you get the “Duplicate Point” message. Press `enter` to get rid of the message. The Inequality Graphing app will not store the point a second time.

Good news! Pressing `sto-` on a TI-84 Plus delivers the same functionality, as shown in the third screen in Figure 12-9.




FIGURE 12-9:
Storing points.

Press `sto-`

Duplicate point

Using a TI-84+

Other ways to explore a graph

All the commands and features described in Chapters 9, 10, and 11 that are available for graphing and exploring normal functions are also available when graphing and exploring inequalities. For example, you can split the screen and display a graph and a table, you can zoom in on a graph, you can trace a graph, you can find the coordinates of maximum and minimum points, and you can do much, much more. Many of these commands are housed in the **Zoom** and **CALC** menus. Using these commands and features is explained in Chapters 9, 10, and 11.

Storing Data Points

When you start Inequality Graphing for the first time, the app creates two lists, `INEQX` and `INEQY`, to house the x - and y -coordinates of data points that you store in the calculator. When you exit Inequality Graphing, these data lists are not deleted from the calculator. So when you start the app again at a later time, any data previously stored in these lists will still be there, provided that you didn't delete the lists from the calculator's memory.

Chapter 16 gives you a more detailed explanation of dealing with data lists. Among other things, Chapter 16 tells you how to manually enter or edit data in a list, how to delete data from a list, and how to sort data. Chapter 16 also explains how to delete a data list from the calculator's memory. But if you do delete the INEQX and INEQY data lists, the next time you start Inequality Graphing, the app will re-create these lists. So why bother deleting them?

Clearing the INEQX and INEQY lists

When the Inequality Graphing app stores a data point, it appends that point to the other points already stored in the INEQX and INEQY lists. When you exit Inequality Graphing, the app does not clear the contents of these lists. So if you are graphing a new set of inequalities and want to store data points associated with the graph, it's a good idea to clear the old data points from these lists.

To clear the contents of the INEQX and INEQY lists, press **graph****alpha****clear****[2]**. The graph screen appears and the INEQX and INEQY lists remain in the calculator as empty data lists.



TIR

If an inequality graph is displayed on the screen, simply press **[alpha] [clear] [2]** to clear the INEQX and INEQY data lists. If any other screen is displayed, such as the Y= editor, you must press **[graph] [alpha] [clear] [2]** to clear these lists.

Viewing stored data

Press **[format][format][format]1** to view the data stored in lists INEQX and INEQY, as illustrated in the first screen in Figure 12–10. If you are wondering where the lists that you are used to seeing (), press **[** repeatedly until you see default lists. See the second screen in Figure 12–10.

FIGURE 12-10: Viewing lists INEQX and INEQY.

Quitting Inequality Graphing

Most of the time, you don't even know the Inequality Graphing app is running unless you are actively using the app or unless you glance at the context help menu at the top of the $Y=$ editor as shown in the first screen in Figure 12-11. How to quit the app is about as puzzling as knowing whether or not it is running.

To quit (exit) this app on the TI-84 Plus CE, press $\boxed{Y=}$ to access the $Y=$ editor. Use the $\boxed{\text{[} \text{]}} \boxed{\text{[} \text{]}}$ keys to move your cursor to **QUIT-APP**, located in the top-right part of the screen, as shown in the first image in Figure 12-11. Press $\boxed{\text{enter}}$ and the second screen in Figure 12-11 appears. Press $\boxed{2}$ to quit the app.



On the TI-84 Plus, press $\boxed{\text{apps}}$ choose **Inequalz** and press $\boxed{2}$ to quit the app as shown in the third screen in Figure 12-11. I guess that wasn't so bad after all.






FIGURE 12-11:
Quitting the
Inequality app.

QUIT-APP



Press $\boxed{2}$



Using a TI-84+

IN THIS CHAPTER

- » **Changing the mode and window of your calculator**
- » **Entering and graphing parametric equations**
- » **Using Trace to evaluate parametric equations**
- » **Viewing the table of a parametric graph**
- » **Finding the derivative of parametric equations**

Chapter **13**

Graphing Parametric Equations

Parametric equations are used in pre-calculus and physics classes as a convenient way to define x and y in terms of a third variable, T . If you are familiar with the graphing function on your calculator, then parametric equations shouldn't be too much of a challenge for you. In this chapter, you find tips and steps that should make graphing parametric equations something that you look forward to.

Anything that can be graphed in Function mode can also be graphed as a set of parametric equations. Using parametric equations enables you to investigate horizontal distance, x , and vertical distance, y , with respect to time, T . This adds a new dimension to your graph! The direction a point is moving is an important part of graphing parametric equations. Fortunately, your calculator does a good job of letting you see the direction of motion as the graph forms.

Changing the Mode

You can't begin graphing parametric equations until you change the mode of your calculator. Follow these steps to change the mode of your calculator:

1. Press **mode** and put the calculator in Parametric mode.

To highlight an item in the Mode menu, use the $\boxed{\blacktriangleleft\blacktriangleright\blacktriangledown\blacktriangleup}$ keys to place the cursor on the item, and then press **enter**. Highlight **PARAMETRIC** in the fifth line to put the calculator in Parametric mode. See the first screen in Figure 13-1.



TIP

It is usually a good idea to put your calculator in Radian mode when working with parametric equations.

2. Press **2nd zoom** to access your Format menu.

Make sure the ExprOn and CoordOn are both highlighted. These settings are helpful when performing a trace on your equations. See the second screen in Figure 13-1.

FIGURE 13-1:
Changing the
mode to
Parametric.



Parametric mode



Format menu

Selecting the Graph Style

All the functionality that you are used to having in Function mode is also available in Parametric mode. If you would like to customize your graph by changing the color or the line style, follow these steps:

1. Press **y=** to access the **Y=** editor.

2. Press **4** to navigate your cursor to the left of the equal sign.

See the first screen in Figure 13-2.

3. Press **enter** and use the $\boxed{\blacktriangleleft\blacktriangleright}$ keys to change the color using the spinner menu.


See the second screen in Figure 13-2.

4. Press **enter** and use the **↔** keys to change the line style using the spinner menu.

See the third screen in Figure 13-2.

5. Press **enter** twice to make the changes effective.

FIGURE 13-2:
Selecting the
Graph Style.



Entering Parametric Equations

If you are paying attention, then you may have noticed the $Y=$ editor looks quite different than you may be used to. It seems like Y_1 has been replaced with two equations, X_{1T} and Y_{1T} ! Remember, the x and y variables are now defined in terms of a new parameter, T . When you press **[X,T,θ,n]** in Parametric mode, a T appears instead of an x .

Usually, you are given a pair of parametric equations to graph with an interval for T . For this exercise, I use these parametric equations: $x(T) = 8\sin(T)$ and $y(T) = 4\cos(T)$, where $0 \leq T \leq 2\pi$.

1. Press **[$Y=$]** to access the $Y=$ editor.
2. Enter $X_{1T} = 8\sin(T)$.

Be sure to press **[X,T,θ,n]** for T . See the first screen in Figure 13-3.

3. Enter $Y_{1T} = 4\cos(T)$.

See the second screen in Figure 13-3.



Press **[alpha][trace]** to access the Y-VAR menu. Your calculator has a customized Y-VAR menu so that you can enter variables like X_{1T} or Y_{1T} in your parametric equations. See the third screen in Figure 13-3.

The figure consists of three side-by-side screenshots of a TI-Nspire CX CAS calculator's display screen. The leftmost screenshot shows the entry of the first parametric equation $X_1 = 8\sin(T)$ and the second $Y_1 = 4\cos(T)$. The middle screenshot shows the entry of the third $X_2 = 8\sin(T)$ and the fourth $Y_2 = 4\cos(T)$. The rightmost screenshot shows the Y-VAR menu, which lists variables X_1 through X_5 and Y_1 through Y_5 , along with θ , α , β , and γ . The bottom of the screen shows the function keys: F1 (FRAC), F2 (FUNC), F3 (MTRX), and F4 (YVAR).

FIGURE 13-3:
Entering
parametric
equations.

Setting the Window

Setting the window in Parametric mode is a crucial step in graphing parametric equations. In fact, any time my students are having trouble graphing parametric equations, the reason is usually because of the way they have set up their window. Specifically, three window settings tend to cause problems: T_{min} , T_{max} , and T_{step} .

The interval for T was given in the problem $0 \leq T \leq 2\pi$. So, identifying T_{min} and T_{max} is pretty easy for this problem. This is going to sound strange, but changing the minimum and maximum values of T doesn't affect the viewing window of your graph. You would have to change the minimum and maximum values of X and Y to change the graphing window. What do the T values affect? The maximum and minimum T values affect how much of the graph you see. In Function mode, piecewise functions have a restricted domain so that you can only see a "piece" of the function. In Parametric mode, the T values can be restricted, which can make it difficult to predict what the "whole" graph would look like if the T values were not restricted to a certain interval.

How do you decide the size of T_{step} ? T_{step} is the increment that your graph uses to plot each point in creating the graph you see on the screen. As a general rule of thumb, the smaller your step is, the more accurate your graph is going to be. The drawback is as the step gets smaller, your calculator takes longer to graph your parametric equations. As a general rule of thumb, the default value of the T_{Step} is usually a good balance between graph accuracy and the time it takes to graph.



TIP

If you are in Radian mode, it is a good idea to set your T_{step} as a π divided by a number.

Here are the steps to set your graphing window:

1. Press **window** to access the window editor.

See the first screen in Figure 13-4.


2. Change the value of T_{\min} and T_{\max} .

Remember, the interval for T values is $0 \leq T \leq 2\pi$. I entered 2π for T_{\max} and didn't press **enter**, as shown in the second screen in Figure 13-4.

3. Press **enter**.

Notice, pressing **enter** evaluates 2π and the approximate value of 6.283185307 is displayed. See the third screen in Figure 13-4.

FIGURE 13-4:
Setting the window.




Graphing Parametric Equations

You have done all the heavy lifting; this step is easy. Before you press **graph**, make sure you watch the direction that your graph is created. Your calculator begins graphing by substituting the smallest T value in the interval. If your T_{step} is small enough, you should be able to see the graph develop. When graphing parametric equations by hand, my students use arrows on the graph to indicate the direction of motion.

Press **graph**. See the graph in Figure 13-5.

FIGURE 13-5:
Graphing parametric equations.



Using Zoom to Change the Window

If the graphing window is not to your liking, you can use any of the Zoom commands described in Chapter 10. For example, if you are graphing the parametric equations shown in the first screen in Figure 13-6, you may not be happy with the graphing window shown in the second screen in Figure 13-6. Press **zoom[2]enter** to zoom in, as illustrated in the third screen in Figure 13-6.




FIGURE 13-6:
Using Zoom.

Using Trace to Evaluate a Parametric Equation

You are going to love using the Trace feature to evaluate parametric equations. I am impressed with how much information fits in the graph border around the graph screen. Remember, you are not tracing x -values as you do in Function mode. Follow these steps to evaluate a function at specific T values:

1. Press **trace.**

See the first screen in Figure 13-7. Your trace starts at the smallest T value in the interval defined in the Window editor. The values of X , Y , and T are all displayed in the border at the bottom of your graph screen.



REMEMBER

The TI-84 Plus CE displays functions and information in the border of the graph screen. The TI-84 Plus displays similar information directly on the graph screen.

2. Press **▼ to find the direction of motion of the parametric equations.**

Pay attention to the direction of motion as you increase the value of T .

3. Enter a specific T value.

After pressing **trace**, entering a number opens up an entry line in the border at the bottom of your graph screen, as shown in the second screen in Figure 13-7.

4. Press `enter`.

See the result as shown in the third screen in Figure 13-7.




FIGURE 13-7:
Using Trace to evaluate a parametric equation.

Viewing the Table of a Parametric Graph

It is easy to view the values of X, Y, and T all in one table. Press `2nd graph` to view the table, as shown in the first screen in Figure 13-8.



REMEMBER

Read the Context Help in the border at the top of the table, “Press + for ΔTbl .” To change the table increment, press `+` and edit the value at the bottom of the screen as shown in the second screen in Figure 13-8.

Another option is to show a split screen with a graph and a table. Press `mode`, use the `◀▶◀▶` keys to highlight GRAPH–TABLE and press `enter`. Press `graph` to see the split screen. Using Trace in the Graph–Table mode automatically highlights the ordered pairs in the table, as shown in the third screen in Figure 13-8.




FIGURE 13-8:
Viewing the table of a parametric graph.

Taking the Derivative of Parametric Equations

If you need to take the derivative of parametric equations, follow these steps:

1. Press **graph**.
2. Press **2nd trace** to access the Calculate menu.

There are three options for derivatives when working in Parametric mode: dy/dx , dy/dt , and dx/dt . See the first screen in Figure 13-9.

3. Press **2** for dy/dx , **3** for dy/dt , or **4** for dx/dt .
4. Enter a specific T value where you want to find the derivative.

Entering a number opens up an entry line in the border at the bottom of your graph screen, as shown in the second screen in Figure 13-9.

5. Press **enter**.

See the result in the border at the bottom of the graph screen, as shown in the third screen in Figure 13-9.

To find multiple derivatives, repeat Steps 2 through 5.




FIGURE 13-9:
Finding the derivative of parametric equations.

IN THIS CHAPTER

- » Changing the mode and window of your calculator
- » Entering and graphing polar equations
- » Using Trace to evaluate polar equations
- » Viewing the table of a polar graph
- » Finding the derivative of polar equations

Chapter **14**

Graphing Polar Equations

A polar coordinate system is used in Pre-calculus class as yet another way to define a point. Polar coordinates are of the form (r, θ) . The distance from the pole (similar to the origin) is called, r . The polar axis is a ray that extends from the pole (similar to the positive x -axis). A positive angle is measured in a counterclockwise direction from the polar axis to a line that connects the pole and a point. See Figure 14-1 for a visual of a polar coordinate.




FIGURE 14-1:
Polar coordinates.

Polar coordinates (r, θ) can be converted to rectangular coordinates (x, y) , as discussed in Chapter 9. The purpose of this chapter is to explain how to enter and graph polar equations. As you might imagine, things look a little different in Polar mode. For starters, the $Y=$ editor could temporarily change its polar name to the $r=$ editor. If you keep reading, you will get the hang of what I am referring to, and you will be graphing polar equations in no time at all!

Changing the Mode

You can't begin graphing polar equations until you change the mode of your calculator. Follow these steps to change the mode of your calculator:

1. Press **mode** and put the calculator in Polar mode.

To highlight an item in the Mode menu, use the \blacktriangleleft \blacktriangleright \blacktriangledown keys to place the cursor on the item, and then press **enter**. Highlight **POLAR** in the fifth line to put the calculator in Polar mode. See the first screen in Figure 14-2.



TIP

Polar equations can be graphed in Radian or Degree mode; pay attention to the problem presented and set your mode accordingly. I set the mode to Radian.



NORMAL FLOAT AUTO REAL RADIAN MP
MATHPRINT CLASSIC
NORMAL SCI ENG
FLOAT 0 1 2 3 4 5 6 7 8 9
RADIAN DEGREE
FUNCTION PARAMETRIC POLAR SEQ
THICK DOT-THICK THIN DOT-THIN
SPLITENTHAL SPLIT
REAL a+bi r θ (r,t)
FULL HORIZONTAL GRAPH-TABLE
FRACTIONTYPE: UND UND
ANSWERS: AUTO DEC
STATDIAGNOSTICS: OFF ON
STATTHRESHOLD: ON OFF
SETCLOCK 06/12/22 07:28 AM
LANGUAGE: ENGLISH

FIGURE 14-2:
Changing the
mode to Polar.

Polar mode



NORMAL FLOAT AUTO REAL RADIAN MP
RectGC **PolarGC**
CoordOn CoordOff
GridOff GridDot GridLine
GridColor: MEDGRAY
Axes: BLACK
LabelOff LabelOn
ExprOn ExprOff
BorderColor: 1
Background: Off

Polar GC

2. Press **2nd** **zoom** to access your Format menu.

Make sure the ExprOn and CoordOn are both highlighted. These settings are helpful when performing a trace on your equations.

You have an important decision to make! Do you want your coordinates displayed in polar form (r, θ) or rectangular form (x, y) ? I chose polar form by highlighting **Polar GC** and pressing **enter**, as shown in the second screen in Figure 14-2.

Selecting the Graph Style

All the functionality that you are used to having in Function mode is also available in Polar mode. In Polar mode, you can create graphs that look like roses, so changing the color of your graph might be important to you (especially if you want a red rose.) If you would like to customize your graph by changing the color or the line style, follow these steps:

1. Press **$\boxed{Y=}$** to access the **$Y=$** editor.
2. Press **$\boxed{\leftarrow}$** to navigate your cursor to the left of the equal sign.

See the first screen in Figure 14-3.




FIGURE 14-3:
Selecting the
Graph Style.

3. Press **$\boxed{\text{enter}}$** and use **$\boxed{\uparrow}$** and **$\boxed{\downarrow}$** keys to change the color using the spinner menu.
4. Press **$\boxed{\text{enter}}$** and use the **$\boxed{\uparrow}$** and **$\boxed{\downarrow}$** keys to change the line style using the spinner menu.

See the second screen in Figure 14-3.

5. Press **$\boxed{\text{enter}}$** twice to make the changes effective.

Entering Polar Equations

You may have noticed the **$Y=$** editor looks a little different than you may be used to. Y_1 has been replaced with r_1 . That is not all that has changed; when you press **$\boxed{x,\theta,n}$** in Polar mode, a θ appears instead of an x .

Polar graphs take on all sorts of interesting shapes: spirals, limaçons, cardioids, lemniscates, and roses, just to name a few. These graphs are usually symmetric over the polar axis or the vertical axis.

For this exercise, I use the polar equation: $r = 4\cos(6\theta)$ with a range of $0 \leq \theta \leq 2\pi$. This polar equation forms a rose curve.

1. Press **$y=$** to access the **$Y=$** editor.
2. Enter $r_1 = 4\cos(6\theta)$.

Be sure to press **$[x,t,\theta,n]$** for r . See the first screen in Figure 14-4.



Press **alpha** **trace** to access the Y-VAR menu. Your calculator has a customized Y-VAR menu so that you can save time by entering variables like r_1 or r_2 in your polar equations. See the second screen in Figure 14-4.




FIGURE 14-4:
Entering polar
equations.

Setting the Window

Before graphing a polar graph, set your window. If your graph seems incomplete, it is probably due to the way you set your window variables. The variables that tend to cause problems are θ_{min} , θ_{max} , and θ_{step} .

The range given in the problem is $0 \leq \theta \leq 2\pi$. It is easy to see that $\theta_{\text{min}}=0$ and $\theta_{\text{max}}=2\pi$. Even though these variables are part of the Window editor, they don't actually affect the viewing window of the graph on your calculator. You would have to change the minimum and maximum values of X and Y to change the graphing window. Does that seem strange? Maybe this explanation will help. In Function mode, piecewise functions have a restricted domain so that you can only see a "piece" of the function. In Polar mode, the range can be restricted, which can make it difficult to predict what the "whole" graph would look like if the θ values were not restricted to a certain interval. As a general rule of thumb, you should be able to see the whole graph if $0 \leq \theta \leq 2\pi$ in Radian mode, or $0 \leq \theta \leq 360$ in Degree mode.

θ step is the increment between θ values. When you graph a polar equation, your calculator evaluates r for each value of θ by increments of θ step to plot each point. Be careful! If you choose a θ step that is too large, your polar graph will not be accurate. If you choose a θ step that is too small, it will take a long time for your calculator to graph. In the ZStandard window, the default value for θ step is $\pi/24$ in Radian mode or 15 in Degree mode. In most cases, this is a good balance between graphing accuracy and the time it takes to graph.

Follow these steps to set the window for a Polar graph:

1. Press **Window** to access the Window editor.

See the first screen in Figure 14-5.




FIGURE 14-5:
Setting the
window.

2. Change the value of θ min, θ max, and θ step.

Remember, the range for the problem is $0 \leq \theta \leq 2\pi$. I entered 2π for θ max, and pressed **[enter]**. I entered $\pi/24$ for θ step, and did not press **[enter]** as shown in the second screen in Figure 14-5.

3. Press **[enter]**.

Notice, pressing **[enter]** evaluates $\pi/24$ and the approximate value of 0.13089969389958 is displayed. See the third screen in Figure 14-5.

Graphing Polar Equations

After you have done all the preparations, this step is easy. Before you press **[graph]**, make sure you watch the direction as your graph is created. If your θ step is small enough, you should be able to see the graph develop.

Press **[graph]**. See the graph in Figure 14-6.




FIGURE 14-6:
Graphing polar equations.

Using Zoom to Change the Window

If the graphing window is not to your liking, you can use any of the Zoom commands described in Chapter 10. Here are the steps that I performed to get a nice window for the polar graph.

1. Press **zoom** **1**, use the \blacktriangleleft \triangleright \blacktriangledown \blacktriangleright keys to position your cursor above and left of your graph, press **enter**, and use the \blacktriangleright \blacktriangledown \blacktriangleright keys to reposition your cursor below and right of your graph.

See the first screen in Figure 14-7.




FIGURE 14-7:
Using Zoom.

2. Press **enter**.

See the result of ZBox in the second screen in Figure 14-7.

3. Press **zoom** **5**.

See the result of ZSquare in the third screen in Figure 14-7.



TIP

Sometimes you try a Zoom command and don't particularly like the result (I did this with zoom in). No worries! Press **zoom** **4** **enter** to invoke the ZPrevious command and return to whatever zoom you last used.

Using Trace to Evaluate a Polar Equation

Using the Trace feature to evaluate polar equations can be easily managed. If your Format is set to **Polar GC**, you will find r -values when you trace the polar graph. If your Format is set to **Rect GC**, you will find the rectangular coordinates (x,y) of the points that make up your polar graph.

Follow these steps to evaluate a polar equation at specific θ values:

1. Press **trace**.

See the first screen in Figure 14-8. Your trace starts at the θ_{min} value as defined in the Window editor. The value of r is displayed in the border at the bottom of your graph screen.




TIP

The TI-84 Plus CE displays functions and information in the border of the graph screen. The TI-84 Plus displays similar information directly on the graph screen.

After pressing **trace**, use **▶** and **◀** to investigate points at different θ values. Get trace crazy and press **2nd ▶** or **2nd ▵** to move five plotted points at a time! Try it! It's fun!

FIGURE 14-8:
Using Trace to evaluate a polar equation.



2. Enter a specific θ value.

After pressing **trace**, entering a number opens up an entry line in the border at the bottom of your graph screen, as shown in the second screen in Figure 14-8.



If your calculator is in Radian mode, enter the angle, θ , in radians. If your calculator is in Degree mode, enter the angle, θ , in degrees.

3. Press **enter**.

The result is shown in the third screen in Figure 14-8.


Viewing the Table of a Polar Graph



REMEMBER

It is easy to view the values of your variables all in one table. Press **2nd****graph** to view the table, as shown in the first screen in Figure 14-9.

Read the Context Help in the border at the top of the table, “Press + for Δ Tbl.” To change the table increment, press **+** and edit the value at the bottom of the screen, as shown in the second screen in Figure 14-9.



Another option is to show a split screen with a graph and a table. Press **mode**, use the **◀ ▶ □ ▾** keys to highlight GRAPH-TABLE, and press **enter**. Press **graph** to see the split screen. Using Trace in the Graph-Table mode automatically highlights the ordered pairs in the table, as shown in the third screen in Figure 14-9.



TIP

When using Trace, if Format is set to **Rect GC**, you will see X , Y , displayed on the graph screen. This means you can view X , Y , r , and θ all on the same screen! Wow!


Taking the Derivative of Polar Equations

If you need to take the derivative of polar equations, follow these steps:

1. Press **graph**.
2. Press **2nd****trace** to access the Calculate menu.
3. Press **2** for dy/dx , **3** for $dr/d\theta$.

There are two options for derivatives when working in Polar mode: dy/dx and $dr/d\theta$. See the first screen in Figure 14-10.

FIGURE 14-10:
Finding the
derivative of
polar equations.



4. Enter a specific θ value where you want to find the derivative.

Entering a number opens up an entry line in the border at the bottom of your graph screen, as shown in the second screen in Figure 14-10.

5. Press **[enter].**

See the result in the border at the bottom of the graph screen, as shown in the third screen in Figure 14-10.

To find multiple derivatives, repeat Steps 2 through 5.

4

Working with Probability and Statistics

IN THIS PART . . .

Get a look at calculating factorials, permutations, and combinations.

See how to enter and sort data in a list.

Find out how to use regression to find the curve of best fit.

Figure out how to construct a box plot or histogram.

IN THIS CHAPTER

- » Evaluating permutations and combinations
- » Using the Binomial Theorem
- » Generating random numbers
- » Seeding your calculator

Chapter 15

Probability

Do you need to calculate the number of ways you can arrange six people at a table or the number of ways you can select four people from a group of six people? Are you learning about factorials or the Binomial theorem in math class? Or do you just need an unbiased way of selecting people at random? If so, this is the chapter for you.

Evaluating Factorials

Did you know you can type an exclamation point on your calculator? Mathematically, the exclamation point is called a *factorial*. Usually students learn about factorials in pre-algebra and then forget what they are by the time they need to use factorials to solve tough probability problems. Here is a quick refresher on factorials.

$4! = 4*3*2*1$ and $7! = 7*6*5*4*3*2*1$. See Figure 15-1. If you haven't done so already, press **2nd mode** to get to the Home screen. All the calculations in the chapter use the Home screen. Follow these steps to type a factorial in your calculator:

1. Enter the number you would like to take the factorial of.
2. Press **math** **4** to access the Math Probability menu, and press **4** to choose the factorial symbol (it looks like an exclamation point).



TI-84+
TIP

There are more MATH submenus available on the TI-84 Plus CE, if you use the TI-84 Plus, pay attention to the name of the submenu and use the $\boxed{\text{[} \text{]}}$ keys to navigate to the correct one.

3. Press $\boxed{\text{enter}}$ to evaluate the factorial.




FIGURE 15-1:
Evaluating
factorials.

Permutations and Combinations

A *permutation*, denoted by nPr , answers the question: “From a set of n different items, how many ways can you select *and order* r of these items?” One thing to keep in mind is that order is important when working with permutations. Permutation questions may ask questions like, “In how many ways could ten runners end up on the Olympic medal stand (Gold, Silver, or Bronze)?” Is order important? Yes; use nPr with $n = 10$ and $r = 3$. The formula for a permutation is: $nPr = (n!)/(n-r)!$

A *combination*, denoted by nCr , answers the question: “From a set of n different items, how many ways can you select (independent of order) r of these items?” Order is not important with combinations. Combination questions may look like, “A subcommittee made up of 4 people must be selected from a group of 20.” Is order important? No; the five committee positions are equally powerful. It doesn’t matter if you were selected first or last to the subcommittee, you will have the same standing. Use nCr with $n = 20$ and $r = 4$. The formula for a combination is: $nCr = (n!)/(r!(n-r)!)$.

Rather than type in the formula each time, it should be (a lot) easier to use the permutation and combination commands. To evaluate a permutation or combination, follow these steps:

1. **There are two ways to access the nPr and nCr templates: Press $\boxed{\text{math}} \boxed{\text{[} \text{]}}$ to access the Math PROB menu or press $\boxed{\text{alpha}} \boxed{\text{window}}$ to access the shortcut menu.**



TI-84+
TIP

On the TI-84 Plus, press **[math]** to access the probability menu where you will find the permutations and combinations commands. Using the TI-84 Plus, you must enter n , insert the command, and then enter r .

See the PROB menu in the first screen in Figure 15-2. See the shortcut menu in the second screen in Figure 15-2. Press the number on the menu that corresponds to the template you want to insert.

2. In the first blank, enter n , the total number of items in the set.

Alternatively, you could enter n first and then insert the template.

3. Press **[to navigate your cursor to the second blank in the template.**

4. Enter r , the number of items selected from the set, and press **[enter] to display the result.**

See the last screen in Figure 15-2. Notice the blank **nPr** template in the last line of the last screen in Figure 15-2.




FIGURE 15-2:
Permutations and
combinations.

Using the Binomial Theorem

In math class, you may be asked to expand binomials. This isn't too bad if the binomial is $(2x+1)^2 = (2x+1)(2x+1) = 4x^2 + 4x + 1$. That's easy. What if you were asked to find the fourth term in the binomial expansion of $(2x+1)^7$? Now that is more difficult.

The general term of a binomial expansion of $(a+b)^n$ is given by the formula: $(nCr)(a)^{n-r}(b)^r$. To find the fourth term of $(2x+1)^7$, you need to identify the variables in the problem:

- » **a:** First term in the binomial, $a = 2x$.
- » **b:** Second term in the binomial, $b = 1$.

» **n:** Power of the binomial, $n = 7$.

» **r:** Number of the term, but r starts counting at **0**. This is the tricky variable to figure out. My students think of this as one less than the number of the term you want to find. Because you want the fourth term, $r = 3$.

Plugging into your formula: $(nCr)(a)^{n-r}(b)^r = (7C3) (2x)^{7-3}(1)^3$.

Evaluate **(7C3)** in your calculator:

1. Press **[alpha] [window]** to access the shortcut menu.

See the first screen in Figure 15-3.

2. Press **[8]** to choose the **nCr** template.

See the first screen in Figure 15-3.



On the TI-84 Plus, press **[math] [4]** to access the probability menu where you will find the permutations and combinations commands. Using the TI-84 Plus, you must enter n , insert the command, and then enter r .


3. Enter n in the first blank and r in the second blank.

Alternatively, you could enter n first and then insert the template.

4. Press **[enter]** to evaluate the combination.

5. Use your calculator to evaluate the other numbers in the formula, then multiply them all together to get the value of the coefficient of the fourth term.

See the last screen in Figure 15-3. The fourth term of the expansion of $(2x+1)^7$ is **560x⁴**.



Generating Random Numbers

Your calculator has a massive number of digits arranged in a list, called a random number table, that it uses to generate random numbers. Some math textbooks have a random number table in the appendix. I guess you don't really have to know that, but it helps you understand how a random number can be "seeded," as explained at the end of this chapter. In this chapter, I save the best for last.

Generating random integers

To generate a random integer, follow these steps:

1. Press `math`  `5` to activate the `randInt` wizard from the Math PROB menu.



If you are using a TI-84 Plus, there is no wizard for the `randInt` command. To use the command, you must know the syntax: `randInt(lower, upper, [number of elements])`.

A wizard makes entering information easy. A wizard arranges the data you enter so that it fits the syntax of the command. See the wizard in the first screen in Figure 15-4.

2. Enter the lower limit and upper limit you want your random number to be.

I want a random number from 1 to 100. Press `enter` or `→` to navigate to the next line in the wizard.

3. Enter `n`, for how many random numbers you want to generate.



Press `enter` repeatedly to generate more random numbers as illustrated in the second screen in Figure 15-4.

4. If you want to generate a list of random integers, change the value of `n`.

See the third screen in Figure 15-4. I changed `n` to `8`.




FIGURE 15-4:
Generating
random integers.

Generating random integers with no repetition

Did you notice the integer, 52, was selected twice in the third screen in Figure 15–4? If you are generating a list of random integers, you can easily avoid repeats by using a different command. Here are the steps:

1. Press $\text{math} \blacktriangleright \blacktriangleright 8$ to activate the **randIntNoRep** Wizard from the Math PROB menu.

See the first screen in Figure 15-5.



TI-84+
TIP

On the TI-84 Plus, the **randIntNoRep** command does not have a wizard to help you. The syntax for the command is **randIntNoRep(lower,upper)**. Unlike the TI-84 Plus CE, you don't have the option of adjusting the number of terms.

2. Enter the upper and lower limits and **n** (the number of terms).

See the second screen in Figure 15-5.

3. Press **enter** until your numbers have been generated.

This is illustrated in the third screen in Figure 15-5.



randIntNoRep

Enter data

Generate list

Generating random decimals


It is easy to generate random decimal numbers that are strictly between 0 and 1. Press $\text{math} \blacktriangleright \blacktriangleright \text{enter}$ to select the **rand** command from the Math Probability menu. Then repeatedly press **enter** to generate the random numbers. The first screen in Figure 15–6 illustrates this process.



TIP

To generate random numbers between 0 and 100, use the **rand** command in an expression: **100*rand**. See the second screen in Figure 15–6.

FIGURE 15-6:
Generating
random numbers
(between
0 and 1).



Seeding the random number generator

Earlier in the chapter, I mention that your calculator generates random numbers from a massive list of digits arranged in a list. Here is the cool part. You can pick where in the list you want your calculator to start generating random numbers. It is called seeding your random number. In a class, I can have all my students seed their calculators using their phone numbers. Each student's calculator generates different random numbers based on the seed they select.

Let's get a little creative with the number you select to seed your calculator. This should be fun! Let's figure out how many days you have been alive. Your calculator has a command that can figure that out for you! Follow these steps:

1. Press **2nd 0** to access the Catalog.

Notice, your calculator is in Alpha mode, indicated by the blinking **A** in the cursor.

2. Press **x⁻¹ ▾ enter** to insert the **dbd**(function.

The **dbd** stands for *days between dates*.

3. Enter your birth date as a number in this form: MM.DDYY.

Dates must be between the years 1980 and 2079. I entered my high school graduation date on **May 30, 1987**, with the number: **05.3087**.



On the TI-84 Plus, the **dbd**(command uses dates between 1950 and 2049.

4. Press **.**.

5. Enter today's day as a number in this form: MM.DDYY.

I entered **February 28, 2022**, with the number: **02.2822**.

6. Enter **enter** to find out how many days you have been alive.

See the first screen in Figure 15-7. Wow! 12,693 days since my high school graduation!

FIGURE 15-7:
Days between
dates and
seeding your
calculator.

dbd(function	Seeding	Predicting numbers
dbd(05.3087,02.2822) 12693	16286→rand randInt(1,1000,1) (203)	16286 randInt(1,1000,1) (203) randInt(1,1000,1) (197) randInt(1,1000,1) (213)

Here are the steps to seed your calculator:

1. Enter the number you are using to seed your calculator.

I entered **15286**. Of course, you could use any real number to seed your calculator.

2. Press $\boxed{\text{sto-}}$.

3. Press $\boxed{\text{math}}$ $\boxed{\leftarrow}$ $\boxed{\leftarrow}$ $\boxed{\text{enter}}$ to insert the rand command.

4. Press $\boxed{\text{enter}}$ to seed your calculator.

See the first line in the second screen in Figure 15-7.

5. Try it out! Use randInt(to generate a random number.

See the last line in the second screen in Figure 15-7.



TIP

Want to impress your friends? Seed your calculator with results you know in advance. For example, if you secretly seed your calculator with the number **16286**, then the next three random numbers (from 0 to 1,000) that will be generated will be 203, 197, and 213, as shown in the third screen in Figure 15-7. Just don't share your secret!

IN THIS CHAPTER

- » Entering data into the calculator
- » Deleting and editing data in a data list
- » Inserting data lists
- » Using formulas to enter data
- » Copying and recalling a data list
- » Sorting data lists

Chapter 16

Dealing with Statistical Data

The calculator has many features that provide information about the data entered in the calculator. It can graph data as a scatter plot, histogram, or box plot. The calculator can calculate the median and quartiles. It can even find a regression model (curve fitting) for your data. It can do this and much, much more. This chapter explains how to enter your data in the calculator; Chapter 16 shows you how to use the calculator to analyze that data.

Entering Data

What you use to enter statistical data into the calculator is the Stat List editor — a relatively large spreadsheet that can accommodate up to 20 columns (data lists). And each data list (column) can handle a maximum of 999 entries. Pictures of the Stat List editor appear in Figure 16-1.




FIGURE 16-1:
The Stat List editor.

To use stat lists to enter your data into the calculator, follow these steps:

1. Press `stat` to access the Stat EDIT menu.

See the first screen in Figure 16-1.

2. Press `5[enter]` to execute the `SetUpEditor` command.

The `SetUpEditor` command clears all data lists (columns) from the Stat List editor and replaces them with the six default lists L_1 through L_6 . Any lists that are cleared from the editor by this command are still in the memory of the calculator; they just don't appear in the Stat List editor.

3. Press `stat[enter]` to enter the Stat List editor.

If no one has ever used the Stat List editor in your calculator, then the Stat List editor looks like the second screen in Figure 16-1. If the Stat List editor has been used before, then some of the default lists L_1 through L_6 may contain data, as in the third screen in Figure 16-1.

4. If necessary, clear lists L_1 through L_6 .

When you clear a data list, the list's contents (and not its name) will be erased, leaving an empty data list in the calculator's memory. To clear the contents of a data list in the Stat List editor, use the $\blacktriangleleft\blacktriangleright\blacktriangledown\blacktriuparrow$ keys to place the cursor on the name of a list appearing in a column heading, as shown in the first screen in Figure 16-2. To clear the list, press `clear` and don't panic when nothing seems to happen! Now, press `enter` or `esc` to see the list contents disappear, as shown in the second screen in Figure 16-2.



TIP

An alternative method of clearing a list is to press `stat[4]` on the Home screen to insert the `ClearList` command. Then press `2nd[stat]`, use the $\blacktriangleleft\blacktriangleright$ keys to choose the list you want to clear, and press `enter`. To clear multiple lists at one time, place commas between the list names, as shown in the third screen in Figure 16-2.

5. Enter your data. Press `enter` after each entry.

Use the $\blacktriangleleft\blacktriangleright\blacktriangledown\blacktriuparrow$ keys to place the cursor in the column where you want to make an entry. Use the keypad to enter your number and press `enter` when you're finished. A column (list) can accommodate up to 999 entries.

NORMAL FLOAT AUTO REAL RADIAN MP					
L1	L2	L3	L4	L5	1
1	5.2				
2	35.5				
3	25.6				
4	30.8				
5	35.1				
6	42.5				
7	49.3				
8	59.1				
9	72.4				
10	88.2				

NORMAL FLOAT AUTO REAL RADIAN MP					
L1	L2	L3	L4	L5	1
5.2	13.5				
35.5	25.6				
25.6	30.8				
30.8	35.1				
35.1	42.5				
42.5	49.3				
49.3	59.1				
59.1	72.4				
72.4	88.2				

FIGURE 16-2:
Clearing lists.

L1={1,2,3,4,5,6,7,8,9,10}

Cursor on list name

L1(1)=

Press **clear****enter**

ClearList method

Deleting and Editing Data

Sooner or later, you'll have to remove or modify the data that you've placed in a data list. The following descriptions show you how to do so:

» Deleting a data list from the memory of the calculator:

You can permanently remove a data list from the memory of the calculator. Press **2nd****[+]****[2]** to enter the Memory Management menu, as shown in the first screen in Figure 16-3. Then press **4** to see the data lists that are stored in memory. Use **▼** to move the indicator to the list you want to delete, as shown in the second screen in Figure 16-3. Press **del** to delete that list. When you're finished deleting lists from memory, press **2nd****mode** to exit (quit) the Memory Management menu and return to the Home screen.



TIP

Although the calculator does enable you to delete default list names (**L₁** through **L₆**) from memory; in reality, it deletes only the contents of the list and not its name.

» Deleting a column (list) in the Stat List editor:

To delete a column (list) from the Stat List editor, use the **▶****◀****▲****▼** keys to place the cursor on the name of the list appearing in the column headings, and then press **del**. The list will be removed from the Stat List editor but not from the memory of the calculator. This is a quick and easy method of deleting a list!

NORMAL FLOAT AUTO REAL RADIAN MP	
RAM FREE	20681
ARC FREE	2963K
1:All...	
2:Real...	
3:Complex...	
4:List...	
5:Matrix...	
6:Y-Vars...	
7:Prog...	
8:Pic & Image...	

NORMAL FLOAT AUTO REAL RADIAN MP	
RAM FREE	20681
ARC FREE	2963K
L1	12
L2	12
L3	12
L4	12
L5	12
L6	12
INEQX	43
INEQY	43

FIGURE 16-3:
Deleting lists.

Memory Management menu

Delete list

» **Deleting an entry in a data list:**

To delete an entry from a data list, use the $\boxed{\text{[} \text{]} \text{[} \text{]} \text{[} \text{]}}$ keys to place the cursor on that entry, and then press $\boxed{\text{del}}$ to delete the entry from the list.

» **Editing an entry in a data list:**

To edit an entry in a data list, use the $\boxed{\text{[} \text{]} \text{[} \text{]} \text{[} \text{]}}$ keys to place the cursor on that entry, press $\boxed{\text{enter}}$, and then edit the entry or key in a new entry. If you key in the new entry, the old entry is automatically erased. To avoid errors, press $\boxed{\text{enter}}$ or use the $\boxed{\text{[} \text{]}}$ keys when you're finished editing or replacing the old entry.



REMEMBER

If you delete some lists and want the six default lists back ($\mathbf{L_1}$ through $\mathbf{L_6}$), press $\boxed{\text{stat}} \boxed{5} \boxed{\text{enter}}$ to use the SetUpEditor command.

Inserting Data Lists

You can't rename a list, so if you want to have a nifty name for your list, it is best to insert a list before you start entering your data. To insert a data list in the Stat List editor, follow these steps:

1. **If necessary, press $\boxed{\text{stat}} \boxed{\text{enter}}$ to enter the Stat List editor.**
2. **Use the $\boxed{\text{[} \text{]} \text{[} \text{]} \text{[} \text{]}}$ keys to place the cursor on the column heading where you want your list to appear.**
Your list is created in a new column that will appear to the left of the column highlighted by the cursor (as shown in the first screen in Figure 16-4).
3. **Press $\boxed{\text{2nd}} \boxed{\text{del}}$ to insert the new column.**
The second screen in Figure 16-4 shows this procedure.
4. **Enter the name of your data list and press $\boxed{\text{enter}}$.**

The name you give your data list can consist of one to five characters that must be letters, numbers, or the Greek letter θ . The first character in the name must be a letter or θ .

Press $\boxed{\text{2nd}} \boxed{\text{alpha}}$ to place the calculator in Alpha-Lock mode. The [after **Name** = indicates that the calculator is in Alpha mode. In this mode, when you press a key, you enter the green letter above the key. To enter a number, exit the mode by pressing $\boxed{\text{alpha}}$ again, and then enter the number. To enter a letter after entering a number, you must press $\boxed{\text{alpha}}$ to put the calculator back in Alpha mode (as in the third screen in Figure 16-4). Press $\boxed{\text{enter}}$ when you're finished entering the name.



TIP

Press **2nd [alpha]** to put your calculator in Alpha-Lock mode. This enables you to enter letters without pressing **[alpha]** each time.

FIGURE 16-4:

Steps for inserting a data list.

NORMAL FLOAT AUTO REAL RADIAN MP					
L ₁	L ₂	L ₃	L ₄	L ₅	2
1	5.2	-----	-----	-----	
2	13.5	-----	-----	-----	
3	22.6	-----	-----	-----	
4	30.8	-----	-----	-----	
5	35.1	-----	-----	-----	
6	42.5	-----	-----	-----	
7	49.3	-----	-----	-----	
8	55.1	-----	-----	-----	
9	72.4	-----	-----	-----	
10	88.2	-----	-----	-----	

NORMAL FLOAT AUTO REAL RADIAN MP					
L ₁	L ₂	L ₃	L ₄	L ₅	2
1	5.2	-----	-----	-----	
2	13.5	-----	-----	-----	
3	22.6	-----	-----	-----	
4	30.8	-----	-----	-----	
5	35.1	-----	-----	-----	
6	42.5	-----	-----	-----	
7	49.3	-----	-----	-----	
8	55.1	-----	-----	-----	
9	72.4	-----	-----	-----	
10	88.2	-----	-----	-----	

NORMAL FLOAT AUTO REAL RADIAN MP					
L ₁	L ₂	L ₃	L ₄	L ₅	2
1	5.2	-----	-----	-----	
2	13.5	-----	-----	-----	
3	22.6	-----	-----	-----	
4	30.8	-----	-----	-----	
5	35.1	-----	-----	-----	
6	42.5	-----	-----	-----	
7	49.3	-----	-----	-----	
8	55.1	-----	-----	-----	
9	72.4	-----	-----	-----	
10	88.2	-----	-----	-----	

L₂={5.2,13.5,22.6,30.8,35.1}

Indicate column

Name=■

Press **2nd [del]**

Name=YEAR

Enter name



TIP

If the name you give your data list is the name of a data list stored in memory, then after entering that name and pressing **[enter]**, the data in the list stored in memory will be automatically entered in the Stat List editor.

After you have named your data list, you can press **[x]** and start entering your data. If the data you want to put in the newly named list is in another column of the Stat List editor — or in a list stored in memory under another name — you can paste that data into your newly named list. (See the section, “Copying and Recalling Data Lists,” later in this chapter.)

Using Formulas to Enter Data



TIP

Figure 16-5 illustrates how you would place the sequence 10, 20, . . . , 200 in list L₁. The formula used in this example is simply x. The initial and terminal values of x are naturally 10 and 200, respectively. And, as you may guess, x is incremented by 10.

Make sure Stat wizards are ON in the Mode menu before beginning this section. Press **mode [▲] [▲] [▲] [enter]** to turn Stat wizards ON.

seq
Expr:X
Variable:X
start:10
end:200
step:10
Paste

Seq wizard

L₁=seq(X,X,10,200,10)

Seq command

L₁(1)=10

Sequential data list

FIGURE 16-5:
Steps for using a formula to enter data.

To use a formula to define your data, follow these steps:

1. If necessary, press `stat``1` to enter the Stat List editor.
2. Use the `▲▼◀▶` keys to place the cursor on the column heading where you want your data to appear, and press `enter`.
3. Press `2nd``stat``5` and fill in the Seq wizard.

See the first screen in Figure 16-5. The easiest way to create a sequence is to press `[x,tn]` for the expression. Fill in the appropriate start and end values. The step is the increment from one term to the next. Wizards just make things easier.

4. Use the `▼` keys to highlight Paste and press `enter`.

See the second screen in Figure 16-5. Notice how the wizard fills in the syntax of the Seq command for you!

5. Press `enter` to create your data in the list.

This procedure is shown in the third screen in Figure 16-5.

Copying and Recalling Data Lists

Once you have entered your data in a list, you can call the list up again when you want to use or change it.

» Copying data from one list to another:

After you enter data into the Stat List editor, that data is automatically stored in the memory of the calculator under the list name that appears as the column heading for that list. You don't have to take any further steps to ensure that the calculator saves your data. However, if you clear the contents of a data list (as described in the earlier section, "Deleting and Editing Data"), the calculator retains the name of the data list in memory but deletes the contents of that list.

If you enter your data in one of the default lists L_1 through L_6 and would like to save it as a named list, first place your cursor at the top of a list, then press `2nd``del` to insert a data list. Use `alpha` to enter a name for the list and press `enter`. You will get a result that resembles the first screen in Figure 16-6. Then press `2nd``stat` to access the List NAMES menu and press `enter` to select L_1 . I added "+ 1900" to generate the year as shown in the second screen in Figure 16-6.



TIP

The quickest way to enter L_1 is to press `2nd``1`. Or enter L_2 by pressing `2nd``2`. Notice the tiny blue lettering above keys 1 through 6 on the calculator, indicating their secondary key functions.

FIGURE 16-6:
Steps for copying data from one list to another.

The figure consists of three screenshots of a TI-Nspire CX CAS calculator. The first screenshot shows a table with columns L1, YEAR, L2, L3, L4, and 2. The data in L1 is 10, 20, 30, 40, 50, 60, 70, 80, 90, 100, and 110. The data in YEAR is 87, 95, 78, 75, 99, 46, 77, 85, 90, 65, and 25. The second screenshot shows the same table with the command `YEAR:=L1+1900` entered in the input field. The third screenshot shows the table with the data in L2 updated to 1910, 1920, 1930, 1940, 1950, 1960, 1970, 1980, 1990, 2000, and 2010. The command `YEAR(1)= 1910` is also shown in the input field.

Finally, press **enter** to insert the data from **L₁** into the newly named data list. The third screen in Figure 16-6 shows this process.

» Recalling data lists:

You can use the **SetUpEditor** command to set up the Stat List editor with the data lists you specify. To do this, press **stat****5** to invoke the **SetUpEditor** command. Enter the names of the data lists, separated by commas. Then, press **enter****stat****1** to see the data lists (as shown in the first two screens in Figure 16-7).

If you're already in the Stat List editor, you can recall a data list by inserting a data list and entering the name of the saved data list.

FIGURE 16-7:
Recalling data lists.

The figure consists of two screenshots of the TI-Nspire CX CAS Stat List editor. The left screenshot shows the command `SetUpEditor NUMS,LONE,DEP` and the word `Done`. The right screenshot shows a table with columns NUMS, LONE, and DEP. The data in NUMS is 1, 2, 3, 4, 5, 6, and 7. The data in LONE is 21, 36, 45, 50, 38, 52, 56, and 29. The data in DEP is 32, 45, 50, 20, 60, 56, 34, and 34. The command `NUMS(1)= 1` is shown in the input field.



TIP

You can save a data list on your PC and recall it at a later date. (Chapter 20 explains how to do this.) You can also transfer a data list from one calculator to another, as described in Chapter 21.

Sorting Data Lists

For this example, I solve a typical standardized test question.

Put the following set of numbers in order from least to greatest:

$$\left\{-\sqrt{2}, -\frac{7}{5}, -1.25, -\frac{3}{2}\right\}$$

To sort a data list, follow these steps:

1. Press `stat` `enter` and enter the data in L_1 .

See the first screen in Figure 16-8. Notice, after entering $-\sqrt{2}$ and pressing `enter`, your calculator evaluates the square root and displays its approximate value, **-1.414**.



REMEMBER

If list L_1 is out of view, press `stat` `5` `enter` to use the `SetUpEditor` command. If there is unwanted data in list L_1 , use the `▲` `▼` `◀` `▶` keys to place the cursor on the L_1 list name and press `clear` `enter`.

2. Press `stat`.

3. Press `2` to sort the list in ascending order.

SortA means *sort ascending* and *SortD* means *sort descending*.

4. Enter the list name.

To sort a default named list such as L_1 , press `2nd` `1` to enter its name. If you're sorting a list that you named, press `2nd` `stat` to access the List NAMES menu, use the `▲` `▼` keys to scroll to the list you want, and press `enter`.



TIP


An alternative method to type the name of a list you named is to press `2nd` `stat` `▶` `▲` `enter` to insert the letter **L** and then enter the name of the list.

5. Press `enter` to sort list L_1 .


See the second screen in Figure 16-8.

6. Press `stat` `enter` to view list L_1 .


See the third screen in Figure 16-8. It is easy to see the answer to the question posed is: $\{-\frac{3}{2}, -\sqrt{2}, -\frac{7}{5}, -1.25\}$.



Unsorted data



SortA(command



Sorted data

FIGURE 16-8:
Sorting data.

Sorting data lists while keeping the rows intact

In most cases, it is a good idea to keep the rows of data intact when sorting. Follow these steps to sort data lists while keeping the rows intact:

1. Press **stat** **enter** and enter the data in **L₁**.

See the first screen in Figure 16-9.

2. Press **stat**.

3. Press **2** or **3** to sort the list in ascending or descending order, respectively.

4. Enter the list name that you want to sort on.

To sort list such as **L₂**, press **2nd** **2**. If you're sorting a list that you named, press **2nd** **stat** to access the List NAMES menu, use the **▲** **▼** keys to scroll to the list you want, and press **enter**.

5. Press **,** between the data lists you want to sort concurrently.

6. Enter the other list name that you want to sort concurrently.

You may sort more than two lists concurrently; just keep putting commas between the list names you enter.

7. Press **enter** to sort the lists.

See the second screen in Figure 16-9.

8. Press **stat** **enter** to view the lists.

See the third screen in Figure 16-9.

YEAR	RATE	---	---	---	---	1
1910	87					
1920	95					
1930	78					
1940	75					
1950	99					
1960	100					
1970	77					
1980	85					
1990	90					
2000	65					
2010	25					

YEAR	RATE	---	---	---	---	1
1950	99					
1920	95					
1930	90					
1910	87					
1940	85					
1950	78					
1970	77					
1980	75					
2000	65					
1960	46					
2010	25					

YEAR	RATE	---	---	---	---	1
1950	99					
1920	95					
1930	90					
1910	87					
1940	85					
1950	78					
1970	77					
1980	75					
2000	65					
1960	46					
2010	25					

FIGURE 16-9:
Sorting data lists
while keeping
rows intact.

IN THIS CHAPTER

- » Plotting statistical data
- » Creating histograms and box plots to describe one-variable data
- » Creating scatter and line plots to describe two-variable data
- » Tracing statistical data plots
- » Finding the mean, median, standard deviation, and other neat stuff
- » Finding a regression model for your data (curve fitting)
- » Using statistics commands on the Home screen

Chapter 17

Analyzing Statistical Data

In descriptive statistical analysis, you usually want to plot your data and find the mean, median, standard deviation, and so on. You may also want to find a regression model for your data (a process also called *curve fitting*). This chapter explains how to get the calculator to do these things for you.

Plotting One-Variable Data

The most common plots used to graph one-variable data are histograms and box plots. In a *histogram*, the data is grouped into classes of equal size; a bar in the histogram represents one class. The height of the bar represents the quantity of data contained in that class, as in the first screen in Figure 17-1.

A *box plot* (as in the second screen in Figure 17-1) consists of a box-with-whiskers. The box represents the data existing between the first and third quartiles. The box

is divided into two parts, with the division line defined by the median of the data. The endpoints of the whiskers represent the locations of the minimum and maximum data points. Sometimes, there are outliers at the end of the whiskers. Using your calculator, you can choose to show the outliers or include these points as part of the whiskers.




FIGURE 17-1:
One-variable
statistical plots.

Constructing a histogram

To construct a histogram of your data, follow these steps:

1. Enter your data in the calculator.

See the first screen in Figure 17-2. Entering data in the calculator is described in Chapter 16. Your list does not have to appear in the Stat List editor to plot it, but it does have to be in the memory of the calculator.

2. Turn off any Stat Plots or functions in the Y= editor that you don't want to be graphed along with your histogram.

To do so, press $\boxed{Y=}$ to access the $Y=$ editor. The calculator graphs any highlighted plots in the first line of this editor. To remove the highlight from a plot so that it won't be graphed, use the $\boxed{\square}\boxed{\triangle}\boxed{\square}$ keys to place the cursor on the plot and then press $\boxed{\text{enter}}$ to toggle the plot between highlighted and not highlighted.




FIGURE 17-2:
Constructing a
histogram.

The calculator graphs only those functions in the $Y=$ editor defined by a highlighted equal sign. To remove the highlight from an equal sign, use the $\blacktriangleright\blacktriangleleft\blacktriangleup\blacktriangleleft$ keys to place the cursor on the equal sign in the definition of the function, and then press enter to toggle the equal sign between highlighted and not highlighted. See the second screen in Figure 17-2.

3. Press $\text{2nd}\text{[Y=]}$ to access the Stat Plots menu and enter the number (1, 2, or 3) of the plot you want to define.

The third screen in Figure 17-2 shows this process, where **Plot1** is used to plot the data.

4. **Highlight On.**

If **On** is highlighted, the calculator is set to plot your data. If you want your data to be plotted at a later time, highlight **Off**. To highlight an option, use the $\blacktriangleright\blacktriangleleft\blacktriangleup\blacktriangleleft$ keys to place the cursor on the option, and then press enter .

5. Press [2] , use [1] to place the cursor on the type of plot you want to create, and then press enter to highlight it.

Select Histogram to construct a histogram.

6. Press [2] , enter the name of your data list (**Xlist**), and press enter .

If your data is stored in one of the default lists L_1 through L_6 , press 2nd , key in the number of the list, and then press enter . For example, press $\text{2nd}\text{[1]}$ if your data is stored in L_1 .

If your data is stored in a user-named list, key in the name of the list and press enter when you're finished.

You can always access a list by pressing $\text{2nd}\text{[Stat]}$ and using the $\blacktriangleleft\blacktriangleright$ keys to scroll through all the stored lists in your calculator.



REMEMBER

7. **Enter the frequency of your data.**


If you entered your data without paying attention to duplicate data values, then the frequency is **1**. On the other hand, if you did pay attention to duplicate data values, you most likely stored the frequency in another data list. If so, enter the name of that list the same way you entered the **Xlist** in Step 6.

8. **Choose the color of your histogram.**

Use the $\blacktriangleright\blacktriangleleft$ keys to operate the menu spinner to choose one of 15 color options. See the first screen in Figure 17-3.

9. **Press [Zoom][9] to plot your data using the **ZoomStat** command.**

ZoomStat finds an appropriate viewing window for plotting your data, as shown in the second screen in Figure 17-3. If you are not pleased with the graphing window that is generated, press [Window] and change your values manually.



Adjusting the class size of a histogram

When creating a histogram, your calculator groups data into “classes.” The data in the first screen in Figure 17-4 has been split into six classes represented by the six bars in the histogram.

The class size (also called the class interval) is the width of each bar in the histogram. If you have more than 46 classes, your calculator will return the **ERROR: STAT** error message. Here is a formula that can be used to compute the class size:

$$\text{Class size} = (\text{max} - \text{min}) / (\text{number of classes you want to have})$$


To adjust the class size of a histogram, follow these steps:

1. Press **window**, set **Xscl** equal to the class size you desire, and then press **graph**.

To change the class size, change the value of **Xscl** in your calculator. See the graph after changing the **Xscl** in the second screen in Figure 17-4.


2. If necessary, adjust the settings in the Window editor.

When the histogram is graphed again using a different class size (as shown in the second screen in Figure 17-4), the viewing window doesn’t do a good job of accommodating the histogram. To correct this, adjust the settings in the Window editor. I changed the **Ymax** settings to produce the third screen in Figure 17-4.



Constructing a box plot

To construct a box plot for your data, press $2nd \boxed{Y=}$ to access **Plot2**. Follow Steps 1 through 9 for constructing a histogram. In Step 5, select the Box Plot symbol  as shown in the first screen in Figure 17-5. If you adjust the viewing window, you can display a histogram and a box plot in the same viewing window (as shown in the second screen in Figure 17-5).



TIP

If your data has *outliers* (data values that are much larger or smaller than the other data values), consider constructing a modified box plot instead of a box plot. The third screen in Figure 17-5 illustrates both a standard box plot and a modified box plot of the same data. In a modified box plot, the whiskers represent data in the range defined by $1.5(Q_3 - Q_1)$, and the outliers are plotted as points beyond the whiskers. The steps for constructing box plots and modified box plots are the same, except in Step 5 you select the modified box plot symbol .

Plotting Two-Variable Data

The most common plots used to graph two-variable data sets are the scatter plot and the *xy-line* plot. The *scatter plot* plots the points (x, y) , where x is a value from one data list (**Xlist**) and y is the corresponding value from the other data list (**Ylist**). The *xy-line plot* is simply a scatter plot with consecutive points joined by straight segments.

To construct a scatter plot or an *xy-line* plot, follow these steps:

1. **Follow Steps 1 through 6 in the previous section (“Constructing a histogram”), with the following difference:**

In Step 5, highlight  to construct a scatter plot as shown in the first screen in Figure 17-6. Highlight  to construct an *xy-line* plot.

2. Enter the name of your Ylist and press **enter**.
3. Choose the type of mark used to plot points.

You have four choices: a large empty square, a small plus sign, a small square, or a dot. To select one, use **□** to place the cursor on the mark, and press **enter**.

4. Press **zoom 9** to plot your data using the **ZoomStat** command.

ZoomStat finds an appropriate viewing window for plotting your data. The second screen in Figure 17-6 shows a scatter plot, and the third screen in Figure 17-6 is an *xy*-line plot.




FIGURE 17-6:
Two-variable
statistical plots.

Tracing Statistical Data Plots

Before tracing a statistical data plot, press **2nd zoom** and, if necessary, highlight **CoordOn** in the second line of the Format menu and **ExprOn** on the seventh line. This enables you to see the name of the data set being traced and the location of the cursor. To highlight an entry, use the **◀ ▶ ▲ ▼** keys to place the cursor on the entry and press **enter**.

Press **trace** to trace a statistical data plot. In the upper-left corner of the screen, you see the Stat Plot number (P1, P2, or P3) and the name(s) of the data list(s) being traced. If you have more than one stat plot on the screen, repeatedly press the **◀ ▶** keys until the plot you want to trace appears in the upper-left corner of the screen.

Use the **◀ ▶** keys to trace the plot. What you see depends on the type of plot:

» Tracing a histogram: As you trace a histogram, the cursor moves from the top center of one bar to the top center of the next bar. At the bottom of the screen, you see the values of **min**, **max**, and **n**. There are **n** data points **x** such that **min** \leq **x** $<$ **max**. This is illustrated in the first screen in Figure 17-7.

- » **Tracing a box plot:** As you trace a box plot from left to right, the values that appear at the bottom of the screen are **minX** (the minimum data value), **Q1** (the value of the first quartile), **Med** (the value of the median), **Q3** (the value of the third quartile, and **maxX** (the maximum data value). This is illustrated in the second screen in Figure 17-7.
- » **Tracing a modified box plot:** As you trace a modified box plot from left to right, the values that appear at the bottom of the screen are **minX** (the minimum data value), and then you see the values of the other outliers, if any, to the left of the interval defined by $1.5(Q3 - Q1)$. The next value you see at the bottom of the screen is the value of the Left Bound of the interval defined by $1.5(Q3 - Q1)$. Then, as with a box plot, you see the values of the first quartile, the median, and the third quartile. After that you see the value of the right bound of the interval defined by $1.5(Q3 - Q1)$, the outliers to the right of this, if any, and finally, you see **maxX** (the maximum data value).
- » **Tracing a scatter plot or an xy-line plot:** As you trace a scatter plot or an *xy*-line plot, the coordinates of the cursor location appear at the bottom of the screen. As shown in the third screen in Figure 17-7, the *x*-coordinate is a data value for the first data list named at the top of the screen; the *y*-coordinate is the corresponding data value from the second data list named at the top of the screen.




FIGURE 17-7:
Tracing statistical data plots.

Analyzing Statistical Data

The calculator can perform one- and two-variable statistical data analysis. For one-variable data analysis, the statistical data variable is denoted by **x**. For two-variable data analysis, the data variable for the first data list is denoted by **x** and the data variable for the second data list is denoted by **y**. Table 17-1 lists the variables calculated using one-variable data analysis (**1-Var**), as well as those calculated using two-variable analysis (**2-Var**).

TABLE 17-1**One- and Two-Variable Data Analysis**

1-Var	2-Var	Meaning
\bar{x}	\bar{x}, \bar{y}	Mean of data values
Σx	$\Sigma x, \Sigma y$	Sum of data values
Σx^2	$\Sigma x^2, \Sigma y^2$	Sum of squares of data values
S_x	S_x, S_y	Sample standard deviation
σ_x	σ_x, σ_y	Population standard deviation
N	n	Total number of data points
minX	minX, minY	Minimum data value
maxX	maxX, maxY	Maximum data value
Q1		First quartile
Med		Median
Q3		Third quartile
	Σxy	Sum of x^*y

One-variable data analysis

To analyze one-variable data, follow these steps:

1. Enter the data in your calculator.

Your list does not have to appear in the Stat List editor to analyze it, but it does have to be in the memory of the calculator.

2. Press $\boxed{\text{stat}} \boxed{\triangleright} \boxed{1}$ to activate the 1-Var Stats Wizard from the Stat Calculate menu.

See the first screen in Figure 17-8.

3. Enter the name of your data list (Xlist).

If your data is stored in one of the default lists L_1 through L_6 , press $\boxed{2nd}$, key in the number of the list, and then press $\boxed{\text{enter}}$. For example, press $\boxed{2nd} \boxed{1}$ if your data is stored in L_1 .


If your data is stored in a user-named list, press $\boxed{2nd} \boxed{\text{stat}}$, use the $\boxed{\triangleleft}$ keys to scroll through all the stored lists in your calculator, and press e to insert the list name you want.

4. If necessary, enter the name of the frequency list.

If the frequency of your data is 1, you can skip this step and go to Step 5. If, however, you stored the frequency in another data list, enter the name of that frequency list (just as you entered the **Xlist** in Step 3).

5. Press **enter on CALCULATE to view the analysis of your data.**

This is illustrated in the second screen in Figure 17-8. Use the **▲▼** keys to view the other values that don't appear on the screen. See the view after scrolling in the third screen in Figure 17-8.



Two-variable data analysis

To analyze two-variable data, follow these steps:

1. Enter the data in your calculator.

Your data does not have to appear in the Stat List editor to analyze it, but it does have to be in the memory of the calculator.

2. Press **stat **►** **2** to activate the 2-Var Stats Wizard from the Stat Calculate menu.**

See the first screen in Figure 17-9.

3. Enter the name of your data list (Xlist).

If your data is stored in one of the default lists **L₁** through **L₆**, press **2nd**, key in the number of the list, and then press **enter**. For example, press **2nd** **1** if your data is stored in **L₁**.

If your data is stored in a user-named list, press **2nd** **stat**, use the **▲▼** keys to scroll through all the stored lists in your calculator, and press **enter** to insert the list name you want.

4. Enter the name of the Ylist.




FIGURE 17-9:
Steps for
two-variable data
analysis.

5. If necessary, enter the name of the frequency list.

If the frequency of your data is 1, you can skip this step and go to Step 6. If, however, you stored the frequency in another data list, enter the name of that frequency list (just as you entered the **Xlist** in Step 3).

6. Press `enter` on CALCULATE to view the analysis of your data.

This is illustrated in the second screen in Figure 17-9. Use the `▲▼` keys to view the other values that don't appear on the screen.



TIP

If you press `2nd mode` to dismiss your results, you will find your cursor on a clear Home screen. Press `◀` to scroll through your previous calculations and you will find the 2-Var Stats command as shown in the third screen in Figure 17-9. If you plan on using the 2-Var Stats command multiple times, save time by highlighting and pressing `enter` to paste the command into your current entry line.

Performing regressions

Regression modeling is the process of finding a function that approximates the relationship between the two variables in two data lists. Table 17-2 shows the types of regression models the calculator can compute.

To compute a regression model for your two-variable data, follow these steps:

1. If necessary, turn on Diagnostics and put your calculator in Function mode.

When Stat Diagnostics is turned on, the calculator displays the correlation coefficient (**r**) and the coefficient of determination (**r²** or **R²**) for appropriate regression models (as shown in the third screen in Figure 17-10). By default, Stat Diagnostics is turned off.

If the regression model is a function that you want to graph, you must first put your calculator in Function mode.

TABLE 17-2**Types of Regression Models**

TI-Command	Model Type	Equation
Med-Med	Median-median	$y = ax + b$
LinReg($ax+b$)	Linear	$y = ax + b$
QuadReg	Quadratic	$y = ax^2 + bx + c$
CubicReg	Cubic	$y = ax^3 + bx^2 + cx + d$
QuartReg	Quartic	$y = ax^4 + bx^3 + cx^2 + dx + e$
LinReg($a+bx$)	Linear	$y = a + bx$
LnReg	Logarithmic	$y = a + b * \ln(x)$
ExpReg	Exponential	$y = ab^x$
PwrReg	Power	$y = ax^b$
Logistic	Logistic	$y = c / (1 + a * e^{bx})$
SinReg	Sinusoidal	$y = a * \sin(bx + c) + d$

Here's how to turn Stat Diagnostics on and set your calculator to Function mode:

- Press **mode**.
- Use the **▲▼◀▶** keys to highlight **STAT DIAGNOSTICS ON** and press **enter**.
- Use the **▲▼◀▶** keys to highlight **FUNCTION** and press **enter**.

The first screen in Figure 17-10 shows this procedure.

2. Select a regression model from the Stat CALCULATE menu to activate the Regression Wizard.

Press **stat ▶** to access the Stat CALCULATE menu. Repeatedly press **▼** until the number or letter of the desired regression model is highlighted, and press **enter** to select that model.

3. Enter the name for the Xlist data and enter the name of the Ylist data.


The appropriate format for entering list names is explained in Step 3 in the earlier section, "One-variable data analysis." The default Xlist and Ylist are **L₁** and **L₂**.

- If necessary, enter the name of the frequency list.
- With your cursor in the **Store RegEQ** line, enter the name of the function (**Y₁**, **Y₂**, **Y₃**, or **Y₀**) in which the regression model is to be stored.

To enter a function name, press **[alpha]trace** to access the shortcut Y-VAR menu and then enter the number of the function you want, as shown in the second screen in Figure 17-10.

6. Press **[enter] on CALCULATE to view the equation of the regression model.**

This is illustrated in the third screen in Figure 17-10. The equation of the regression model is automatically stored in the Y= editor under the name you entered in Step 5.



Graphing a regression model


Often, it is a good idea to take a look at the scatter plot of your data to determine what type of regression model is best. Here are the steps to graph a scatter plot of your data and the regression model on the same graph:

1. If you haven't already done so, graph your two-variable data in a scatter plot or an *xy*-line plot.

Set up the scatter plot by pressing **[2nd]Y= [enter]**. See Stat Plot1 in the first screen in Figure 17-11. The earlier section in this chapter, "Plotting Two-Variable Data," explains how to do so.

2. Press **zoom[9] to see the graph of your data and regression model.**

This process is illustrated in the second screen in Figure 17-11.



Graphing a residual plot

A residual plot shows the residuals on the vertical axis and the independent variable on the horizontal axis. What are residuals? Residuals are a sum of deviations from the regression line. Because a linear regression is not always the best choice, residuals help you figure out if your regression model is a good fit for your data. Here are the steps to graph a residual plot:

1. Press $\boxed{\text{Y=}}$ and deselect stat plots and functions.

To remove the highlight from a plot so that it won't be graphed, use the $\boxed{\blacktriangleleft\blacktriangleright\blacktriangledown\blacktriangleup}$ keys to place the cursor on the Plot and then press $\boxed{\text{enter}}$.

To remove the highlight from an equal sign, use the $\boxed{\blacktriangleleft\blacktriangleright\blacktriangledown\blacktriangleup}$ keys to place the cursor on the equal sign in the definition of the function, and then press $\boxed{\text{enter}}$.

2. Press $\boxed{2\text{nd}}\boxed{\text{Y=}}\boxed{2}$ to access Stat Plot2 and enter the Xlist you used in your regression.

3. Enter the Ylist by pressing $\boxed{2\text{nd}}\boxed{\text{stat}}$ and using the $\boxed{\blacktriangleleft\blacktriangleright}$ keys to scroll to RESID.

See the first screen in Figure 17-12.

4. Press $\boxed{\text{enter}}$ to insert the RESID list.

See the second screen in Figure 17-12.

5. Press $\boxed{\text{zoom}}\boxed{9}$ to graph the residual plot.

See the third screen in Figure 17-12.



FIGURE 17-12:
Graphing a residual plot.

Using Manual-Fit

Do you think you could come up with a better line of best fit than your calculator did with its regression line? Go ahead and try! Manual Linear Fit enables you to visually find a line of best fit of the form $Y=mX+b$. Here are the steps for using Manual Linear Fit:



TI-84+
TIP

1. Press **$y=$** and deselect any functions that would graph by pressing **enter** on the corresponding equal sign.

2. Press **stat \blacktriangleright \blacktriangleleft \blacktriangleright enter** to open the Manual-Fit Wizard.

Manual-Fit is located near the bottom of the Stat CALC menu.

On the TI-84 Plus, it is the last entry in this menu.

3. With your cursor on **Store EQ**, press **alpha trace** to access the shortcut **Y-VAR** menu.

See the first screen in Figure 17-13. Enter the number of the Y-VAR you want. Press **▼** to Highlight **CALCULATE** and press **enter**.

4. Use the **\blacktriangleleft \blacktriangleright \blacktriangleup \blacktriadown** keys to navigate your cursor near the data point closest to the right part of the screen and press **enter**.

Two points determine a line; this establishes a point on the Manual-Fit line. As you move your cursor, the Manual-Fit line behaves like a moveable line as shown in the second screen in Figure 17-13.

5. Use the **\blacktriangleleft \blacktriangleright \blacktriangleup \blacktriadown** keys to navigate your cursor near the data point closest to the left part of the screen and press **enter**.

The Manual-Fit line is now drawn with the equation shown in the border at the top of the graph screen.



REMEMBER

The TI-84 Plus CE displays functions and information in the border of the graph screen. The TI-84 Plus displays similar information directly on the graph screen.

6. Use the **\blacktriangleleft \blacktriangleright** keys to toggle the highlighted parameter values from **m** to **b** in the Manual-Fit line equation of the form, $Y=mX+b$.
7. Enter a value for the highlighted parameter value to adjust the fit of your line.




FIGURE 17-13:
Using Manual-Fit.

Notice, an entry line opens at the bottom of the screen as you enter a value for one of the parameters. See the third screen in Figure 17-13. Press **enter** to change the parameter in the equation and watch the graph automatically adjust.

8. **Press `graph` to activate the on-screen prompt, `DONE` and then press `2nd mode` to exit the graph screen.**

This action stores the function and brings your cursor to the Home screen.

On the TI-84 Plus, press `2nd mode` to store the function.



TI-84+
TIP

Using statistics commands on the Home screen

I want to show you a few more statistic commands. Press `2nd stat` to access the Stat List MATH menu, as shown in the first screen in Figure 17-14. For example, you can quickly calculate the mean of a short list of numbers. On a Home screen, press `2nd stat` `3` to insert the `mean(` command. Press `2nd [` and enter a list of numbers separated by commas, or press `2nd [1]` to insert list L_1 . See the second screen in Figure 17-14.




FIGURE 17-14:
Using statistics
commands on
the Home screen.



REMEMBER

You can use the 1-Var Stats Wizard (`stat` `1`) to calculate the min, max, Q1, Q3, median, mean, and standard deviation of a data list.

If you are taking a statistics course, check out the Stat TESTS menu by pressing `stat` as shown in the third screen in Figure 17-14.

Doing More with Your Calculator

IN THIS PART . . .

Learn how to download and install TI Connect software so you can (among other things) transfer files to and from your PC.

Master transferring files from your calculator to another.

See how to insert images on a graph, plot points, and perform a regression right on a graph.

Discover the archive, group, and reset features to manage the memory on your calculator.

IN THIS CHAPTER

- » **Downloading the TI Connect CE software**
- » **Installing and running the TI Connect CE software**
- » **Connecting your calculator to your computer**
- » **Transferring files between your calculator and your computer**
- » **Upgrading the calculator's operating system**

Chapter 18

Communicating with a PC Using TI Connect CE Software

In this chapter, I explain how to use TI Connect CE Software to transfer files between your calculator and your PC. Of course, first I show you how to download the software. As an added benefit to installing TI Connect CE Software, a USB driver is installed that enables you to recharge the TI-84 Plus CE using your computer! Keep reading to find all that you can do when a computer can communicate with your calculator.

You need two things to enable your calculator to communicate with your computer: TI Connect CE Software and a USB computer cable. TI Connect CE software is free, and the cable came bundled with your calculator. If you are no longer in possession of the cable, you can purchase one through the Texas Instruments online store at <http://education.ti.com>.

Downloading TI Connect

The following steps explain how to download the current version of TI Connect CE from the Texas Instruments website, as it existed at the time this book was published:

1. Go to the Texas Instruments website (<http://education.ti.com>).
2. Locate the Downloads drop-down menu and select TI-84 Plus CE Apps, and Updates.
3. Under the TI Connect CE software application, click the Upgrade Now button.
4. Select your calculator, either TI-84 Plus CE graphing calculator or TI-84 Plus CE Python graphing calculator, and then press Continue.
5. Select the appropriate platform (Windows, Mac, or Chrome OS) and download TI Connect CE software.
6. Follow the directions given during the downloading process. Make a note of the directory in which you save the download file.



TIP

You can download an extensive TI Connect Help document (more than 40 pages) by going to <http://education.ti.com>. Click Downloads and select Guidebooks – All products. Use the Technology drop-down menu to select Computer Software and click the Find button. Click Guidebooks for TI Connect CE software to download the TI Connect Help document.

Installing and Running TI Connect

After you've downloaded TI Connect CE, you install it by double-clicking the downloaded TI Connect file you saved on your computer. Then follow the directions given by the TI Connect CE Installation Wizard.

When you start the TI Connect CE program, you see the Screen Capture workspace. Because you haven't connected your calculator, there is not much to see here. See the TI Connect CE Screen Capture workspace in Figure 18-1.




FIGURE 18-1:
TI Connect CE
software.



TIP

A USB driver is automatically installed on your computer when you download and install TI Connect CE software. Now, you can recharge the battery on the TI-84 Plus CE when you use the USB computer cable to connect your calculator with a computer.

TI Connect CE software has three workspaces as indicated by the three icons in the Workspace Panel on the left side of the screen. Here is a short description of the three workspaces:

- » **Screen Capture workspace:** Take and manage screen captures from connected calculators. Clicking the camera icon on the left takes you to this workspace.
- » **Calculator Explorer workspace:** In this workspace, you can manage calculator content (add or delete programs, lists, and so forth.) Clicking the stack of papers icon on the left opens up this workspace.

» **Program Editor workspace:** Here you can write and edit TI-Basic programs. See Appendix A, B and C to find out more about writing and editing TI-Basic programs. Clicking the icon on the left that has three squares will change your workspace to the Program Editor.



TIP

Would you like to have the most current version of TI Connect? If so, click Help from the Menu bar at the top of the TI Connect CE software and select the choice that says, “Check for Upgrades and Notifications.”

Connecting Calculator and PC

You can use the cable that came with your calculator to connect your calculator to your computer.

The USB computer cable that came with your calculator is a USB-to-mini-USB cable. Because the ends of this cable are of different sizes, it's easy to figure out how to connect your calculator to your computer; the small end fits in the right slot on the top of your calculator and the other end plugs into one of your computer's USB ports.



TI-84+
TIP

If you have a TI-84 Plus, the USB Silver Edition Cable can be used to connect your calculator to your computer. The plug end of this cable fits into the top left slot on

your calculator, called the I/O port.

Press **[on]** after you connect your calculator to your computer using a USB computer cable. The action of turning on your calculator helps your computer recognize the device that is connected through the USB hub of your computer.



WARNING

If your TI-84 Plus CE turns off from inactivity, you will lose connection with the TI Connect CE software. No worries! Just press **[on]** to restart your calculator and the connectivity should be restored.

Your connected calculator should appear in the Calculator List Panel as shown in Figure 18-2. If you have multiple connected calculators, click on one to begin working with that connected calculator.




FIGURE 18-2:
The Calculator
List panel.

Transferring Files

TI Connect CE software can be used to transfer files between a computer and your calculator. The directions for sending files from or to a calculator are a bit different, so I provide separate sections of instructions for each type of transfer. Using the Calculator Explorer workspace to transfer files from calculator to computer

To transfer files between your calculator and PC, start the TI Connect CE software and click the stacked paper icon on the left side of the screen to open the Calculator Explorer workspace. The content panel appears, listing the files on your calculator. Expanding this directory works the same on your calculator as on your computer. When transferring files, you're usually interested in transferring the files housed in the following directories: Graph Database, List, Matrix, Background (Picture and Image), and Program. If any of these directories don't appear on-screen, that means no files are housed in that directory.

1. Highlight the files you want to transfer.

Hold the shift key on your computer to highlight consecutive files, and hold the control key on your computer to highlight multiple files not listed consecutively. See Figure 18-3.

2. Click File and select the second icon in the toolbar at the top that has an arrow pointing at the computer.

If you hover over the icon, you will see the message, “send selected content to computer.”

3. Select the location for your files in the Choose Folder window and click Select folder.




FIGURE 18-3:
Transferring files
from your
calculator to a
computer.



TIP

The easiest way to transfer files back and forth between your calculator and computer is by dragging and dropping the file using your computer mouse. To copy a file from your calculator to your computer, just drag the file to a folder or directly to your desktop. To copy a file from your computer to your calculator, drag the file to the content panel of your connected calculator. Don’t drop the file until you see the words, “+ copy” below the file you are copying. Let the dragging and dropping fun begin!

Using the Calculator Explorer Workspace to Transfer Files from Calculator to Computer

To copy files to the calculator from a computer, you need to have at least one connected calculator. Click the first icon in the toolbar at the top of the screen that has an arrow pointing away from a computer. Select the files from your computer that you wish the transfer to the connected calculator. A Send to Calculators box opens as shown in Figure 18-4. You have all kinds of options, including setting the file to RAM or Archive. When you are ready to send, click Send.




FIGURE 18-4:
Transferring files
from a computer
to your
calculator.

Upgrading the OS using a TI CE Bundle file

To be honest, using a TI CE Bundle file upgrades way more than just your OS. All of your apps will be updated to the newest version and the five pre-loaded images will also be restored.

1. **Before you start, use the Calculator Explorer workspace to back up your files.**

If you have any programs you want to keep around, use TI Connect CE software to transfer them to your computer.

2. Download the latest TI-84 CE bundle at <http://education.ti.com/84ceupdate>.

Choose the region of the world you are in, then select your calculator (TI-84 Plus CE graphing calculator or TI84 Plus CE Python graphing calculator.) Then download TI CE Bundle as shown in Figure 18-5.




FIGURE 18-5:
Download TI
CE bundle.

3. Drag and drop the Bundle file you just downloaded to the Calculator Explorer workspace

Click Send and patiently wait for your calculator to be updated. See Figure 18-6.




FIGURE 18-6:
Send the TI
CE bundle.



WARNING

Do not unplug cable before the update is completed! Expect the calculator to reboot before transferring the image vars and apps. If the transfer fails, just repeat the steps above.



TI-84+
TIP

There is no bundle file for the TI-84+. So, you will need to download and install the OS and apps separately to update your calculator.

IN THIS CHAPTER

- » Linking calculators so files can be transferred between them
- » Determining what files can be transferred
- » Selecting files to be transferred
- » Transferring files between calculators

Chapter 19

Communicating Between Calculators

You can transfer data lists, programs, matrices, and other such files from one calculator to another if you link the calculators with the unit-to-unit link cable that came with your calculator. This chapter describes how to make such transfers.

Linking Calculators

Calculators are linked using the unit-to-unit link cable that came with the calculator. If you are no longer in possession of the cable, you can purchase one through the Texas Instruments online store at <http://education.ti.com>.

The unit-to-unit USB cable that came with your calculator has two mini-USB connectors. This cable can be used to connect TI-84 CE calculators using the mini-USB port at the top of each calculator.



TIP

If you get an error message when transferring files from one calculator to another, the most likely cause is that the unit-to-unit USB cable isn't fully inserted into the port of one calculator.



The unit-to-unit link cable has an I/O plug on each end. This cable can be used to link a TI-83 to a TI-84. It can also be used to link two TI-84s. On the TI-83, it connects to the I/O port at the bottom of the calculator.

Transferring Files


You can transfer files between any of the TI-84 Plus CE, TI-84 Plus, and TI-83 families of calculators. After connecting two calculators, you can transfer files from one calculator (the sending calculator) to another (the receiving calculator).



WARNING

TI-84 Plus CE calculator files are usually, but not always, compatible with the TI-84 Plus and TI-83 families of calculators. Apps, pics, python programs, and images are not compatible files. Most basic calculator programs will transfer, but functionality differences may cause problems in the execution of the program. If you try to transfer an incompatible calculator file, you will get the **ERROR: VERSION** error message as shown in the first screen in Figure 19-1.

FIGURE 19-1:
Selecting files for transmission between calculators.



To select and send files, follow these steps:

1. **On the receiving calculator, press $\text{2nd}[\text{X,T,0,n}]$ [enter].**

You see a screen that says **Waiting**, and in its upper-right corner, a moving dashed line indicates that the receiving calculator is waiting to receive files. See the second screen in Figure 19-1.




TIP

Always put the receiving calculator in Receiving mode *before* you transfer files from the sending calculator! If you forget, you will get the **ERROR: Error in Xmit** error message as shown in the third screen in Figure 19-1. Notice the helpful messages at the bottom of the error message screen.

2. **Press $\text{2nd}[\text{X,T,0,n}]$ on the sending calculator to access the Link SEND menu.**

See the first screen in Figure 19-2.

FIGURE 19-2:
Selecting and receiving calculator screens.



3. Use the $\boxed{\square}$ keys to select the type of file you want to send, and then press **enter.**

The first screen in Figure 19-2 shows the types of files you can send. The down arrow visible after number 9 in this list of menu items indicates that there are more menu items than can be displayed on-screen. Press $\boxed{\square}$ to view these other menu items.



TIP

If you want to send all files on the calculator to another calculator, select **All+** and proceed to Step 4. If you select **All-**, you have the opportunity to select the files you want to send from an exhaustive list of every file that could possibly be sent!

4. Use the $\boxed{\square}$ keys to move the cursor to a file you want to send, and press **enter to select that file. Repeat this process until you have selected all the files in this list that you want to send to another calculator.**

The calculator places a small square next to the files you select, as in the second screen in Figure 19-2. In this screen, lists L₁, L₃, and L₄ are selected in the **List SELECT** menu.

5. On the sending calculator, press $\boxed{\triangleright}$ to access the Link TRANSMIT menu.

See the third screen in Figure 19-2.

6. On the sending calculator, press **enter to send the files to the receiving calculator.**

As files are transferred, you may receive the **DuplicateName** menu, as illustrated in the first screen in Figure 19-3. This indicates that the receiving calculator already contains a file with the same name. Because the default names for stat lists are stored in the calculator, you always get this message when transferring L₁–L₆, even if the list on the receiving calculator is empty.

When you get the **DuplicateName** menu, select the appropriate course of action:

- If you select **Overwrite**, any data in the existing file is overwritten by the data in the file being transferred.
- If you select **Rename**, a new file is created and stored under the name you specify, as in the second screen in Figure 19-3.




FIGURE 19-3:
Dealing with
duplicate file
names.



WARNING

The **A** after **Name =** indicates that the calculator is in Alpha mode: When you press a key, the green letter above the key is displayed. To enter a number, press **alpha** to take the calculator out of Alpha mode and then enter the number. To enter a letter after entering a number, you must first press **alpha**. Press **enter** when you are finished entering the name.

When renaming a file that is being transferred to the receiving calculator, the calculator has a strange and confusing way of warning you if you already have a file on the receiving calculator with that name. When you press **enter** after entering the name, the calculator erases the name and makes you start over entering a name. No warning message tells you that a file having the same name already exists on the calculator. If this happens to you, simply enter a different name.

The third screen in Figure 19-3 illustrates a completed transfer of files between two calculators. During the transfer of the files, **L₁** was renamed **DATA**.



TIP

If you want to terminate the transfer of files in progress, press **on** on either calculator. Then press **enter** when you're confronted with the Error in Xmit error message. If you put one calculator in Receiving mode and then decide not to transfer any files to that calculator, press **on** to take it out of Receiving mode or simply wait for the transfer to time out.

Using Resend to Multiply Your Efforts

After transferring files between two calculators (as described in the preceding section), you can then use the sending calculator to transfer the same files to additional calculators, usually without having to reselect the files. See the first screen in Figure 19-4.




FIGURE 19-4:
Using RESEND.

To transfer files to additional calculators, follow these steps:

1. Press `2nd [X,T,θ,n] ▶▶` to navigate to the RESEND menu.

Whatever files were sent in the most recent transfer will be available to resend. See the second screen in Figure 19-4.

2. Press `[enter]` to resend the files.

Make sure to press `[enter]` on the receiving calculator before pressing `[enter]` to resend.



TI-84+
TIP

The RESEND feature is not available on the TI-84+.

IN THIS CHAPTER

- » Inserting photo images as the background of a graph
- » Using TI Connect CE software to transfer images
- » Transferring images from calculator to calculator
- » Using Quick Plot & Fit Equation

Chapter **20**

Fun with Images

What use would it be to have a high-resolution color screen if you can't take full advantage of it? Not only is inserting color images on a graph fun, but it also serves to engage students in real-world mathematics. As a special bonus, you get to see how Quick Plot & Fit Equation adds a layer of mathematics on top of an image on a graph. Of course, you can only participate in the fun if you are using the TI-84 Plus CE. Keep reading and let the fun begin!

Inserting Photo Images as a Background of a Graph

An image is a digital picture that can serve as the background for your graph screen. Inserting an image is a great backdrop to practice transforming functions.

Some images have been preloaded on your calculator. To insert an image that has been preloaded, follow these steps:

1. Press **2nd****zoom** to access the Format menu.
2. Use the **▲** key to navigate your cursor to Background.

When your cursor is on Background, you get a preview of the color (or image) that takes up about half of the screen.

3. Use the $\boxed{\text{[} \text{]}}$ keys to operate the menu spinner until you find the image you want.

You can store up to ten images on your calculator. See the first screen in Figure 20-1. Image1 through image5 are preloaded on your calculator.

4. Press $\boxed{\text{[graph]}}$ to see the image displayed as the background of the graph screen.


In the second screen in Figure 20-1, see my first attempt at transforming a parabola to fit the bridge image.



TIP

Alternatively, you can access images directly from the graph. Press $\boxed{\text{[graph]}}$, then press $\boxed{\text{2nd}} \boxed{\text{[prgm]}}$ and press $\boxed{\text{[} \text{]}}$ to select `BackgroundOn`. These actions produce spinners so that you can preview the images right on the graph as shown in the third screen in Figure 20-1.

FIGURE 20-1:
Inserting images.



Using TI Connect CE Software to Transfer Images

See Chapter 18 for instructions on downloading, installing, and running TI Connect CE software on your computer. Once you have TI Connect CE software up and running, use the USB computer cable that came with your calculator to connect the calculator to the computer. Click on the stacked paper icon to enter the Calculator Explorer workspace in the TI Connect CE software as shown in the first window in Figure 20-2.



TIP

The Calculator Explorer workspace window can be used to drag and drop images from your computer to your calculator, or vice versa. Just open a computer documents folder and a Calculator Explorer workspace window at the same time and let the dragging and dropping fun begin!




FIGURE 20-2:
Using TI Connect
CE software to
transfer images.

You are allowed to use a GIF, TIF, PNG, JPG, or BMP file. When you drag and drop one of these files to the Device Explorer window, TI Connect CE converts the file to an .8ca image file. 8ca calculator files are 83-x-133 pixels and use 16-bit color. As soon as you drag and drop the file, a Device File Name window opens on the computer as shown in the second window in Figure 20-2. Select the location of the image using the drop-down menu and click OK.

Using Quick Plot & Fit Equation

Images on a graph screen have another purpose that is now a built-in tool! You can use Quick Plot & Fit Equation to quickly plot points directly on your graph and perform a regression on the points you so quickly plotted. Okay, I think I may have mentioned that this feature is quick to use, but once you get started, the steps are pretty intuitive as well.

1. Load a background image and set an appropriate graphing window.

See the earlier section, "Inserting Photo Images as the Background of a Graph."

2. Press **Stat ▶ □** to locate Quick Plot & Fit-EQ.

See the first screen in Figure 20-3.

3. Press **Enter** to activate Quick Plot & Fit-EQ.

4. Use the **▶ □ ▲ ▼** key to navigate your cursor, press **Enter** to plot a point, and repeat until you have enough points for a regression.

See the second screen in Figure 20-3.



REMEMBER

You need at least two points for a linear regression, at least three points for a quadratic regression, and so on.


5. Press `graph` to activate the FITEQ on-screen prompt.

See the third screen in Figure 20-3.



TIP

If you don't want to perform a regression, but still want access to the points in a list, choose the Points only option (the last option pictured in the third screen in Figure 20-3). This option allows you to store the points without ever performing the regression.



6. Use the $\boxed{\square}$ keys to navigate to the regression you want and press `enter`.

See the first screen in Figure 20-4.

7. Press `graph` to activate the STORE on-screen prompt.

See the second screen in Figure 20-4.

8. Use the $\boxed{\square}$ keys to navigate the menu spinners and press `enter` or OK to store.

You are storing two lists, one stat plot, and one equation. See the list in the third screen in Figure 20-4. Now that the regression equation is stored, you can trace and analyze the graph of the regression equation as much as you desire.



WARNING

To turn off the Quick Plot, just press `2nd Y=` and set the stat plot setting to off.



IN THIS CHAPTER

- » Checking available memory
- » Deleting and archiving to preserve memory
- » Resetting the calculator
- » Grouping and ungrouping programs
- » Collecting garbage to create more usable memory

Chapter **21**

Managing Memory

First, a quick comparison: The TI-84 Plus Edition has 1.5 MB of available memory. The new TI-84 Plus CE has a whopping 3.5 MB of available memory. Why the large discrepancy? The TI-84 Plus CE needs more memory so that it can store up to ten images in its archive memory. Of course, both calculators have about the same amount of random access memory (RAM).

If you don't know the difference between RAM and archive memory, you need to keep reading. If you frequently use your calculator, you are likely to run into memory issues at one point or another. This chapter helps you successfully navigate any memory issues you may come across.

Checking Available Memory


Before I explain memory in a little more detail, I need to show you how to access the available memory on your calculator. Follow these steps:

1. Press **2nd****+** to access the **MEMORY** menu.

See the first screen in Figure 21-1.

2. Press **2** to display the **Memory Management/Delete** menu.

See the second screen in Figure 21-1. Conveniently located at the top of the screen is a display of the amount of available random access memory (RAM FREE) and archive (ARC FREE). You can check the amount of memory each variable type is using by selecting a menu item. I pressed **4** for list as shown in the third screen in Figure 21-1.



Deleting and Archiving to Preserve Memory

There are major differences between RAM and archive memory. RAM memory stores computations, lists, variables, data, and programs that are not archived. Archive memory stores apps, groups, pics, images, and programs or other variables that have been archived.

Here is what you need to keep in mind: Storing items in RAM memory is a risky proposition. If the battery on your calculator goes dead, you may lose all the items stored in the RAM. Or, if you accidentally drop your calculator, you may get a “RAM cleared” message on your calculator screen.

The archive memory on the TI-84 Plus CE holds close to 3.5 MB of available archive space. Did you know that you can load up to 216 apps on your calculator? With all that available archive memory, there is a good chance you will never need more archive memory. If you need more archive memory, I recommend deleting some of the preloaded apps that are in a language you are not familiar with.

If you have a lot of programs on your calculator, then you may run low on available RAM. You can delete programs you don't want as long as you are sure you don't want to use them again. Or, you can archive a program. Archiving a program keeps it safe by storing the program in archive memory. The only drawback to archiving a program is that you have to unarchive the program if you want to execute it.

Follow these steps to delete, archive, or unarchive programs all using the same screen:

1. Press **2nd + 2** to display the Memory Management/Delete menu.
2. Press **7** to display the Program editor screen.
See the first screen in Figure 21-2.
3. Use the **▲▼** keys to select a program you want to archive and press **enter** to archive the program.
An asterisk (. . .) symbol appears next to programs that have been archived.
See the second screen in Figure 21-2.
4. Use the **▲▼** keys to select an archived program and press **enter** to unarchive the program.
Notice, the asterisk (. . .) symbol disappears when you unarchive a program.
5. Use the **▲▼** keys to select a program to delete and press **del**.
See the third screen in Figure 21-2.
6. Use the **▲▼** keys to select your answer to the question and press **enter**.

Are you sure you want to delete the program you selected? If you change your mind, select No. See the third screen in Figure 21-2.

NORMAL FLOAT AUTO REAL RADIAN MP	
RAM FREE	20682
ARC FREE	2963K
► DISTANCE	17
QUADFORM	60
SLOPE	40
TRIG	13

NORMAL FLOAT AUTO REAL RADIAN MP	
RAM FREE	20729
ARC FREE	2963K
► DISTANCE	17
*QUADFORM	60
SLOPE	40
*TRIG	13

Are You Sure?	
1: No	
2: Yes	

FIGURE 21-2:

Archiving,
unarchiving,
and
deleting
programs.

Program editor

Archiving programs

Deleting programs

Resetting the Calculator

There are many options when it comes to resetting your calculator. To access the RAM ARCHIVE ALL menu, press **2nd + 7**. Use the **▲▼** keys to navigate the three drop-down menus. There are two choices on the RAM menu, as shown in the first screen in Figure 21-3:

» **Defaults:** Restores the default factory settings to all system variables, including the mode settings.



TIP

» **ALL RAM:** All your programs and data stored in RAM will be erased. In addition, the default factory settings are restored.

After selecting a reset option, you are given a chance to change your mind, as shown in the second screen in Figure 21-3. Sometimes a warning message is displayed that reminds you of the severity of what you are about to do if you choose to continue with the reset.




FIGURE 21-3:
Resetting your
calculator.

RAM resets

Warning message

ARCHIVE message

There are three choices in the ARCHIVE drop-down menu, as shown in the third screen in Figure 21-3:

- » **Vars:** All the data stored in archive memory will be lost.
- » **Apps:** All the apps on your calculator will be deleted.
- » **Both:** All the data and apps will be deleted.

If you want to start from scratch, the ALL drop-down menu contains only one earth-shattering choice:

» **All Memory:** I think the message displayed says it all: “Resetting ALL will delete all data programs & Apps from RAM & Archive.” One interesting note — the Finance app is the only app that will not be erased by executing this procedure. Some state tests require all memory be cleared before the administration of the state exam. Other states require your calculator be put in Press-to-Test mode.

Grouping and Ungrouping Programs

You can group variables residing in RAM memory and store the group in archive memory for safekeeping. Then, if the RAM on your calculator is cleared, you can ungroup the variables, and they will be restored in their original state. It’s a great

idea to group the programs stored in the RAM of your calculator. Here are the steps to group and ungroup programs:

1. Press **2nd + 8** to access the GROUP UNGROUP menu.

See the first screen in Figure 21-4.

2. Press **enter** to create a new group.

3. Enter a name for the group and press **enter**.

See the second and third screens in Figure 21-4.



FIGURE 21-4:
Creating a group.

GROUP UNGROUP menu

Enter group name

Select program

4. Pressing **3** enables you to select programs from a list.

5. Use the **↔** keys and press **enter** to select programs you wish to group.

Notice the small square next to the programs you have selected. See the first screen in Figure 21-5.

6. Press **▶enter** to select DONE.


You have successfully created a group of programs. If the RAM on your calculator is cleared, you now have a backup of your programs. See the second screen in Figure 21-5.

7. To ungroup, press **2nd + 8 ▶** to see a list of groups.

See the third screen in Figure 21-5. Ungrouping will not delete the original group. The group remains in archived memory until you decide to delete the group.


8. Use the **↔** keys and press **enter** to select the group you wish to ungroup.

If you ungroup a program that already exists in the RAM, you will be given the option to rename or overwrite the program.



Garbage Collecting

Sometimes, you get the ERROR: ARCHIVE FULL error message in spite of the fact that you seem to have plenty of memory available. What gives? If you have just made major changes, like deleting apps, your calculator is not able to use all the available memory until it reorganizes the files. This reorganization has a funny name — garbage collecting. To create more usable memory space, a “Garbage Collect?” prompt displays, as shown in the first screen in Figure 21-6.



I recommend pressing **2** for Yes — as long as you understand that it could take as long as 20 minutes to execute garbage collecting on your calculator. You should expect a process message, defragmenting as your calculator reorganizes its files. You also don't have to wait until your calculator forces you to action. Why not be proactive? Press **2nd 0** to access the Catalog and press **tan** to jump to the commands beginning with the letter G, as shown in the second screen in Figure 21-6. Press **enter** to insert the GarbageCollect command on the Home screen and press **enter** again to begin the potentially long process. The final result is illustrated in the third screen in Figure 21-6.

The Part of Tens

IN THIS PART . . .

Learn to perform the ten most essential calculator tasks that you may come across in a math or science classroom.

Review the ten most common mistakes (so you can avoid them).

Look at the directory of the ten most common error messages.

Chapter **22**

Ten Essential Skills

In this chapter, you find a brief review of some of the most important and basic calculator skills that are explained in the book. If you need more detailed instructions (with accompanying screenshots), the chapter location is referenced for each of the ten skills.

Copying and Pasting

Save time by copying and pasting expressions on the Home screen. Press the $\boxed{\text{F5}}$ key to scroll through your previous calculations. When a previous entry or answer is highlighted, press $\boxed{\text{enter}}$ to paste it into your current entry line. After you have pasted the expression into the current entry line, you can edit the expression as much as you like. For a more detailed description, see Chapter 1.

Converting a Decimal to a Fraction

Converting a decimal to a fraction is quick and easy. On the Home screen, press $\boxed{\text{math}}\boxed{\text{enter}}\boxed{\text{enter}}$. If you want to convert a fraction to a decimal, press $\boxed{\text{math}}\boxed{\text{down}}\boxed{\text{enter}}$ or include a decimal point in your calculations. See more in Chapter 3.

Changing the Mode

Before you get too far, make sure you can adjust the mode settings on your calculator. The Status bar at the top of the screen indicates some of the most popular mode settings. To see the rest of the mode settings, press `mode`. Use the `◀▶▲▼` keys to highlight the setting you want, and press `enter` to select the highlighted setting. Many chapters in this book contain detailed instructions on setting the mode to accomplish desired tasks.



TI-84+
TIP

TI-84+ doesn't have a status bar indicating the mode settings.

Accessing Hidden Menus

Did you know that there are four hidden shortcut menus on your calculator? The four menus are: FRAC (Fraction menu), FUNC (Function menu), MTRX (Matrix menu), and YVAR (Y-variables menu). To access the FRAC hidden menu, press `alpha[y=]`. After pressing `alpha`, the keys at the top of your keypad become soft keys that activate on-screen menus. Press `alpha[y=]` to access the fraction menu and press `alpha>window` to find the math templates. You can access the MTRX shortcut menu only by pressing `alpha[zoom]` (it is not found in standard menus). Finally, press `alpha[trace]` to locate the Y-Var shortcut menu. Find out more details in Chapter 3.

Entering Imaginary Numbers

You can enter an expression that includes the imaginary number, i , by pressing `2nd[i]`. Your calculator automatically simplifies expressions containing imaginary numbers.



TI-84+
TIP

On a TI-84+, complex numbers cannot be used with the n/d fraction template. Instead, enter complex numbers as fractions using parentheses and the `±` key.

If you want to find out more details about using imaginary numbers, see Chapter 5.

Storing a variable

The letters STO may look like texting language, but the **sto-** key on a calculator is a handy feature. If you plan to use the same number many times when evaluating arithmetic expressions, consider storing that number in a variable. To do so, follow these steps:

1. Enter the number you want to store in a variable.
2. Press **sto-**.
3. Press **alpha** and press the key corresponding to the letter of the variable in which you want to store the number.
4. Press **enter** to store the value.

After you have stored a number in a variable, you can type the variable to insert that number into an arithmetic expression. To do so, press **alpha**, and press the key corresponding to the letter of the variable in which the number is stored. See Chapter 2 for a more detailed description of storing variables.

Graphing a Function

Entering and graphing functions are on two different screens. Here are the steps to graph a function.

1. Press **Y=** to access the **Y=** editor.
2. Enter your function.
Press **X,T,θ,n** to insert an **X** in the function.
3. Press **zoom****[6]** to graph the function in a standard viewing window.

Of course, there are many tools that you can use to customize your graph. Chapter 9 explains how to adjust the window, change the color, set the format of your graph, and more.

Finding the Intersection Point

Given two functions, can you find the intersection point? To do so, press `y=` and enter the functions in Y_1 and Y_2 . Press `zoom``6` to graph both functions. If you can see the point of intersection on the screen, press `2nd``trace``5``enter``enter` to find the point of intersection of the graph. If you can't see the point of intersection or have more than one point of intersection, then see Chapter 11 for a more complete description of finding intersection points.

Graphing a Scatter Plot

Graphing a scatter plot is a multistep process:

1. Press `stat``enter` and enter data in lists L_1 and L_2 .
2. Press `2nd``y=``enter` and configure the Plot1 editor.

Highlight `ON` and press `enter`. Then highlight `□` and press `enter` to configure the plot editor for a scatter plot.

3. Press `zoom``9` to graph the scatter plot in a ZoomStat window.

To change the color or further customize your scatter plot, see Chapter 17.

Performing a Linear Regression

Many different regressions can be performed on data, though the most common regression is a linear regression. To perform a linear regression, follow these steps:

1. Press `stat``enter` and enter data in lists L_1 and L_2 .
2. Press `stat``▶``4` to start the `LinReg(ax+b)` Wizard.
3. Configure the wizard and press `enter` repeatedly until the regression results appear on the screen.

For a more detailed description of performing regressions, see Chapter 17.

Chapter **23**

Ten Common Errors

Even the best calculating machine is only as good as its input. This chapter identifies ten common errors made when using the calculator. Wouldn't it be great to avoid some of the common errors that normally plague students who are using calculators?

Using \Box Instead of $(-)$ to Indicate That a Number Is Negative

If you press \Box instead of $(-)$ at the beginning of an entry, the calculator assumes you want to subtract what comes after the minus sign from the previous answer. If you use \Box instead of $(-)$ in the interior of an expression to denote a negative number, the calculator responds with the ERROR: SYNTAX error message.

Indicating the Order of Operations Incorrectly by Using Parentheses


When evaluating expressions, the order of operations is crucial. To the calculator, for example, -3^2 equals -9 . This may come as quite a surprise to someone expecting to square -3 , where $(-3)^2$ equals 9 . The calculator first performs the operation

in parentheses, then it squares the number, and if there is a negative outside the parentheses, it first performs the squaring and then the operation of negating a number. Unless you're careful, this won't provide the answer you're looking for. To guard against this error, you may want to review the detailed list of the order in which the calculator performs operations (see Chapter 2).

Improperly Entering the Argument for Menu Functions

If an argument is improperly entered, a menu function won't work. A prime example is the **fMin** function housed in the Math MATH menu. Do you remember what to place after this function so that you can use it? If you don't, you get the ERROR: ARGUMENT error message.

To avoid this error, you can use the Catalog Help feature to see the syntax of the function you would like to use. Press **[math]** and use the **[▼]** key to move your cursor to the **fMin** function as shown in the first screen in Figure 23-1. Press **[+]** to access the Catalog Help feature as illustrated in the second screen in Figure 23-1.



Accidentally Deleting a List

If your cursor is in the column heading and you press **[del]**, the list disappears from view. List L_2 isn't displayed in the first screen in Figure 23-2. Don't worry! You can recover the list by using the **SetUpEditor** command. Press **[stat][5][enter]**, as shown in the second screen in Figure 23-2. List L_2 is now restored in the List editor. Press **[stat][enter]** to see the lists, as shown in the third screen in Figure 23-2.




FIGURE 23-2:
Restoring a list
using the
SetUpEditor
Command.

Entering an Angle in Degrees in Radian Mode

To change the mode, press **mode**, move your cursor to DEGREE and press **enter**.

Alternatively, you *can* enter an angle in degrees when you are in Radian mode, but you have to let the calculator know that you're overriding the Angle mode by placing a degree symbol after your entry. To insert a degree symbol, press **2nd [apps] [enter]**. See Chapter 7 for a more detailed description of entering angles in your calculator.


Graphing Trigonometric Functions in Degree Mode

This, too, is a mistake unless you do it just right: In the Window editor, you have to set the limits for the x -axis as $-360 \leq x \leq 360$. Pressing **zoom[7]** or **zoom[0]** to have the calculator graph the function using the **ZTrig** or **ZoomFit** command produces similar results. But this works when you're graphing pure trig functions such as $y = \sin x$. If you're graphing something like $y = \sin x + x$, life is a lot easier if you graph it in Radian mode.

Graphing Functions When Stat Plots Are Active

If you get the **ERROR: DIMENSION MISMATCH** error message when you graph a function, this is most likely caused by a stat plot that the calculator is trying to graph along with your function. You can turn off the stat plot on the **Y=** editor

screen. Press $\boxed{Y=}$, and see if any of the stat plots are highlighted at the top of the $Y=$ editor screen. Stat Plot1 and Stat Plot3 are highlighted in the first screen in Figure 23-3. Move your cursor over the highlighted stat plots and press $\boxed{\text{enter}}$ to turn off the stat plots, as illustrated in the second screen in Figure 23-3.



Inadequately Setting the Display Contrast


If your screen is too light or too dark to read the calculations, you can fix it easily. To adjust the contrast settings to your liking, repeatedly press $\boxed{2nd \triangle}$ to darken the screen or press $\boxed{2nd \square}$ to lighten the screen.

Setting the Window Inappropriately for Graphing

If you get the ERROR: WINDOW RANGE error message when graphing functions, this is most likely caused by setting $X_{\text{min}} \geq X_{\text{max}}$ or by setting $Y_{\text{min}} \geq Y_{\text{max}}$ in the Window editor. Setting the Window editor is explained in Chapter 9.

Accidentally Deactivating a Function

This can be one of the most frustrating mistakes you can make. You have to be paying attention to notice that a function has been deactivated. See the first screen in Figure 23-4. Notice the equal sign next to Y_1 isn't highlighted. This means the function has been deactivated.



To activate a function that has been deactivated, move your cursor to the equal sign in the Y= editor and press **enter**.

Chapter **24**

Ten Common Error Messages

This chapter provides a list of ten common error messages the calculator may provide you. When you get an error, pay close attention to the error message screen. Your calculator displays a descriptive note on the error screen that helps you determine the cause of the error.

ARGUMENT

You usually get this message when you are using a function housed in one of the menus on the calculator. This message indicates that you have not properly defined the argument needed to use the function.

To avoid this error, take advantage of the Catalog Help feature. Use the $\boxed{\text{CATALOG}}$ keys to navigate your cursor to the function you want and press $\boxed{+}$ to view the syntax of the function you want.

BAD GUESS

This message indicates that the guess you've given to the calculator isn't within the range of numbers that you specified. This is one of those times when the calculator asks you to guess the solution. One example is when you're finding the maximum value or the zero of a function within a specified range (see Chapter 11). Another is when you're finding the solution to an equation where that solution is contained in a specified range (see Chapter 4).

One other time that you can get this message is when the function is undefined at (or near) the value of your guess.

DIMENSION MISMATCH

You usually get this message when you attempt to add, subtract, or multiply matrices that don't have compatible dimensions.

You also get this error if you try to graph a scatter plot of data lists that don't have the same dimensions. In other words, the number of elements in L_1 and L_2 are not the same.

DIVIDE BY ZERO

You get this error when you attempt to divide by zero. The calculation fails because the answer is undefined.

INVALID

This is the catchall error message. Basically, it means that you made a mistake when defining something (for example, you used function Y_3 in the definition of function Y_2 , but forgot to define function Y_3).

INVALID DIMENSION

You get this invalid-dimension message if (for example) you attempt to raise a non-square matrix to a power or enter a decimal for an argument of a function when the calculator is expecting an integer.

You can also get this error if you inadvertently leave the stat plots on when you are trying to graph a function. Turn the stat plots off by pressing `2nd y= 4`.

NO SIGN CHANGE

When you're using the Equation Solver (detailed in Chapter 4), you get this message when the equation has no real solutions in your specified range.

SINGULAR MATRIX

You get this message when you try to find the inverse of a matrix whose determinant is zero.

SYNTAX

This is another catchall error message. It usually means you have a typo somewhere or you have done something the calculator wasn't expecting.

WINDOW RANGE

This, of course, means that the Window is improperly set. This problem is usually (but not always) caused by improperly setting **Xmin \geq Xmax** or **Ymin \geq Ymax** in the Window editor. For a look at the proper way to set the Window for functions, check out the explanations in Chapter 9.



WARNING

TROUBLESHOOTING A CALCULATOR THAT IS NOT FUNCTIONING PROPERLY

If your TI-84 Plus CE will not turn on or is not behaving properly, you might need to resort to more serious measures. Try these steps in order until you are able to fix your malfunctioning calculator.

1. Press the reset button on the back of the calculator to reboot.

This clears the RAM on your calculator.

2. Hold down the Reset button and press `del`, then release only the Reset button.

This sequence causes a “Waiting” message to display on the Home screen. You must reinstall the OS (see Chapter 18.)

3. Use a small screwdriver to remove the lithium battery for five minutes, then reinsert the battery and turn the calculator on.

If all else fails, call 1-800-TI-CARES and let the experts at Texas Instruments walk you through a solution.

Appendices

IN THIS PART . . .

Figure out how to create and execute a TI-Basic program.

Learn the nuances of using input and output in a TI-Basic program.

Understand the structure of the commands that control the flow of a TI-Basic program.

Discover how to edit and run a Python app program using the TI-84 Plus CE Python edition calculator.

Familiarize yourself with the three data types used in Python programming.

Use the Tools menu to save time and energy when programming in the Python app.

IN THIS CHAPTER

- » Creating, saving, editing, and deleting calculator programs
- » Editing a program on the calculator
- » Executing programs on the calculator
- » Deleting a calculator program
- » Using a computer to enter a calculator program

Appendix A

Creating Calculator Programs

The programming language used by the calculator is similar to the Basic programming language. It uses the standard commands (such as the **If . . . , Then . . . , Else . . .** command) that are familiar to anyone who has ever written a program. And, of course, it also makes use of commands that are unique to the calculator (such as **ClrHome**, which clears the Home screen). This appendix explains the basics of creating a calculator program. Appendix B discusses programming commands that are unique to the calculator, and Appendix C describes the basic programming commands used by the calculator.

Creating and Saving a Program on the Calculator

These are the basic steps for creating a program on the calculator:

1. Press **prgm** **[enter]** to create a new program using the Program Editor.

This is illustrated in the first screen in Figure A-1.



TIP

If you have a TI-84 Plus CE Python edition, when you press **prgm**, you will see an opening screen as shown in Figure A-1. Press **1** to choose TI-Basic programming, then press **4** to navigate to the CREATE menu.

2. Give your program a name and then press **enter**.

The name of your program can consist of one to eight characters that must be letters, numbers, or the Greek letter θ . The first character in the name must be a letter or θ .

The **1** after **Name =** indicates that the calculator is in Alpha mode. In this mode, when you press a key you enter the green letter above that key. To enter a number, press **alpha** to take the calculator out of Alpha mode and then enter the number. To enter a letter after entering a number, you must press **alpha** to put the calculator back in Alpha mode. Press **2nd[alpha]** to place your calculator in Alpha-lock mode, which allows you to enter multiple letters without having to press **alpha** between them.

When you press **enter** after naming your program, the calculator puts you in the Program Editor, as in the third picture in Figure A-1. The program appearing in this screen is entered in the next step.

3. Enter your program in the Program Editor.

Your program consists of a series of commands, each of which must be preceded by a colon, as shown in the third screen in Figure A-1. After entering a command, press **enter** so the calculator supplies the colon preceding the next command you enter. When you finish writing your final command, press **enter** and ignore the colon that is waiting for a command to be entered.

An example of entering a program appears in the third screen in Figure A-1. The program in this screen writes **HI** on the Home screen. The **CirHome** command is entered by pressing **prgm** **▶** **8** and the **Disp** command is entered by pressing **prgm** **▶** **3**.

4. Press **2nd[mode]** when you're finished writing your program.

This saves your program in the memory of the calculator and returns you to the Home screen. The name under which the program is stored in the calculator is the same name you gave the program in Step 2.



FIGURE A-1:
The steps for
creating a
program.

Editing a Program on the Calculator

To edit a program stored on the calculator, follow these steps:

1. Press **prgm ▶** and press the number of the program or use the **↔** keys to highlight the program you want to edit.



TIP

If you have a TI-84 CE Python edition, you will see an opening screen. Press **1** to choose TI-Basic programming, then press **▶** to navigate to the EDIT menu.

2. Edit the program.

Pressing **clear** deletes the line containing the cursor.

3. Press **2nd mode** to save the program and return to the Home screen.

Executing a Calculator Program

After creating your program and saving it on the calculator, you can run the program on the calculator by performing the following steps:

1. Press **prgm** to enter the Program Execute menu and use the **↔** key to move the indicator to your program.



TIP

This is illustrated in the first screen in Figure A-2.

If you have a TI-84 CE Python edition, you will see an opening screen.

Press **1** to choose TI-Basic programming, then use the **↔** to move the indicator to your program.

2. Press **enter** to place the program on the Home screen.

This is illustrated in the second screen in Figure A-2.




FIGURE A-2:
Executing a
program.

3. Press **enter** to execute the program.

This operation is shown in the third screen in Figure A-2. When the calculator is finished executing the program, it writes Done on the Home screen.

Deleting a Program from the Calculator

To delete a program from the calculator:

1. Press **2nd +** to access the Memory menu.
2. Press **2** to access the Mem Management/Delete menu.
3. Press **7** to access the Program files stored in the calculator.
4. If necessary, repeatedly press the **–** key to move the indicator to the program you want to delete.
5. Press **del** to delete the program.

You are asked whether you really want to delete this program. Press **2** if you want it deleted or press **1** if you've changed your mind.

6. Press **2nd mode** to exit this menu and return to the Home screen.

CALCULATOR PROGRAMMING ON A COMPUTER

It is much easier to create a calculator program on a computer than it is to create one on the calculator. Fortunately, TI Connect CE software has the Program Editor workspace that can be used to create and edit a basic calculator program on a computer. You can create a program on the computer and then transfer it to your calculator (or vice versa). To do so, you need to download and install TI Connect CE software and a USB computer cable to connect your calculator to your computer. The software is free; the USB computer cable, if it didn't come with your calculator, can be purchased at the Texas Instruments online store at www.education.ti.com. See Chapter 18 for more details on using TI Connect CE software.

IN THIS CHAPTER

- » Entering program input and output commands
- » Using input commands (Input, Prompt)
- » Using output commands (Disp, Output)
- » Using a program to change the color and graph style of a function
- » Using a program to change the color of text

Appendix B

Controlling Program Input and Output

Program input is information that the program requests from the program user. Program output is information passed from the program back to the program user. This chapter explains how to get a program to shuttle information back and forth between the program and the program user.


The Program I/O menu, which houses the input and output commands, is available only when you're using the Program Editor to create a new program or to edit an existing program. A screen of the Program I/O menu appears in Figure B-1. Creating and editing programs are explained in Appendix A.



TIP

If you see a command that you are unfamiliar with, use $\boxed{\square}$ to highlight the command in a menu. Press $\boxed{+}$ to access CATALOG HELP to display the syntax of the command as shown in the third screen in Figure B-1. The GET command, shown in the third screen in Figure B-1, is only available on the TI-84 CE calculator.

FIGURE B-1:
The Program
I/O menu.



Using Input Commands

The **Input** and **Prompt** commands are used in a program to solicit information from the program user. The **Input** command asks the user for the value of only one variable and enables the program to briefly describe the variable it is requesting. The **Prompt** command asks the user for the value of one or more variables, but it doesn't allow for a description of the variable other than its name.

Using the Input command

The syntax for using the **Input** command to request the program user to assign a value to a variable is **Input "text",variable**. The *text*, which must be in quotes, offers the program user a description of what is being requested by this command. The *text* and the *variable* must be separated by a comma. Note that there is no space between the comma and the variable, as in the first screen in Figure B-2.

FIGURE B-2:
Using the Input
command.



TIP


Press **alpha**+ to insert quotation marks.

When the program is executed, the program displays the *text* on the Home screen and waits for the program user to enter a number and press **enter**. This is illustrated at the top of the third screen in Figure B-2. The number entered by the user is then stored in the *variable* specified by the **Input** command.

Each line of the TI-84 Plus CE Home screen can accommodate a maximum of 26 characters. Up to ten lines can display at one time on the Home screen. Sometimes, this isn't enough space for the **Input** command to display the text and for the program user to enter the value of the *variable*. If this is the case, you may want to precede the **Input** command with a **Disp** command describing the value that the user must enter. When you do so, the syntax for the **Input** command is simply **Input variable**, as in the second screen in Figure B-2. When the program is executed, it displays the description given in the **Disp** command, and then prompts the program user for a value by displaying a question mark, as in the second half of the third screen in Figure B-2. Using the **Disp** command is discussed later in this chapter.

Using the Prompt command

The **Prompt** command asks the program user to assign values to one or more *variables*. The syntax for using the **Prompt** command is **Prompt variable₁,variable₂, . . . ,variable_n**. Commas separate the *variables* and there is no space between the comma and the next *variable*, as in the first screen in Figure B-3.



PROMPT program Result

FIGURE B-3:
Using the **Prompt** command.

When the program is executed, the program displays the first *variable* followed by an equal sign and a question mark and waits for the program user to enter a number. It then does the same for the next *variable*, and so on, as in the second screen in Figure B-3. The numbers entered by the user are then stored in the *variable* specified by the **Prompt** command.



TIP

The Window variables **Xmin**, **Xmax**, **Ymin**, and **Ymax** are housed in the Variables Window menu. To access this menu, press **vars****1**.

Using Output Commands

The **Disp** and **Output** commands are used by a program to display text messages and values. The **Disp** command is capable of displaying more than one piece of information, and the **Output** command enables the program to place text or a value, but not both, at a predetermined location on the Home screen.

Using a program to write text

The **Disp** and **Output** commands, which are explained in the next two sections, are used to get a program to display text on the Home screen. Because each line of the Home screen can accommodate up to 26 characters, the wise programmer will limit all text items to no more than 26 characters. A space counts as one character.

The first screen in Figure B-4 shows an example of a program that displays the text “PRESS THE ENTER KEY TO CONTINUE” in two ways. The first **Disp** command displays the whole text, in spite of the fact that it contains more than 26 characters. The **Disp** command followed by an empty *text item* can be used to make a program skip a line on the Home screen. The next two **Disp** commands break the text into two parts, each of which contains fewer than 26 characters.




FIGURE B-4:
Limiting text
items to 26
characters.

The output of the program in the first screen in Figure B-4 is shown in the second screen in Figure B-4. The ellipsis at the end of the second line in this screen indicates that the calculator could not display the whole line. (The calculator does not understand “wrap around.”) And worse than that, you can’t use to see what comes after that ellipsis. The remaining lines of this screen illustrate the solution to this problem.



REMEMBER

When programming the calculator to output text, limit all text items to 26 characters. A space counts as one character. If necessary, break the text into two or more text items that are consecutively displayed.

Using the Disp command

The syntax for using the **Disp** command to have a program display *text* and *values* is: **Disp item₁,item₂,. . .,item_n** where *item* is either *text* or a *value*. The *items* appearing after this command are separated by commas with no spaces inserted after each comma. *Text items* must be in quotes, and *value items* can be arithmetic expressions, as in the last two lines of the first screen in Figure B-5.

NORMAL FLOAT AUTO REAL RADIAN MP PROGRAM:DISPLAY :ClrHome :Disp "ENTER INTEGER < 20" :Input N :Disp "" :Disp "INTEGER + 5 =" ,N+5 : DISPLAY program	NORMAL FLOAT AUTO REAL RADIAN MP ENTER INTEGER < 20 ?10 INTEGER + 5 =15Done. Result
---	---

FIGURE B-5:
Using the Disp command.

When a program executes a **Disp** command, it places each *item* following the command on a separate line; *text items* are left justified and *value items* are right justified, as in the second screen in Figure B-5.



REMEMBER

The Home screen, where program output is displayed, can accommodate up to ten lines. If the **Disp** command in your program is going to result in more than ten lines, consider breaking it into several **Disp** commands separated by the **Pause** command. The **Pause** command is explained in Appendix C.

Using the Output command

The syntax for using the **Output** command to have a program display *text* or a *value* at a specified location on the Home screen is: **Output(line,column,item)**. The calculator supplies the first parenthesis; you must supply the last parenthesis. There are no spaces inserted after the commas.

The Home screen contains 10 lines and 26 columns. The *item* displayed by this command can be a *text item* or a *value item*. *Text items* must be in quotes, and a *value item* can be an arithmetic expression, as in the last four lines of the first screen in Figure B-6. The program output resulting from executing this program is illustrated in the second screen in Figure B-6. If you look closely at the screenshot, you may notice that I did not close the parenthesis in the last line of the program: **Output(6,9,N+5)**. Closing the parenthesis at the end of a line has no bearing on the execution of the program. This is a convention that most programmers will use to save a tiny bit of space in the RAM of the calculator.

<pre>NORMAL FLOAT AUTO REAL RADIAN MP PROGRAM:OUTPUT :ClrHome :Disp "ENTER INTEGER < 20 " :Input N :Output(5,1,"AN INTEGER PL UST FIVE IS EQUAL TO " :Output(6,9,N+5 :</pre>	<pre>NORMAL FLOAT AUTO REAL RADIAN MP ENTER INTEGER < 20 ?10Done. AN INTEGER PLUST FIVE IS E QUAL TO 15</pre>
OUTPUT program	Result

FIGURE B-6:
Using the Output command.



TIP

The Output command can be used to make text “wrap” to the next line, as shown in the second screen in Figure B-6.

Using a Program to Display a Graph

In this program, the **PlotsOff** command turns off all stat plots and the **FnOff** command turns off all functions in the **Y=** editor. The **FnOn 1,2** command turns on the first two functions in the **Y=** editor so that only these two functions are graphed. In order to store equations in **Y₁** and **Y₂**, you must first put quotes around the expression you would like to graph, as shown in the first screen in Figure B-7.

<pre>NORMAL FLOAT AUTO REAL RADIAN MP PROGRAM:GRAPH :PlotsOff :FnOff :FnOn 1,2 :"X^2"→Y₁ :"X+1"→Y₂ :ZStandard</pre>	
GRAPH program	Result

FIGURE B-7:
Using the **ZStandard** command to display a graph.



TIP

The **ZStandard** command tells the calculator to graph these two functions in the standard viewing window where $-10 \leq x \leq 10$ and $-10 \leq y \leq 10$, as shown in the second screen in Figure B-7.


Commands such as **PlotsOff**, **FnOff**, and **ZStandard** can be entered in your program from the Catalog menu.

Changing the Color and Graph Style of a Function

In this program, the **GraphStyle(function#,graph style#)** command is used to change the attributes of a function. Entering a function number of 2 changes the graph style of function Y_2 . There are eight different graph styles: 1=thin (‐), 2=thick (‐‐), 3=above (‐‐‐), 4=below (‐‐‐‐), 5=path (‐‐‐‐‐), 6=animate (‐‐‐‐‐‐), 7=dot‐thick (‐‐‐‐‐‐‐), 8=dot‐thin (‐‐‐‐‐‐‐‐).

The **GraphColor(function#,color#)** command changes the color of a function. There are 15 colors to choose from: 10=Blue, 11=Red, 12=Black, 13=Magenta, 14=Green, 15=Orange, 16=Brown, 17=Navy, 18=LtBlue, 19=Yellow, 20=White, 21=LtGray, 22=MedGray, 23=Gray, and 24=DarkGray. When using the Graph Color command, you may enter its corresponding number or press **vars** **4** to access the Vars COLOR menu and make a color selection. Of course, the Graph Style and Graph Color commands should be used prior to graphing the function (see Figure B-8).

FIGURE B-8:
Changing the
color and graph
style of a graph.



It is OK to leave off the right parenthesis at the end of a command in a program, because the program will take up less RAM on the calculator.




REMEMBER

Changing the Color of Text on a Graph

In this program, the **TextColor(color#)** command can be used to set the color of the text prior to using the Text command. Use the color number (see the list in the preceding section) or press **vars** **4** to access the Vars COLOR menu and make a color selection, to insert the argument of the TextColor command.

The Graph area contains 148 pixels in horizontal rows, and 256 pixels in vertical columns. The **Text(row, column, text)** command places text on a graph. Just because the text begins showing on the screen doesn't mean that it will fit on the screen, as shown in the second screen in Figure B-9.

FIGURE B-9:
Changing the
color of text and
the result.



PROGRAM: TXTCOLOR
:AxesOff
:FnOff
:TextColor(RED)
:Text(1,20,"PRESS ENTER"
:TextColor(14)
:Text(100,200,"TO CONTINUE"
:
:

Changing text color Result



TIP

In order to space from one line of text to the next, I think that 15 pixels of vertical spacing should be used to make sure text doesn't overlap.

Housekeeping Issues

Because programs display their output on the Home screen, it is a good idea to have your program clear the Home screen before the output is displayed. This is done by inserting the **ClrHome** I/O command in the program before the commands used to display the output, as in the program in the first screen in Figure B-9.

When the **Disp** I/O command is used to display the program output, it isn't necessary to clear the Home screen at the end of the program. After the program is executed, the calculator uses the next available line on the Home screen to evaluate any arithmetic expressions or to execute any commands you enter. However, you may end up typing over the top of text from an **Output** command after exiting the program.

However, when the **Output** I/O command is used to display program output, it is wise to have the program end by clearing the Home screen. Clearing the Home screen is necessary in this situation because the calculator may type over the **Output** item when you use it to evaluate an arithmetic expression or execute a command after exiting the program, as in Figure B-10. This figure shows what happens when you use the calculator after executing the program in Figure B-6.

```

NORMAL FLOAT AUTO REAL RADIAN MP
ENTER INTEGER < 20
?10
Done.
3+3-67*2
AN INTEGER PLUST FIVE IS E
QUAŁ TO 15

```

FIGURE B-10:
The consequence
of not clearing
the Home screen.

Because you want to give the program user a chance to view any output before clearing the Home screen from a program, place the **Pause** control command before the **ClrHome** I/O command in the program. (The **Pause** control command is discussed in Appendix C.)

Better yet, put the CLRHOME program in the first screen in Figure B-11 on your calculator, and have your program call it whenever you want your program to enable the program user to view the program output before the program clears the Home screen. Calling an external program from within a program is discussed in Appendix C. The second screen in Figure B-11 illustrates what happens when the **prgm CLRHOME** command is placed at the end of a program like that shown in Figure B-6: The program invites the user to press **enter**, and when the user does so, the program clears the Home screen.

<pre> NORMAL FLOAT AUTO REAL RADIAN MP PROGRAM:CLRHOME :Output(9,8,"PRESS ENTER" :Output(10,8,"TO CONTINUE" :Pause :ClrHome : </pre>	<pre> NORMAL FLOAT AUTO REAL RADIAN MP ENTER INTEGER < 20 ?10 Done. AN INTEGER PLUST FIVE IS E QUAŁ TO 15 PRESS ENTER TO CONTINUE </pre>
--	---

FIGURE B-11:
Using the
CLRHOME
program to clear
the Home screen.

IN THIS CHAPTER

- » **Entering program control commands in your program**
- » **Using decision commands (If, If . . . Then . . . End, If . . . Then . . . Else . . . End)**
- » **Using looping commands (While . . . End, Repeat . . . End, For . . . End)**
- » **Using branching commands (Goto, Menu)**
- » **Stopping the execution of a program**
- » **Pausing the execution of a program**
- » **Using an external program as a subroutine in your program**

Appendix C


Controlling Program Flow

The flow of a program is controlled by decision commands such as **If . . . Then . . . Else . . . End**, looping commands such as **For . . . End**, and branching commands such as **Goto**. Calling another program from within your program also controls the flow of a program. This chapter explains how to use these and other commands that control the flow of your program.

Entering Control Commands in a Program

The Program Control menu, which houses the control commands, is available only when you’re using the Program Editor to create a new program or to edit an existing program. A screen of the Program Control menu appears in Figure C-1. (Appendix A explains creating and editing programs.)

FIGURE C-1:
The Program
Control menu.



To enter a control command in a program being written on the calculator, press **prgm**, use **♂** to move the indicator to the desired control command, and then press **enter**. The command is then entered at the location of the cursor in the Program Editor.

Using Decision Commands

The calculator can handle three decision commands (**If**, **If . . . Then . . . End**, and **If . . . Then . . . Else . . . End**). This section describes how to use them in a program.

The If command

The structure of the **If** command appears in the first screen in Figure C-2. If the condition following the **If** command is true, the program executes the command following the **If** statement (Command 1) and then moves on to the next command in the program (Command 2). If the condition following the **If** command is false, the program skips the command following the **If** statement (Command 1) and then moves on to the next command in the program (Command 2).

An example of using the **If** command appears in the second screen in Figure C-2. The program in this screen gives a 10 percent discount on items that cost \$50 or more. The input and output commands (Input, Disp) in this program are housed

in the Program I/O menu, which is accessed by pressing $\boxed{\text{prgm}}$. Commands in this menu are explained in Appendix B. You can enter the inequality that appears in this screen by pressing $\boxed{2\text{nd}}\boxed{\text{math}}\boxed{4}$. See the resulting program in the third screen in Figure C-2.

<pre>NORMAL FLOAT AUTO REAL RADIAN MP EDIT MENU: [a]pha [f5] PROGRAM: IF :If CONDITION :COMMAND 1 :COMMAND 2 :</pre>	<pre>NORMAL FLOAT AUTO REAL RADIAN MP EDIT MENU: [a]pha [f5] PROGRAM: DISCOUNT :Input "PRICE=",P :If P≥50 :.9P→P :Disp "DISCOUNT PRICE=",P :</pre>	<pre>NORMAL FLOAT AUTO REAL RADIAN MP EDIT MENU: [a]pha [f5] prgmDISCOUNT PRICE=80 DISCOUNT PRICE=</pre>
Structure	Example	Result

FIGURE C-2:
Using the If command.

The If... Then... End Command

The structure of the **If... Then... End** command appears in the first screen in Figure C-3. If the condition following the **If** command is true, the program executes the commands between **Then** and **End** (Commands 1) and then moves on to the next command in the program (Command 2). If the condition following the **If** command is false, the program skips the commands between **Then** and **End** (Commands 1) and then continues on to the next command in the program (Command 2).

<pre>NORMAL FLOAT AUTO REAL RADIAN MP EDIT MENU: [a]pha [f5] PROGRAM: IFTHEN :If CONDITION :Then :COMMANDS 1 :End :COMMAND 2 :</pre>	<pre>NORMAL FLOAT AUTO REAL RADIAN MP EDIT MENU: [a]pha [f5] PROGRAM: DISPRICE :If P≥50 :Then :.9P→P :If P≥100 :P-10→P :End :Disp "DISCOUNTED PRICE=",P :</pre>
Structure	Example

FIGURE C-3:
Using the If... Then... End command.

An example of using the **If... Then... End** command appears in the second screen in Figure C-3. The program in this screen gives a 10 percent discount on items that cost \$50 or more and then takes off another \$10 if the discounted cost is over \$100.

The If . . . Then . . . Else . . . End Command

The structure of the **If . . . Then . . . Else . . . End** command appears in the first screen in Figure C-4. If the condition following the **If** command is true, the program executes the commands between **Then** and **Else** (Commands 1), skips the commands between **Else** and **End** (Commands 2), and then moves on to the next command in the program (Command 3). If the condition following the **If** command is false, the program skips the commands between **Then** and **Else** (Commands 1), executes the commands between **Else** and **End** (Commands 2), and then moves on to the next command in the program (Command 3).

An example of using the **If . . . Then . . . Else . . . End** command appears in the second screen in Figure C-4. The program in this screen divides a number by 2 if it is even, or adds 3 to the number if it isn't. So that the program in the second screen in Figure C-4 fits all on one screen, I pressed **[alpha]** to use the colon symbol to separate two commands (instead of placing the commands on separate lines.)




FIGURE C-4:
Using the
If . . . Then . . .
Else . . . End
command.

The figure consists of two side-by-side screenshots of a TI-Nspire CX CAS calculator. Both screens show the 'PROGRAM' menu with the following structure:

PROGRAM: THENEELSE
:If CONDITION
:Then
:COMMANDS 1
:Else
:COMMANDS 2
:End
:COMMAND 3
:

PROGRAM: DIVIDE2
:Input "NUM=",N
:ClrHome:Disp N
:If fPart(N/2)=0
:Then:N/2>N
:Else:N+3>N
:End
:Disp N
:

The left screen is labeled 'Structure' and the right screen is labeled 'Example'.

Using Looping Commands

The calculator can handle three looping commands (**While . . . End**, **Repeat . . . End**, and **For . . . End**). This section describes how to use them in a program.

The While . . . End command

The structure of the **While . . . End** command appears in the first screen in Figure C-5. If the condition following the **While** command is true, the program executes the commands between **While** and **End** (Commands 1), and then returns to the **While** command to see whether the condition following it is still true. If it is, the program again executes the commands between **While** and **End** (Commands 1), and then returns to the **While** command to see whether the condition following it is still true. If the condition following the **While** command is

false, the program skips the commands between **While** and **End** (Commands 1) and then moves on to the next command in the program (Command 2).

FIGURE C-5:
Using the
While . . . End and
Repeat . . . End
commands.

<pre>NORMAL FLOAT AUTO REAL RADIAN MP EDIT MENU: [a] [b] [h] [s] PROGRAM:WHILE :While CONDITION :COMMANDS 1 :End :COMMAND 2 : :</pre>	<pre>NORMAL FLOAT AUTO REAL RADIAN MP EDIT MENU: [a] [b] [h] [s] PROGRAM:DIVWHILE :Input "NUM=",N :ClrHome:Disp N :While N>1 :If fPart(N/2)=0 :Then: N/2→N :Else: N+0.5→N :End:Disp N :End</pre>	<pre>NORMAL FLOAT AUTO REAL RADIAN MP EDIT MENU: [a] [b] [h] [s] PROGRAM:DIVREPT :Repeat N>1 :If fPart(N/2)=0 :Then: N/2→N :Else: N+0.5→N :End :Disp N :End</pre>
Structure	DIVWHILE program	DIVREPT program

To make the **While** command work, the commands appearing between **While** and **End** (Commands 1) must change the value of the variable used in the condition that follows the **While** command. If the value of this variable does not change and the condition is true, you wind up in an *infinite loop*. That is, the calculator continues to execute the **While** command until you stop it or the batteries die.



REMEMBER

If you find that your program inadvertently contains an infinite loop (or if it is just taking too long to execute the program and you'd like to stop the execution), press **[on]**. You are then confronted with the **ERROR: BREAK** error message, which gives you the option to **Quit** the execution of the program.

An example of using the **While . . . End** command appears in the second screen in Figure C-5. The program in this screen starts with the given integer *N* and divides it by 2 if it is even; if it isn't, it adds 0.5 to the *N*. The program then takes the resulting number and divides it by 2 if it is even, or adds 0.5 to it if it isn't. This process continues until the resulting number is 1. The first **End** command appearing in this program marks the end of the **If . . . Then . . . Else . . . End** command; the second marks the end of the **While . . . End** command.

The Repeat . . . End Command

The **While . . . End** and **Repeat . . . End** commands are similar, but opposite. They are similar because they have the same structure (refer to Figure C-5). And they are opposite because the **While . . . End** command executes a block of commands *while* the specified condition is true, whereas the **Repeat . . . End** command executes a block of commands *until* the specified condition is true.

In a **Repeat . . . End** command, if the condition following the **Repeat** command is false, the program executes the commands between **Repeat** and **End** and then


returns to the **Repeat** command to see whether the condition following it is still false. If it is, the program will again execute the commands between **Repeat** and **End** and then return to the **Repeat** command to see whether the condition following it is still false. If the condition following the **Repeat** command is true, the program skips the commands between **Repeat** and **End** and then moves on to the next command in the program.

Refer to the third screen in Figure C-5 for an example of using the **Repeat ... End** command. (The program in this screen is the same one described at the end of the preceding section.)

The For ... End Command

The structure of the **For ... End** command appears in the first screen in Figure C-6. When the **For** command is first encountered by your program, it assigns the variable **var** the value in **Start** and then executes the commands appearing between **For** and **End** (Commands 1). It then adds the increment **inc** to the variable **var**. If **var** is less than or equal to the value in **Stop**, the process is repeated. If it isn't, the program moves on by executing the command appearing after **End** (Command 2).

FIGURE C-6:
Using the
For ... End
command.



An example of using the **For ... End** command appears in the second screen of Figure C-6. The results of executing this program appear in the third screen in this figure. Notice the value of $A+B$ is displayed on every iteration of the For loop except the very last output is of $A-B$.

Using Branching Commands

The calculator can handle two branching commands: **Goto** and **Menu**. This section describes how to use them in a program.

Using the Goto command

The **Goto** command is used in conjunction with the **Lbl** (Label) command. The **Goto** command sends the program to the corresponding **Lbl** command. The program then executes the commands that follow the **Lbl** command. To ensure that the program knows which label (**Lbl**) to go to, be sure to give the label a one- or two-character name that consists of letters, numbers, or the Greek letter θ. The **Goto** command then refers to this name when telling the program which label (**Lbl**) to go to, as shown in Figures C-7 and C-8. The **Goto** command directs the program to a subroutine contained in the program, or terminates the program when a specified condition is satisfied. These situations are explained in the remainder of this section.

FIGURE C-7:
Using the Goto
command to
execute a
subroutine.

<pre>NORMAL FLOAT AUTO REAL RADIAN MP EDIT MENU: [a]lpha [f5] PROGRAM:GOTO :COMMANDS 1 :Lbl 0 :COMMANDS 2 :If CONDITION :Goto 0 :COMMAND 3</pre>	<pre>NORMAL FLOAT AUTO REAL RADIAN MP EDIT MENU: [a]lpha [f5] PROGRAM:GOTOSUB :Lbl 0 :Input "INT=",N :If fPart(N)≠0 :Then :Disp "ENTER INTEGER" :Goto 0 :End</pre>
Structure	Example

FIGURE C-8:
Using the Goto
command to
terminate a
program.

<pre>NORMAL FLOAT AUTO REAL RADIAN MP EDIT MENU: [a]lpha [f5] PROGRAM:GOTOZ :COMMANDS 1 :Lbl 0 :COMMANDS 2 :If CONDITION :Stop :Goto 0</pre>	<pre>NORMAL FLOAT AUTO REAL RADIAN MP EDIT MENU: [a]lpha [f5] PROGRAM:GOTOSTOP :Lbl 0 :Input A :If A≥1000 :Stop :Disp A² :Goto 0</pre>
Structure	Example

The structure for using the **Goto** command to direct the program to a subroutine contained in the program appears in the first screen in Figure C-7. The subroutine consists of the commands that are designated by Commands 2 in this screen. The program in this screen executes Commands 1, executes Commands 2, and then (if the condition following the **If** command is true), it executes Commands 2 again. It continues to re-execute Commands 2 until the condition following the **If** command is false. Then it continues with the program by executing Commands 3.

An example of using the **Goto** command to execute a subroutine appears in the second screen in Figure C-7. At the beginning of the program, the user of the program is asked to enter an integer. The program then checks to make sure an integer was entered. If an integer was not entered, the program displays the message “Enter Integer,” and then returns the user to the beginning of the program, once again asking the user to enter an integer. If an integer is entered, the program continues with the commands that come after the **If . . . Then . . . End** command appearing in this screen. The request to have the user enter an integer constitutes the subroutine in this program.



TIP

When the **Goto** command directs a program to a label (**Lbl**), that label can appear in the program either before or after the **Goto** command. If it appears after the **Goto** command, the program skips executing all commands that are between the **Goto** command and the corresponding **Lbl** command.

The structure for using the **Goto** command to terminate a program appears in the first screen in Figure C-8. In this theoretical program, the program executes Commands 1, and then it continually executes Commands 2 until the condition after the **If** command is false. The program is terminated by the **Stop** command only when the condition appearing after the **If** command is false.

An example of a program that uses the **Goto** command to terminate a program appears in the second screen in Figure C-8. The program in this screen asks the user to enter a number. If the number is less than 1,000, the program displays the square of that number and then prompts the user for another number. The program continues in this fashion until the user enters a number that is greater than or equal to 1,000.

Creating a menu

The **Menu** command is a glorified **Goto** command. It enables the program user to select an item from a menu, and then have the program execute the commands that are specific to that item. After executing the commands that are specific to the chosen item, the program can terminate, return to the menu so the user can make another selection, or continue by executing the commands in the program that appear after the commands that are specific to the chosen menu item.

The first screen in Figure C-9 illustrates the structure of a menu-driven program that terminates after executing the commands associated with the chosen menu item. If, for example, the user of this theoretical program selects ITEM A from the menu, Commands 1 are executed, and then the **Stop** command terminates the program. If the user selects QUIT from the menu, the program clears the Home screen and then terminates because it has no more commands to execute.

<pre>NORMAL FLOAT AUTO REAL RADIAN MP EDIT MENU:[a]lpha][f5] PROGRAM:MENU :Menu("MENU TITLE","ITEM A ","A,"ITEM B",B,"QUIT",C :Lbl A :COMMANDS 1:Stop :Lbl B :COMMANDS 2:Stop :Lbl C :ClrHome</pre>	<pre>NORMAL FLOAT AUTO REAL RADIAN MP EDIT MENU:[a]lpha][f5] MENU TITLE 1:ITEM A 2:ITEM B 3:QUIT</pre>
Structure	Example

FIGURE C-9:
A terminating
menu-driven
program.



REMEMBER

It is OK to leave off the right parenthesis at the end of a command in a program, because the program will take up less RAM on the calculator.



TIP

The second screen in Figure C-9 illustrates the menu that the user of the program sees. The moving busy indicator in the upper-right corner is the calculator's way of telling the user that it is waiting for a menu item to be selected.

When you create a menu-driven program, it's a common courtesy to offer QUIT as a menu item. This enables the user to quickly exit the program if he or she inadvertently selects the wrong program to execute.

The first screen in Figure C-10 illustrates the structure of a menu-driven program that returns the user to the menu after he has selected and executed a menu item. If, for example, the user of this program selects THIS from the menu, the calculator executes the commands housed in the external program named THIS, and then returns the user to the menu to make another selection. The external program named THIS is pictured, in its entirety, in the second screen in Figure C-10. If the user selects QUIT from the menu, the program clears the Home screen and terminates because there are no more commands in the program for it to execute.

<pre>NORMAL FLOAT AUTO REAL RADIAN MP EDIT MENU:[a]lpha][f5] PROGRAM:THISTHAT :Lbl 0 :Menu("THIS THAT","THIS",A ,"THAT",B,"QUIT",C) :Lbl A:Pr9mTHIS: :Goto 0 :Lbl B:Pr9mTHAT: :Goto 0 :Lbl C :ClrHome</pre>	<pre>NORMAL FLOAT AUTO REAL RADIAN MP EDIT MENU:[a]lpha][f5] PROGRAM:THIS :ClrHome :Disp "THIS" :Output(7,3,"PRESS ENTER") :Output(8,3,"TO CONTINUE") :Pause</pre>
Structure	Called program

FIGURE C-10:
A menu-driven
program that
returns the user
to the menu.



TIP

When you create a menu-driven program that repeatedly returns the program user to the menu, it's wise to supply the program with a means of terminating itself. Adding a QUIT option to the menu is an easy way to do so.

Stopping a Program

To stop a program while it is executing, press **[on]**. You are then confronted with the **ERROR: BREAK** error message that gives you the option to **QUIT** the execution of the program.

The control command **Stop** is added to a program when you want to terminate the program before it reaches the end. It is illustrated in Figure C-8 and in the first two screens of Figure C-9.


Placing the **Stop** command at the end of a program isn't necessary. The program automatically terminates execution when it reaches the last command.

Pausing a Program

When a program is executed, the output from the program is displayed quickly on the Home screen or in a graphing window. Sometimes it is necessary to pause the program so that the program user has time to view the results of a program output.

The **Pause** command temporarily suspends the execution of a program so that the user can see the program output. The execution of the program is resumed when the program user presses **[enter]**, as in the program in the second screen in Figure C-10. The program output appears in Figure C-11. The moving busy indicator in the upper-right corner of Figure C-11 tells the program user that the program is waiting for the user to press **[enter]** to resume execution of the program.

FIGURE C-11:
A paused
program.



Because most program users don't realize that they must press **[enter]** to resume the execution of a paused program, I like to precede the **Pause** command in the program with the reminder that the user must "press enter to continue," as illustrated in the second screen in Figure C-10. The consequence of doing this appears in Figure C-11.

Executing an External Program as a Subroutine

It's quite easy to have a program call and execute another program saved on your calculator, and then return to the original program to complete its execution of that program. One command accomplishes the processes of calling, executing, and returning: the **prgm** command (accessed by pressing **prgm****alpha****[x]**). The name of the program being called is placed directly after the command, as shown in the two screens in Figure C-10. Notice that there is no space between the command **prgm** and the name of the program.

After the externally called program is executed, the calling program continues to execute the commands that follow the **prgm** command *provided that* the externally called program does not encounter the **Stop** command. This command terminates both the called and calling programs. As an example, if the program GOTOSTOP in the second screen in Figure C-8 is called by your program, then when the program user enters a number greater than or equal to 1,000, both the calling and called programs terminate.

If you want the externally called program to return control to the calling program *before* it completes its execution, you do so by putting the **Return** command in the appropriate place in the externally called program. As an example, consider the program GOTORTRN appearing in Figure C-12. GOTORTRN is simply the program GOTOSTOP (second screen in Figure C-8) with the **Stop** command replaced by the **Return** command. If your program calls GOTORTRN, then when the program user enters a number greater than or equal to 1,000, the GOTORTRN program is terminated and the calling program continues to execute.



The image shows a calculator screen with the following display:

NORMAL FLOAT AUTO REAL RADIAN MP
EDIT MENU: [a]lpha [f5]

PROGRAM: GOTORTRN

```
:Lbl1 0
:Input A
:If A≥1000
:Return
:Disp A^2
:Goto 0
```

FIGURE C-12:
Using the **Return** command in a
called program.



REMEMBER

If a program containing a **Stop** command is called by another program, that command may terminate the execution of *both* programs. If the **Stop** commands in the called program are replaced with the **Return** command, then after the called program is executed, program control returns to the calling program.

IN THIS CHAPTER

- » **Creating, editing, and deleting Python programs**
- » **Editing a Python program on the calculator**
- » **Executing Python programs on the calculator**
- » **Managing a Python program**

Appendix D

Introducing Python Programming

Python is a popular programming language. If you have the TI-84 Plus CE Python edition calculator, then the Python app is already installed. If you have the TI-84 Plus or TI-84 Plus CE, you are out of luck. The Python app can't be installed on either of those calculators.

To open the Python app, press `prgm`, as shown in the first screen in Figure D-1. Press `2` to choose the Python app.

Getting to Know the Workspaces

The Python app has three different workspaces:

- » **File Manager:** This workspace lists all of the available programs and allows you to manage programs by copying, renaming, or even deleting the programs. This is the first screen you see when you open the Python app.



TIP

Located at the bottom of the screen in all three workspaces is a menu bar with shortcut keys, as shown on the second screen in Figure D-1. To activate the on-screen buttons, just press the corresponding key on the keypad directly beneath the on-screen key you want to activate. These keys help you navigate the workspaces.

» **Editor:** The Editor workspace is where you can write and edit programs. Here you see the coding of the program. You can use the menus to insert commands, strings, operators, and even code blocks. One of my favorite parts of Python programming is that everything is color-coded, which eliminates the need for a lot of the extra punctuation that other languages require.

» **Shell:** This workspace is where you run the programs. You can use the Shell prompt, >>>, to test out a line of code, as shown in the third screen in Figure D-1.

FIGURE D-1:
The three workspaces.



Creating a Python program on the calculator

To create a Python program on your TI-84 Plus CE Python edition calculator, follow these steps:

1. Press **prgm** **2** to open the Python app.
2. Press **zoom** to activate the on-screen shortcut key for NEW.
3. Enter the name of the example program, PRINT.

Notice the cursor is in ALPHA lock as shown in the first screen in Figure D-2. In ALPHA mode, press the keys that correspond to the green letters shown above each key. Be sure to follow the allowed naming conventions listed on the screen. The names of programs must be written in all capital letters.



TIP

Once you have named a Python program, any changes that you make to the program are automatically saved! No need to remember to save your program after making changes in the editor workspace!

4. Press **graph** to activate the on-screen OK shortcut key.



FIGURE D-2:
The PRINT program.

5. Press **Fn** to activate the on-screen Fns key, then press **↓** to see the I/O drop-down menu.

See the second screen in Figure D-2.

6. Press **enter** to insert the print command.

Notice the cursor is not in alpha mode.



TIP

Press **alpha** repeatedly to toggle the insert cursor between lowercase letters (a), capital letters (A) and non-alpha letters (_). To lock the insert cursor in alpha mode, press **2nd alpha**.

7. Press **alpha +** to insert the quotes (").

Using quotes indicates that we are entering a string and the color of the lettering changes to green.

8. Press **alpha alpha ↴** to enter a capital letter H.

After pressing **alpha** twice, a **A** icon appears near the battery icon in the top right of the screen. This icon shows that you are about to type a capital letter in alpha mode.

9. Press **2nd alpha** to lock the insert cursor in alpha mode and enter the rest of the letters to type the word Hello.

10. Press **+** to insert the quotes ("') while in alpha mode.

As shown in the third screen in Figure D-2.

Running a Python program on the calculator

You can use the five keys at the top of your keyboard to activate the on-screen buttons found at the bottom of the screen. If you are in the editor, simply press **trace** to activate the RUN on-screen button, as shown in the first screen in Figure D-3. A program runs in the Shell workspace. It is easy to recognize that you are in the Shell workspace because you will notice the shell prompt, **>>>**, on the screen.




FIGURE D-3:
The Shell workspace.



TIP

Feel free to test out some Python commands using the Shell prompt. Think of it like a playground where you can try out Python expressions to see what they do. You can even evaluate expressions using the Shell prompt, as shown in the second screen in Figure D-3.



TIP

Pressing `graph` accesses the character palette as shown in the third screen in Figure D-3. Use `graph` to navigate your cursor over the desired character. Press `enter` to insert the character at the top of the screen. When you are finished, press `graph` to paste the string of characters into your program.

Managing a Python Program in your Calculator

If you are in the Editor workspace or the Shell workspace, you can press `graph` to activate the on-screen Files button. This brings you to the File Manager workspace, as shown in the first screen in Figure D-4. Here you will find a list of all the Python programs on your calculator.



FIGURE D-4:
Managing a Python program.

First, use `▲▼` to place your cursor next to the program you would like to manage. Press `graph` to activate the on-screen Manage button, as shown in the second screen in Figure D-4. Here you will have three options to manage your selected Python program file:

- » **Replicate Program:** To make another copy of a program, just enter a new name and the program will be replicated.
- » **Delete Program:** Just in case you were having second thoughts about deleting your selected program, you are given a chance to confirm, as shown in the third screen in Figure D-4. Follow the on-screen prompts to go through with deleting the program.
- » **Rename Program:** To rename a program, just enter a new name and the program will update the name in the alphabetical list of programs.

The file manager also gives you the option to quit the program by pressing `5` to quit the Python app.



TIP

Press `2nd mode` to quit the Python app. When the prompt asks if you are sure you want to quit, just press `graph` to activate the on-screen OK button.

IN THIS CHAPTER

- » Using input commands in a program
- » Understanding the three data types
- » Using conditional commands to create a menu
- » Saving time using the Tools menu

Appendix E

Mastering the Basics of Python Programming

Let's start with the basics. Input is when the program requests information from the program user. There are three data types that can be collected: strings, floats, and integers. The best way to understand the differences in the different data types is to see how they are used in simple programs.

Using Input Commands in a Python Program

Open up the Python app and create a new program by following these steps:

1. Press `prgm` **2** to open the Python app.
2. Press `zoom` to activate the on-screen shortcut key for NEW.
3. Enter the name of the program, NAME.
4. Press `graph` to activate the on-screen OK shortcut key.

5. Enter the variable **n**.

Instead of pressing **alpha****log** to type **n**, press **window** to use the on-screen text selector, as shown in the first screen in Figure E-1.

6. Use the on-screen text selector to enter the equals sign, then press **graph** to paste the characters into the program.

See the second screen in Figure E-1. The equals sign is an assignment operator. Everything to the right of the equals sign will be assigned to the variable **n**.

7. Press **Y=** to activate the on-screen Fns key, then press **4** to see the I/O drop-down menu.

8. Press **enter** to insert the **Input** command, as shown in the third screen in Figure E-1.



FIGURE E-1:
The On-screen
Text Selector.

Accessing the on-screen text selector

Pasting text

Inserting the Input command

9. Use **alpha** or press **window** to use the on-screen text selector to enter "What is your name?".

Press **alpha** repeatedly to toggle between lower and upper case letters. See the first screen in Figure E-2.



FIGURE E-2:
Inputting a string.

Entering the prompt

Displaying the output

Running the program

10. Press **Y=** **1** **2** **3** **4** **5** **6** **7** **8** **9** **0** **enter** to insert the Print command and enter "Hello". Then press **4** followed by the letter **n**.

See the second screen in Figure E-2.

11. Press **trace** to run the program, enter your name, and press **enter**.

See the third screen in Figure E-2.

This NAME program collects the variable **n** as a string. In Python programming, addition, multiplication and division are the only mathematical operations that can be performed on a string. However, the program output may not behave like you expect! In the first screen in Figure E-3, I changed the code of the program to output **n+n+3*n**. I ran the program and entered my name using only numbers. Because the variable was entered as a string, the output is not 2500. Instead, the output is the string repeated five times, as shown in the second screen in Figure E-3.




FIGURE E-3:
Mathematical operations on a string.



TIP

When entering code it is easy to make a mistake. If you press **del**, the character before your cursor is deleted. If you press **clear**, the whole line is cleared. But what if you accidentally press **clear** instead of **del**? Fortunately, if you are in the editor, you can press **zoom** to activate the Tools menu and choose Undo Clear, as shown in the third screen in Figure E-3.

If you want to input a variable as an integer, press **Y=** **1** **2** **3** **4** and choose integer in the Type drop-down menu, as shown in the first screen in Figure E-4. The second screen in Figure E-4 shows the code for an area of a parallelogram program. When using the **Int** command, you are restricting the input to an integer. If you input a decimal when running the program, you will get a Value error message. The third screen in Figure E-4 shows the result of running the program.

FIGURE E-4:
Using the integer data type.

Using the Int command AREA program Result

Given the choice of inputting an integer or a float, I always choose **Float**, which is the more flexible command. However, **Float** is an imprecise data type that produces some unexpected results. In the first screen in Figure E-5, I changed the **Int** command to **Float**. When I ran the AREA program, it produced a similar result when I entered integers. Notice the calculated value shows the tenths digit as zero, as shown in the second screen in Figure E-5. The third screen in Figure E-5 shows the result of multiplying two values with decimals. The exact answer is 8.1055, but using the **Float** command produces a result of 8.10549999999999. If you have ever solved a problem using the graph, you might be familiar with this type of imprecision.

FIGURE E-5:
Using the float data type.

Using the Float command Result using integers Result using decimals

Using decision commands

To create a program that has a menu of choices, we will use conditional commands. In Python, there are a number of preset conditional commands to choose from. When using a conditional command, you will need to make use of operators. The first screen in Figure E-6 shows the available operators. Press **2nd[math]** to access the operators menu. As you can see in the operators menu, a single equals sign means *store*, but two equals signs in a row means *equal*. Here are three of the most commonly used conditional commands explained:

» **If:** Found in the Ctl drop-down menu, shown in the second screen in Figure E-6. An **If** statement checks to see if the inputted value meets the



TIP

specified condition. When the condition is met, the commands following an **If** statement are executed.



TIP

Python uses indentation (instead of curly brackets) to follow conditional commands. If you choose the conditional command from the menu, the indentations are automatically inserted into your program on the line following the conditional command, as shown in the third screen in Figure E-6.

» **Elif:** This conditional command stands for *else if*. If the previous command wasn't true, then try this condition next. See the first screen in Figure E-7.

Press **Y****Elif****9** in the editor to access Elif command in the Ctl menu. Be sure to delete any indentation before inserting the Elif command!

Some familiar commands look different in a Python program! Pressing the caret key to get an exponent doesn't produce the \wedge symbol. Instead, the carat key produces two multiplication signs in a row, as shown in the first screen in Figure E-7.

» **Else:** This conditional command executes only when the previous conditions were not met. See the second screen in Figure E-7.

The figure consists of three side-by-side screenshots of a Python editor window titled 'EDITOR: AREA'.

- Accessing the operators:** Shows code using the **if** statement with various operators: `1:x==y`, `2:x==y equal`, `3:x!=y not equal`, `4:x>y`, `5:x>=y`, `6:x<y`, `7:x<=y`, `8:and`, `9:or`, `0:not`. The **Esc** key is shown at the bottom.
- Using the Ctl menu:** Shows code using the **Elif** command. The code includes `if ..`, `2:if .. else ..`, `3:if .. elif .. else ..`, `4:for i in range(size):`, `5:for i in range(start,stop):`, `6:for i in range(strt,stp,step):`, `7:for i in list:`, `8:while condition:`, `9:elif :`, `0:else:`. The **Esc** key is shown at the bottom.
- Using If statements:** Shows a program for calculating area. The code includes `print("1. area parallelogram")`, `print("2. area circle")`, `m=float(input("1 or 2 ? "))`, `if m==1:`, `.. b=float(input("base ?"))`, `.. h=float(input("height ?"))`, `.. print("area = ",bh)`, `elif m==2:`, `.. r=float(input("radius ?"))`, `.. print("area = ",3.14*r**2)`. The **Esc** key is shown at the bottom.

FIGURE E-6:
Using If statements.

Accessing the operators

Using the Ctl menu

Using If statements

Nothing is more satisfying than running your program and seeing that it works as expected. See the third screen in Figure E-7.

The figure consists of three side-by-side screenshots of a Python shell and editor window titled 'EDITOR: AREA' and 'PYTHON SHELL'.

- Using the Elif command:** Shows code for calculating area using the **Elif** command. The code includes `print("1. area parallelogram")`, `print("2. area circle")`, `m=float(input("1 or 2 ? "))`, `if m==1:`, `.. b=float(input("base ?"))`, `.. h=float(input("height ?"))`, `.. print("area = ",bh)`, `elif m==2:`, `.. r=float(input("radius ?"))`, `.. print("area = ",3.14*r**2)`. The **Esc** key is shown at the bottom.
- Using the Else command:** Shows code for calculating area using the **Else** command. The code includes `print("1. area parallelogram")`, `print("2. area circle")`, `1 or 2 ? 2`, `radius ?`, `area = 153.86`. The **Esc** key is shown at the bottom.
- Running the AREA program:** Shows the output of the program in the Python shell. The output includes `>>> # Shell Reinitialized`, `>>> # Running AREA`, `>>> from AREA import *`, `1. area parallelogram`, `2. area circle`, `1 or 2 ? 2`, `radius ?`, `area = 153.86`, `>>> |`. The **Esc** key is shown at the bottom.

FIGURE E-7:
Conditional commands.

Using the Elif command

Using the Else command

Running the AREA program

Using the Tools menu to save time

Some of my favorite computer shortcuts are the one that give me the opportunity to cut, copy, paste, and of course undo. The Tools menu in Python allows you to access these shortcuts when using your calculator! Full disclosure: Your choices on the calculator are more limited than the corresponding computer commands. Regardless, the Tools menu will save you both time and effort. Press `zoom` in the editor to access the Tools menu. Here are my favorite shortcuts:

- » **Undo Clear:** Pressing `clear` deletes the whole line of code, while pressing `del` only deletes one character. If you didn't mean to clear the whole line of code and want to restore the line, just choose Undo Clear from the Tools menu, as shown in the first screen in Figure E-8.
- » **Indent:** You can tell if a line is indented if there are two dots before the commands. Choosing Indent adds an indent to the selected line and choosing Indent removes the indent from the selected line.
- » **Cut Line:** Choosing this tool removes the text from the selected line and automatically stores the line in the clipboard. From there, the line can be pasted in your desired location.
- » **Copy Line:** Choosing this tool copies the text from the selected line into the clipboard. From there, the line can be pasted in your desired location.
- » **Paste Line Below:** This tool inserts a line of code from your clipboard into the line below where the cursor is found.



TIP

After running a program you are in the Shell of the Python app. Pressing `zoom` accesses the Tools menu. A handy option in this menu is Rerun Last Program. See the second screen in Figure E-8 to see the available commands in this Tools menu.



FIGURE E-8:
The Tools menu.

Tools menu in Python editor

Tools menu in the shell

Index

Symbols and Numerics

{ (brackets), 102
/ (division sign), 26
 Δ Tbl, 123–124
 ΔX , 99
1-Var Stats Wizard, 207
2nd + mode keys, 13
2-Var Stats command, 202

A

$a + bi$ mode, 20, 56–57
 $A^{-1}B$ method, 85–86
abs template, 66–67
absolute value, finding, 66–67
accessing
 Catalog Help
 about, 17
 from Math menu, 62–63
 hidden menus, 240
 MATH submenu, 63
 menus, 16
 NUM submenu, 66
 Python app, 281
 shortcut menus, 37–38
 Window menu, 261
activating functions, 247
adding matrices, 82
adjusting
 class size of histograms, 196
 color
 of functions, 265
 settings for, 100–102
 of text on graphs, 265–266
graph style for functions, 265
graph window, 97–99
graphing windows, 160
 about, 160
 using Zoom, 168

line settings, 100–102
mode, 156, 164, 240, 245
TraceStep, 113
alpha key, 12–13
ALPHA lock, 47, 282
Alpha mode, 12–13
analyzing statistical data, 193–207
Angle function, 59
Angle menu
 about, 69–70
 converting
 between degrees and DMS, 72
 degrees to radians, 70–71
 polar coordinates, 73–74
 radians to degrees, 71
 rectangular coordinates, 73–74
 entering angles in DMS
 measure, 72
 overriding mode of angles, 73
angles
 entering
 in degrees in Radian mode, 245
 in DMS measure, 72
 overriding mode of, 73
Animated style, 101–102
Answers setting, 20
approximation, 112
archive memory, 232
ARCHIVE menu, 234
archiving, to preserve memory, 232–233
arguments, entering for menu
 functions, 244
arithmetic
 about, 25
 combining expressions, 33
 entering expressions, 25–27
 evaluating expressions, 25–27
 exponents, 27–28
 keys, 29–30
 in matrices, 81–83
order of operations, 30–31, 243–244
roots, 27–28
scientific notation, 28–29
storing variables, 32–33, 241
using previous answer, 31–32
arrow keys, 12, 13
assigning values to variables, 44–45
augmenting matrices method, 87–88
AUTO mode, 36
automatically generated tables, 120–121
Axes option, 94

B

Background option, 95
backgrounds, inserting images as, for graphs, 227–228
backlit screen, 9
battery, 9–11
binomial theorem, 177–178
blue functions, 12
Boolean logic, 74
border, on graph screen, 9
BorderColor option, 95
bounds, for solutions, 46–47
box plots
 about, 193–194
 constructing, 197
 tracing, 199
box-with-whiskers, 193–194
brackets ({}), 102
branching commands, 274–277
Busy indicator, 14

C

CALC menu, 127, 128–129, 137
Calculator Explorer workspace, 213, 217, 228–229

calculators. *See also* TI-84 Plus CE graphing calculator

communicating between, 221–225

connecting PC to, 214–215

creating Python programs on, 282–283

finding values of functions using, 129–130

linking, 221–222

managing Python programs in, 284–285

resetting, 233–234

running Python programs on, 283–284

troubleshooting, 252

using to compose functions, 131

Catalog Help

- accessing
- about, 17
- from Math menu, 62–63
- using, 22–23
- viewing syntax of functions using, 244

changing

- class size of histograms, 196
- color
 - of functions, 265
 - settings for, 100–102
 - of text on graphs, 265–266
- graph style for functions, 265
- graph window, 97–99
- graphing windows, 160
 - about, 160
 - using Zoom, 168
- line settings, 100–102
- mode, 156, 164, 240, 245
 - TraceStep, 113
- characters, inserting/overtyping, 15
- charging battery, 9–11
- Cheat Sheet (website), 3
- checking available memory, 231–232
- class interval, 196
- class size, 196
- Classic mode, 18–22
- clear key, 13
- clearing
 - contents of Home screen, 14
 - INEQY list, 152

INEQY list, 152

tables, 123–124

ClrHome I/O command, 266–267

CMPLX submenu, 58–60, 62

coefficients, 50–51

color adjustments

- for functions, 265
- settings for, 100–102
- for text on graphs, 265–266

color enhancement (CE), 8

COLOR menu, 265–266

combinations (nCr), 176–177

combining expressions, 33

commands

- For, 274
- ClrHome I/O, 266–267
- Disp, 261, 262–263, 266
- Elif, 291
- Else, 291
- End, 272–274
- FnOff, 264
- For...End, 274
- GarbageCollect, 236
- GET, 259
- Goto, 269, 275–276
- GraphColor, 265
- GraphStyle, 265
- If, 270–271, 275–276, 290–291
- If...Then...Else...End, 272
- If...Then...End, 271
- Input, 260–261
- Lbl, 275–276
- Menu, 276–277
- Output, 262, 263–264, 266
- Pause, 278
- PlotsOff, 264
- prgm, 279
- Prompt, 260, 261
- rand, 180–181
- randInt, 179
- randIntNoRep, 180
- Repeat, 273–274
- Repeat...End, 273–274
- Return, 279
- SetUpEditor, 189
- Stop, 278, 279

Text, 265–266

TextColor, 265–266

2-Var Stats, 202

value, 129

While, 272–273

While...End, 272–273

ZBox, 117–118

ZDecimal, 115

ZFrac1/2, 118

ZFrac1/3, 119

ZFrac1/4, 119

ZFrac1/5, 119

ZFrac1/8, 119

ZFrac1/10, 119

ZInteger, 117

Zoom In, 115, 117

Zoom Out, 115, 117

ZoomFit, 116, 245

ZoomStat, 116

ZQuadrant1, 115–116

ZSquare, 116–117

ZStandard, 115, 264

ZTrig, 115, 245

commas, in numbers, 26

communicating

- between calculators, 221–225
- with PCs, 211–219

comparing numbers, 74–75

complex fractions, entering, 39

complex numbers

- about, 55
- entering
 - about, 56–57
 - in fractions, 39
- finding
 - conjugates of, 59
 - magnitude (modulus) of, 60
 - polar angles of, 59
 - real/imaginary parts of, 59
- interpreting results, 57–58
- setting mode, 55–56
- using CMPLX menu, 58–60

computers

- calculator programming on, 258
- communicating with, 211–219

conditions, 77

Conditions menu, 77
Conj function, 59
conjugates, finding of complex numbers, 59
contrast
 decreasing, 11
 increasing, 11
 setting, 246
control commands, entering in programs, 270
converting
 between decimals and fractions, 63–64
 decimals to fractions, 36–37, 239
 between degrees and DMS, 72
 degrees to radians, 70–71
 fractions, 36–37
 polar coordinates, 73–74
 radians to degrees, 71
 rectangular coordinates, 73–74
Coordff option, 94, 112
CoordOn option, 94, 198
Copy Line shortcut (Tools menu), 292
copying and pasting
 about, 15–16
 as an essential skill, 239
copying data lists, 188–189
creating
 box plots, 197
 calculator programs, 255–258
 functions, 130–131
 histograms, 194–196
 menus, 276–277
 Python programs on calculator, 282–283
 random decimals, 180–181
 random integers
 about, 179
 with no repetition, 180
 random numbers, 179–182
critical points, graphing derivatives to find, 138
cubing/cube roots, 64
Cut Line shortcut (Tools menu), 292

D

data points, storing, 151–152
deactivating functions, 246–247
Dec function, 36–37, 64
DEC mode, 36
decimals
 converting
 about, 36–37
 to fractions, 239
 between fractions and, 63–64
 generating random, 180–181
decision commands, 270–272, 290–291
decreasing contrast, 11
definite integrals, evaluating, 136–137
Degree mode, 19, 21, 73, 107, 108, 164, 245
degrees
 converting
 between DMS and, 72
 to radians, 70–71
 radians to, 71
 entering angles in, in Radian mode, 245
degrees, minutes, and seconds (DMS), 72
del key, 13
deleting
 entries, 14
 lists, 244–245
 matrices, 81
 to preserve memory, 232–233
 programs, 258, 285
 statistical data, 185–186
ΔTbl, 123–124
ΔX, 99
derivatives
 graphing to find critical points, 138
 taking of parametric equations, 162
 taking of polar equations, 170–171
deselecting functions, 97
design, 9
Detect Asymptotes option, 95

determinants, evaluating, 84–85
Disp command, 261, 262–263, 266
displaying
 complex results in polar/rectangular form, 60
 functions in tables, 120–123
 graphs using programs, 264
division sign (/), 26
Dot-Thick mode, 19–20
Dot-Thin mode, 19–20
downloading TI Connect CE Software, 212
drawing
 inverse of functions, 140
 tangent of functions, 141

E

e key, 29
editing
 entries, 14–15
 equations, 42–43
 functions in tables, 123
 programs, 257
 statistical data, 185–186
Editor workspace, 282
Elif command, 291
Else command, 291
End command, 272–274
Engineering (Eng) mode, 18–19
enter key, 13
entering
 angles
 in degrees in Radian mode, 245
 in DMS measure, 72
 arguments for menu functions, 244
 complex fractions, 39
 complex numbers
 about, 56–57
 in fractions, 39
 control commands in programs, 270
 equations, 42–43
 expressions, 25–27

entering (*continued*)

- fractions, 38
- functions, 92–93, 146–148
- identity matrix, 85
- imaginary numbers, 240
- inequalities, 146–148
- matrices, 80
- mixed numbers, 38
- parametric equations, 157–158
- polar equations, 165–166
- scalar multiples, 82
- statistical data
 - about, 183–185
 - using formulas, 187–188
- entries
 - deleting, 14
 - editing, 14–15
- Equation Solver, 42
- equations
 - about, 41
 - assigning values to variables, 44–45
 - editing, 42–43
 - entering, 42–43
 - finding multiple solutions, 45–47
 - Numeric Solver, 41–44
 - parametric
 - about, 155
 - changing mode, 156
 - changing window using Zoom, 160
 - entering, 157–158
 - evaluating using Trace, 160–161
 - graphing, 159
 - selecting graph style, 156–157
 - setting window, 158–159
 - taking derivatives of, 162
 - viewing tables of parametric graphs, 161
 - PlySmlt2 app, 48–51
 - polar
 - about, 163–164
 - changing mode, 164
 - changing windows using Zoom, 168
 - entering, 165–166
 - evaluating using Trace feature, 169
- graphing, 167–168
- selecting graph style, 165
- setting window, 166–167
- taking derivatives of, 170–171
- viewing tables of polar graphs, 170
- Solve function, 47–48
- solving
 - about, 41
 - assigning values to variables, 44–45
 - finding multiple solutions, 45–47
 - by graphing, 139–140
 - Numeric Solver, 41–44
 - PlySmlt2 app, 48–51
 - Solve function, 47–48
 - system of equations, 50–51, 85–88
 - equivalent expressions, testing, 75–76
- ERROR: ARCHIVE FULL error message, 236
- ERROR: ARGUMENT error message, 244, 249
- ERROR: BAD GUESS error message, 250
- ERROR: DIMENSION MISMATCH error message, 82, 245–246, 250
- ERROR: DIVIDE BY ZERO error message, 250
- ERROR: DOMAIN error message, 83
- ERROR: INVALID DIMENSION error message, 83, 84, 97, 251
- ERROR: INVALID error message, 250
- error messages
 - common, 243–247, 249–252
 - ERROR: ARCHIVE FULL, 236
 - ERROR: ARGUMENT, 244, 249
 - ERROR: BAD GUESS, 250
 - ERROR: DIMENSION MISMATCH, 82, 245–246, 250
 - ERROR: DIVIDE BY ZERO, 250
 - ERROR: DOMAIN, 83
 - ERROR: INVALID, 250
 - ERROR: INVALID DIMENSION, 83, 84, 97, 251
 - ERROR: NO SIGN CHNG, 44, 251
 - ERROR: NONREAL ANSWERS, 55
- ERROR: SINGULAR MATRIX, 83, 86, 251
- ERROR: STATE, 196
- ERROR: SYNTAX, 243, 251
- ERROR: WINDOW RANGE, 98, 246, 251
- ERROR: NO SIGN CHNG error message, 44, 251
- ERROR: NONREAL ANSWERS error message, 55
- ERROR: SINGULAR MATRIX error message, 83, 86, 251
- ERROR: STATE error message, 196
- ERROR: SYNTAX error message, 243, 251
- ERROR: WINDOW RANGE error message, 98, 246, 251
- evaluating
 - definite integrals, 136–137
 - determinants, 84–85
 - expressions, 25–27
 - factorials, 175–176
 - functions, 127–141
 - matrix operations, 84–85
 - parametric equations using Trace feature, 160–161
 - polar equations using Trace feature, 169
- executing
 - external programs as subroutines, 279
 - programs, 257–258
- exponents, 27–28
- expressions
 - combining, 33
 - entering, 25–27
 - evaluating, 25–27
 - testing equivalent, 75–76
- ExprOff option, 94–95, 112
- ExprOn option, 94–95, 198

F

factorials, evaluating, 175–176

File Manager workspace, 281

files

- resending, 224–225
- transferring, 215–217, 222–224
- types, 229

finding
absolute value, 66–67
conjugates of complex numbers, 59
fractional parts of values, 67
greatest common divisor, 68
imaginary parts of complex numbers, 59
integers, 67
intersection points, 242
inverse of matrices, 83
least common multiple, 68
location of maximum/minimum values, 64–65
magnitude (modulus) of complex numbers, 60
maximum point on graphs, 133–134
maximum values in lists of numbers, 67–68
minimum point on graphs, 133–134
minimum values in lists of numbers, 67–68
multiple solutions, 45–47
points of intersection, 134–135, 149–151
polar angles of complex numbers, 59
real parts of complex numbers, 59
remainders, 68
roots of polynomials, 48–50
slope of a curve, 135–136
values of functions, 128–130
zeros of functions, 132–133
Float 0123456789 setting, 19
flow, program, 269–279
fMax function, 64–65
fMin function, 64–65
fnInt template, 65
FnOff command, 264
For command, 274
For . . . End command, 274
Format menu, 93–96, 112
formatting graphs, 93–96
formulas, entering statistical data using, 187–188
fPart function, 67

Frac function, 36–37, 63
FRAC menu, 37–38, 61, 240
Fraction Type setting, 20
fractions
about, 35
accessing shortcut menus, 37–38
converting
about, 36–37
decimals, 36–37
between decimals and, 63–64
decimals to, 239
entering
about, 38
complex, 39
complex numbers in, 39
mixed numbers, 38
improper, 36
setting mode, 35–36
free-moving trace, 112
Full mode, 20
FUNC menu, 37–38, 240
Function mode, 19, 114, 165
functions
about, 111, 127
activating, 247
automatically generated tables, 120–121
blue, 12
changing
color for, 265
graph style for, 265
TraceStep, 113
clearing tables, 123–124
composing, 130–131
deactivating, 246–247
deselecting, 97
displaying in tables, 120–123
drawing
inverse of, 140
tangents of, 141
editing in tables, 123
entering, 146–148
evaluating, 127–141
evaluating definite integrals, 136–137
finding

maximum, 133–134
minimum, 133–134
points of intersection, 134–135
slopes of curves, 135–136
values of, 128–130
zeros of, 132–133
graphing (See also graphing)
about, 241
with active stat plots, 245–246
derivatives, 138
families of, 102–105
moving Trace cursor in graphing window, 113–114
panning in Function mode, 114
preset parent, 104
recalling graph windows, 119–120
selecting, 97
solving equations by graphing, 139–140
storing graph windows, 119–120
tracing graphs, 112–114
undoing zooms, 119
user-generated tables, 122
using Zoom commands, 114–120
viewing tables and graphs on same screen, 124–126

G

garbage collection, 236
GarbageCollect command, 236
gcd function, 68
generating
box plots, 197
calculator programs, 255–258
functions, 130–131
histograms, 194–196
menus, 276–277
Python programs on calculator, 282–283
random decimals, 180–181
random integers
about, 179
with no repetition, 180
random numbers, 179–182
GET command, 259
“Go to 2nd Format Graph” mode, 21

Goto command, 269, 275–276
GraphColor command, 265
graphing windows
adjusting
about, 97–99, 160
using Zoom, 168
moving Trace cursor in, 113–114
recalling, 119–120
setting
for graphing, 246
in Parametric mode, 158–159
in Polar mode, 166–167
storing, 119–120
graphs/graphing
about, 91, 96
adjusting
color/line settings, 100–102
graph window, 97–99
style of graphs for functions, 265
text color on graphs, 265–266
border on graph screen, 9
derivatives to find critical points, 138
deselecting functions, 97
displaying using programs, 264
entering functions, 92–93
families of functions, 102–105
finding
maximum points on, 133–134
minimum points on, 133–134
values of functions using, 128–129
formatting graphs, 93–96
functions
about, 241
with active stat plots, 245–246
inequalities (See inequalities)
inserting images as backgrounds for, 227–228
one-variable inequalities, 143–145
parametric equations, 159 (See also parametric equations)
pausing graphs, 99
piecewise functions using template, 105–107
polar equations, 167–168 (See also polar equations)

regression models, 204
residual plots, 205
scatter plots, 242
selecting
functions, 97
graph style, 156–157, 165
setting windows for, 246
solving equations by, 139–140
starting inequality, 145–146
stopping graphs, 99
tracing, 112–114
trigonometric functions
about, 107–108
in Degree mode, 245
turning off Stat Plots, 96–97
using to compose functions, 130–131
viewing
functions and graphs on same screens, 108–109
on same screens as tables, 124–126
GraphStyle command, 265
Graph-Table mode, 20, 125
greatest common divisor, 68
greatest-integer function, 67
GridColor option, 94
GridDot option, 94
GridLine option, 94, 102–104
GridOff option, 94
grouping programs, 234–236
guessing
solutions, 43
strategic guesses, 45–46

H

histograms
adjusting class size of, 196
constructing, 194–196
tracing, 198
Home screen
about, 14
using statistics commands on, 207
Horizontal mode, 20
housekeeping, 266–267

I
icons, explained, 3
identity matrix, entering, 85
If command, 270–271, 275–276, 290–291
If...Then...Else...End command, 272
If...Then...End command, 271
Imag function, 59
images
about, 227
inserting as background for graphs, 227–228
transferring using TI Connect CE Software, 228–229
using Quick Plot & Fit Equation, 229–230
imaginary number (*i*), 58, 240
improper fractions, 36
increasing contrast, 11
Indent shortcut (Tools menu), 292
inequalities
about, 143
clearing INEQX and INEQY lists, 152
entering
functions and, 146–148
in X= editor, 147–148
in Y= editor, 146–147
exploring graphs, 148–151
finding points of intersection, 149–151
graphing one-variable, 143–145
quitting graphing, 153
shading unions and intersections, 149
starting graphing, 145–146
storing data points, 151–152
viewing stored data, 152
Inequality Graphing app, 145–148, 153
INEQUALITY menu, 149
INEQX list, 151–152
INEQY list, 151–152
infinite loops, 273
information screen, 11
input, controlling for programs, 259–267
Input command, 260–261

input commands, using in Python program, 287–292
inserting
 characters, 15
 data lists, 186–187
 images as backgrounds for graphs, 227–228
installing TI Connect CE Software, 212–214
int function, 67
integers
 finding, 67
 generating random, 179–180
integrals, definite, 136–137
interpreting results, 57–58
intersection points, finding, 242
intersections, shading, 149
inverse
 finding of matrices, 83
 of functions, drawing, 140
inverse function, 30
inverse trigonometric function, 29
iPart function, 67

K

keyboard, 12–13
keys
 important, 29–30
 soft, 38

L

LabelOff option, 94
LabelOn option, 94
Language setting, 21
Lbl command, 275–276
LCD backlit screen, 9
lcm function, 68
least common multiple, 68
Li-ion battery, 9
line settings, adjusting, 100–102
linear regression, performing, 242
linking calculators, 221–222
lists
 deleting, 244–245
 finding minimum/maximum values in, 67–68

logarithm templates, 66
logic, Boolean, 74
logic commands, 76
Logic menu, 70, 76
looping commands, 272–274

M

magnitude (modulus), finding of complex numbers, 60
managing
 program flow, 269–279
 program input and output, 259–267
 Python programs in calculator, 284–285
Manual Linear Fit, 205–207
Math menu
 about, 61–62
 accessing
 about, 16
 Catalog Help from, 62–63
 MATH submenu, 63–66, 244
 NUM submenu, 66–68
MATH submenu
 about, 62, 63, 176, 244
 accessing, 63
 converting between decimals and fractions, 63–64
 cubing/cube roots, 64
 finding location of maximum/minimum values, 64–65
 using numerical differentiation and integration templates, 65–66
 using summation and logarithm templates, 66
 xth root, 64
MathPrint mode, 18–22, 27–28
matrices
 A⁻¹*B method, 85–86
 about, 79
 adding, 82
 arithmetic in, 81–83
 augmenting matrices method, 87–88
 deleting, 81
 entering, 80
 evaluating determinants and operations, 84–85
finding inverse of, 83
multiplying, 82–83
raising power of, 83
solving system of equations, 85–88
storing, 81
subtracting, 82
transposing, 84
Matrix editor, 80
MATRX MATH Operations menu, 84
max function, 67–68
maximum values
 finding in lists of numbers, 67–68
 finding location of, 64–65
 finding on graphs, 133–134
mean command, 207
memory
 about, 9, 231
 archiving to preserve, 232–233
 battery and, 10
 checking available, 231–232
 deleting to preserve, 232–233
 garbage collection, 236
 grouping programs, 234–236
 resetting calculator, 233–234
 ungrouping programs, 234–236
MEMORY menu, 231–232
Menu command, 276–277
menus
 accessing
 about, 16
 hidden, 240
Angle
 about, 69–70
 converting between degrees and DMS, 72
 converting degrees to radians, 70–71
 converting polar coordinates, 73–74
 converting radians to degrees, 71
 converting rectangular coordinates, 73–74
 entering angles in DMS measure, 72
 overriding mode of angles, 73
ARCHIVE, 234
CALC, 127, 128–129, 137
CMPLX, 58–60, 62

menus (*continued*)

- COLOR, 265–266
- Conditions, 77
- creating, 276–277
- entering arguments for functions of, 244
- Format, 93–96, 112
- FRAC, 37–38, 61, 240
- FUNC, 37–38, 240
- INEQUALITY, 149
- Logic, 70, 76
- Math
 - about, 61–62
 - accessing, 16
 - accessing Catalog Help from, 62–63
 - MATH submenu, 63–66, 244
 - NUM submenu, 66–68
- MATH submenu
 - about, 62, 63, 176, 244
 - accessing, 63
 - converting between decimals and fractions, 63–64
 - cubing/cube roots, 64
 - finding location of maximum/minimum values, 64–65
 - using numerical differentiation and integration templates, 65–66
 - using summation and logarithm templates, 66
 - xth root, 64
- MATRIX MATH Operations, 84
- MEMORY, 231–232
- Mode, 17, 18–22
- MTRX, 37–38, 80, 240
- new options for, 8
- NUM submenu
 - about, 62, 66
 - accessing, 66
 - finding absolute value, 66–67
 - finding fractional parts of values, 67
 - finding greatest common divisor, 68
 - finding integers, 67
 - finding least common multiple, 68
- finding minimum/maximum values in lists of numbers, 67–68
- finding remainders, 68
- rounding numbers, 67
- using greatest-integer function, 67
- PROB, 177 (*See also* probability)
- Program Control, 270
- Program I/O, 259
- RAM, 233–234
- RAMARCHIVEALL, 233–234
- scrolling, 17
- selecting items from, 17
- Test
 - about, 69–70, 74
 - Boolean logic, 74
 - comparing numbers, 74–75
 - testing equivalent expressions, 75–76
- TESTS, 207
- Text, 16
- Tools (Python app), 292
- Window, 261
- YVAR, 37–38, 157, 240
- min function, 67–68
- minimum values
 - finding in lists of numbers, 67–68
 - finding location of, 64–65
 - finding on graphs, 133–134
- mini-USB connectors, 221
- mixed numbers, entering, 38
- mode
 - of angles, 73
 - changing, 156, 164, 240, 245
 - setting, 18–22, 35–36, 55–56
- Mode menu, 17, 18–22
- modified box plots, tracing, 199
- moving Trace cursor, 113–114
- MTRX menu, 37–38, 80, 240
- multiplying matrices, 82–83
- negative numbers, 243
- Normal mode, 18–19, 29
- NUM submenu
 - about, 62, 66
 - accessing, 66
- finding
 - absolute value, 66–67
 - fractional parts of values, 67
 - greatest common divisor, 68
 - integers, 67
 - least common multiple, 68
 - minimum/maximum values in lists of numbers, 67–68
 - remainders, 68
- rounding numbers, 67
- using greatest-integer function, 67

numbers

- commas in, 26
- comparing, 74–75
- complex
 - about, 55
 - entering, 56–57
 - entering in fractions, 39
 - finding conjugates of, 59
 - finding magnitude (modulus) of, 60
 - finding polar angles of, 59
 - finding real/imaginary parts of, 59
 - interpreting results, 57–58
 - setting mode, 55–56
 - using CMPLX menu, 58–60
- finding minimum/maximum values in lists of, 67–68
- imaginary, 240
- negative, 243
- rounding, 67
- numeric integration templates, 65–66
- Numeric Solver, 41–44
- numerical differentiation templates, 65–66

N

- n/d fraction type, 36, 57
- nDeriv template, 65, 66
- negation key (-), 26

O

- 1-Var Stats Wizard, 207
- one-variable data

analyzing, 200–201
graphing inequalities, 143–145
plotting, 193–197
operations, order of, 30–31, 243–244
order of operations, 30–31, 243–244
OS, upgrading using TI CE Bundle file, 217–219
outliers, 197
output, controlling for programs, 259–267
Output command, 262, 263–264, 266
overriding mode of angles, 73
overtyping characters, 15

P

panning, in Function mode, 114
parametric equations
about, 155
changing
mode, 156
window using Zoom, 160
entering, 157–158
evaluating using Trace, 160–161
graphing, 159
selecting graph style, 156–157
setting window, 158–159
taking derivatives of, 162
viewing tables of parametric graphs, 161
Parametric mode, 19, 156–159
parent functions, preset, 104
parentheses, 243–244
Paste Line Below shortcut (Tools menu), 292
pasting, copying and, 15–16
Path style, 101–102
Pause command, 278
pausing
graphs, 99
programs, 278
performing
linear regression, 242
regressions, 202–204
permutations (nPr), 176–177
pi (π) key, 29

piecewise functions, graphing using templates, 105–107
PlotsOff command, 264
plotting
one-variable data, 193–197
two-variable data, 197–198
PlySmlt2 app
about, 48
finding roots of polynomials, 48–50
solving systems of equations, 50–51
points of intersection, finding, 134–135, 149–151
polar angles, finding of complex numbers, 59
polar coordinates, converting, 73–74
polar equations
about, 163–164
changing
mode, 164
windows using Zoom, 168
entering, 165–166
evaluating using Trace feature, 169
graphing, 167–168
selecting graph style, 165
setting window, 166–167
taking derivatives of, 170–171
viewing tables of polar graphs, 170
polar form, displaying complex results in, 60
Polar function, 60
Polar GC, 169
Polar mode, 19, 165
PolarGC option, 94
Polynomial Root Finder, 49, 50
polynomials, finding roots of, 48–50
power, of matrices, 83
preset parent functions, 104
previous answer, using, 31–32
prgm command, 279
PROB menu, 177. *See also* probability
probability
about, 175
binomial theorem, 177–178
combinations, 176–177
evaluating factorials, 175–176

generating
random decimals, 180–181
random integers, 179
random integers with no repetition, 180
random numbers, 179–182
permutations, 176–177
seeding random number generator, 181–182
Program Control menu, 270
Program Editor workspace, 214, 258
Program I/O menu, 259
programs
controlling
flow of, 269–279
input and output, 259–267
creating, 255–258
deleting, 258, 285
displaying graphs using, 264
editing, 257
entering control commands in, 270
executing
about, 257–258
external programs as subroutines, 279
grouping, 234–236
pausing, 278
Python, 281–285
renaming, 285
replicating, 285
saving, 255–256
stopping, 278
ungrouping, 234–236
Prompt command, 260, 261
Python app
managing Python programs in calculator, 284–285
opening, 281
workspaces, 281–284
Python programming
about, 281–285
using decision commands, 290–291
using input commands, 287–292
using Tools menu, 292

Q

Quick Plot & Fit Equation feature, 229–230
quitting
 inequality graphing, 153
 Transformation app, 104–105

R

Radian mode, 19, 21, 73, 107, 158–159, 164, 245
radians
 converting degrees to, 70–71
 converting to degrees, 71
raising power of matrices, 83
RAM menu, 233–234
RAMARCHIVEALL menu, 233–234
rand command, 180–181
randInt command, 179
randIntNoRep command, 180
random access memory (RAM), 231, 232. *See also* memory
random numbers, generating, 179–182
re[^]θi mode, 20
Real mode, 20, 55–56
recalling
 data lists, 188–189
 graphing windows, 119–120
Receiving mode, 222
recovering deleted lists, 244–245
Rect function, 60
Rect GC, 169
rectangular coordinates, converting, 73–74
rectangular form, displaying complex results in, 60
RectGC option, 94
regression models
 about, 202–204
 graphing, 204
 Quick Plot & Fit Equation feature, 229–230
regressions, performing, 202–204
remainder function, 68
remainders, finding, 68
Remember icon, 3
renaming programs, 285

Repeat command, 273–274
Repeat...End command, 273–274
replicating programs, 285
RESEND feature, 224–225
resending files, 224–225
resetting calculator, 233–234
residual plots, graphing, 205
resolution, 9

results, interpreting, 57–58
Return command, 279
returning, to Home screen, 14
roots
 finding of polynomials, 48–50
 using, 27–28
round function, 67
rounding numbers, 67
R►Pr tool, 73
R►PΘ tool, 73
R►Rx tool, 73
R►Ry tool, 73
running
 Python programs on calculator, 283–284
 TI Connect CE Software, 212–214

S

saving programs, 255–256
scalar multiples, entering, 82
scatter plots
 about, 197–198
 graphing, 242
 tracing, 199
Scientific (Sci) mode, 18–19, 29
scientific notation, 28–29
Screen Capture workspace, 213
scrolling menus, 17
seeding random number generator, 181–182
selecting
 functions, 97
 graph style, 156–157, 165
 items from menus, 17
Seq mode, 19
Sequential mode, 20
Set Clock setting, 21
setting

contrast, 246
graph windows
 about, 246
 in Parametric mode, 158–159
 in Polar mode, 166–167
mode, 18–22, 35–36, 55–56
SetUpEditor command, 189
shading intersections/unions, 149
Shell workspace, 282
shortcut menus, accessing, 37–38
Sigma notation, 66
Simul mode, 20
skills, essential, 239–242
slope of a curve, finding, 135–136
soft keys, 38
solutions
 bounds for, 46–47
 finding multiple, 45–47
 guessing, 43
Solve function, 47–48
solving equations
 about, 41
 assigning values to variables, 44–45
 finding multiple solutions, 45–47
 by graphing, 139–140
 Numeric Solver, 41–44
 PlySmlt2 app, 48–51
 Solve function, 47–48
 system of equations, 50–51, 85–88
sorting data lists, 189–191
starting inequality graphing, 145–146
Stat Diagnostics setting, 20
Stat List editor, 183, 185–189
Stat Plots
 graphing functions with active, 245–246
 turning off, 96–97
Stat Wizards setting, 20
statistical data
 about, 183, 193
 adjusting class size of histograms, 196
 analyzing, 193–207
 copying data lists, 188–189
 creating

box plots, 197
histograms, 194–196
deleting, 185–186
editing, 185–186
entering
 about, 183–185
 using formulas, 187–188
graphing
 regression models, 204
 residual plots, 205
inserting data lists, 186–187
one-variable data analysis,
 200–201
performing regressions, 202–204
plotting
 one-variable, 193–197
 two-variable, 197–198
recalling data lists, 188–189
sorting data lists, 189–191
tracing plots, 198–199
two-variable data analysis,
 201–202
using Manual Linear Fit, 205–207
using statistics commands on
 Home screen, 207
Status Bar, 8, 240
STO key, 241
Stop command, 278, 279
stopping
 file transfer, 224
 graphs, 99
 programs, 278
storing
 data points, 151–152
 graphing windows, 119–120
 matrices, 81
 variables, 32–33, 241
strategic guesses, 45–46
submenus, 61–62
subroutines, executing external
 programs as, 279
subtracting matrices, 82
subtraction key (>), 26
summation templates, 66
systems of equations, solving, 50–51,
 85–88

T
tables
 about, 9
 automatically generated, 120–121
 clearing, 123–124
 displaying functions in, 120–123
 editing functions in, 123
 user-generated, 122
 viewing
 on parametric graphs, 161
 on polar graphs, 170
 on same screens as graphs,
 124–126
 tangent, drawing of functions, 141
TblStart, 123–124
Technical Stuff icon, 3
templates, graphing piecewise
 functions using, 105–107
Test menu
 about, 69–70, 74
 Boolean logic, 74
 comparing numbers, 74–75
 testing equivalent expressions,
 75–76
 testing equivalent expressions,
 75–76
TESTS menu, 207
Texas Instruments, 211, 221, 258
text, changing color of on graphs,
 265–266
Text command, 265–266
text items, 263
Text menu, 16
TextColor command, 265–266
Thick mode, 19–20
Thin mode, 19–20
TI CE Bundle file, upgrading OS
 using, 217–219
TI Connect CE Software
 about, 211
 Calculator Explorer workspace, 217
 connecting calculator and PC,
 214–215
 downloading, 212
 installing, 212–214
 Program Editor workspace, 258

running, 212–214
transferring files, 215–217
transferring images using, 228–229
upgrading OS using TI CE Bundle
 file, 217–219
TI Connect Help document, 212
TI wall adapter, 9
TI-84 CE Charging Station, 10
TI-84 Plus CE graphing calculator. *See*
 also calculators
 about, 7–8
 Busy indicator, 14
 Catalog, 22–23
 changes to, 8–9
 charging battery, 9–11
 copying and pasting, 15–16
 editing entries, 14–15
 Home screen, 14
 keyboard, 12–13
 menus, 16–17
 setting mode, 18–22
 turning on/off, 11
TI-84+ Tip icon, 3
TI-Connect software, 10
Tip icon, 3
Tools menu (Python app), 292
Trace feature
 evaluating
 parametric equations using,
 160–161
 polar equations using, 169
 moving cursor, 113–114
TraceStep, 99, 113
tracing
 box plots, 199
 graphs, 112–114
 histograms, 198
 modified box plots, 199
 scatter plots, 199
 statistical data plots, 198–199
 xy-line plots, 199
transcendental numbers, 29
transferring
 files, 215–217, 222–224
 images using TI Connect CE
 Software, 228–229

Transformation app, 102–105
transposing matrices, 84
trigonometric functions
about, 29
graphing, 107–108
graphing in Degree mode, 245
troubleshooting, 252
Tstep, 158–159
turning on/off
calculators, 11
Stat Plots, 96–97
2-Var Stats command, 202
two-variable data
analyzing, 201–202
plotting, 197–198

U

Un/d fraction type, 36
underscore, 16
Undo Clear shortcut (Tools menu), 292
undoing zooms, 119
ungrouping programs, 234–236
unions, shading, 149
unit-to-unit USB cable, 221–222
upgrading OS, using TI CE Bundle file, 217–219
USB computer cable, 10
USB driver, 213
user-generated tables, 122

V

value command, 129
value items, 263
values
assigning to variables, 44–45
finding
fractional parts of, 67
of functions, 128–130

maximum, 64–65, 67–68
minimum, 64–65, 67–68
variables
assigning values to, 44–45
storing, 32–33, 241
viewing
functions and graphs on same screen, 108–109
stored data, 152
tables
and graphs on same screen, 124–126
of parametric graphs, 161
of polar graphs, 170

W

Warning icon, 3
websites
Cheat Sheet, 3
Texas Instruments, 211, 221, 258
TI Connect Help document, 212
TI-Connect software, 10
While command, 272–273
While. . .End command, 272–273
Window menu, 261
workspaces
Calculator Explorer, 213, 217, 228–229
Editor, 282
File Manager, 281
Program Editor, 214, 258
Python app, 281–284
Screen Capture, 213
Shell, 282

X

X = editor, entering inequalities in, 147–148
Xlist, 197–198
Xmax, 98, 112, 113, 114, 261
Xmin, 98, 112, 113, 114, 261

Xres, 99
Xscl, 98
xth root, 64
X,T,Θ,n key, 13
xy-line plots
about, 197–198
tracing, 199

Y

Y = editor, entering inequalities in, 146–147
Ylist, 197–198
Ymax, 98, 112, 114, 261
Ymin, 98, 112, 114, 261
Yscl, 99
YVAR menu, 37–38, 157, 240

Z

ZBox command, 117–118
ZDecimal command, 115
zeros, finding of functions, 132–133
ZFrac1/2 command, 118
ZFrac1/3 command, 119
ZFrac1/4 command, 119
ZFrac1/5 command, 119
ZFrac1/8 command, 119
ZFrac1/10 command, 119
ZInteger command, 117
Zoom commands
changing graphing windows using, 160, 168
using, 114–120
Zoom In command, 115, 117
Zoom Out command, 115, 117
ZoomFit command, 116, 245
ZoomStat command, 116
ZQuadrant1 command, 115–116
ZSquare command, 116–117
ZStandard command, 115, 264
ZTrig command, 115, 245

About the Authors

Jeff McCalla currently teaches mathematics and is the test prep coordinator at St. Mary's Episcopal School in Memphis, TN. Jeff holds a Bachelor's Degree in Christian Education with a minor in mathematics from Wheaton College and a Master of Arts in Teaching degree from the University of Memphis. Jeff is the co-founder of the TI-Nspire SuperUser group, dedicated to providing advanced training from the world's foremost experts. In addition, he enjoys traveling the country, training teachers as an instructor for Texas Instruments, T³ Program. Jeff also wrote *TI-Nspire For Dummies*. A highlight for Jeff was receiving the Presidential Award for Excellence in Science & Mathematics Teaching and with it, the opportunity to meet both President Barack Obama and Secretary of Education Arne Duncan. When he is not meeting important dignitaries, Jeff enjoys going to ballgames with his boys, playing golf and tennis, eating Chick-fil-A, reading Malcolm Gladwell, getting free stuff, traveling, and spending time with his wife, which is never boring.

Dedication

This book is dedicated to my parents, Bud and Elaine McCalla, whose passion for mathematics rubbed off on me. I am most thankful for them not tossing me to the curb when I went through my annoying middle school years.

Author's Acknowledgments

I could not have written this book without the help and support of the people at Wiley. First and foremost, I want to thank my project editor, Chris Morris, whose expertise was indispensable in the writing process. I also want to thank my acquisitions editor, Elizabeth Stilwell, for keeping me to a tight schedule and helping me with the content and outline of the book. Additionally, I want to thank my friend, Bryson Perry, for verifying the mathematical and technical accuracy of this book.

I certainly want to thank my friends at Texas Instruments for their ongoing support. The leadership of Charlyne Young, Dale Philbrick, and Kevin Spry has helped make this project possible. In particular, Margo Mankus has come through for me every time I had questions about the new features on the TI-84 C.

Fellow T³ instructors have assisted me with their help when called upon. Jennifer Wilson's help has been instrumental in the writing of this book. Her eye for detail and general grammar mastery continue to amaze me. I want to thank Jill Gough, who constantly challenges my thinking about teaching.

On the home front, I wish to thank my teaching colleagues, Michele Loden, Mason Soun, and Chrystal Hogan, who were nice resources when I had questions. I need to thank the administration at my school, Albert Throckmorton and Lauren Rogers, for their leadership and for allowing me to pursue my writing. I also want to thank my wife Shannon and my three boys, Matt, Josh, and Caleb, for putting up with me during the writing process. Finally, I want to thank the students I teach at St. Mary's Episcopal School, who are the inspiration for much of what I do.

Publisher's Acknowledgments

Acquisitions Editor: Elizabeth Stilwell

Project Editor: Christopher Morris

Copy Editor: Christopher Morris

Technical Editor: Bryson Perry

Production Editor: Magesh Elangovan

Cover Image: Image courtesy of Texas Instruments, Inc.

NORMAL FLOAT AUTO REAL RADIAN MP



$$\frac{2}{5} + \frac{3}{8}$$

$$\frac{31}{40}$$




- 1:n/d
- 2:Un/d
- 3:►n/d◄►Un/d
- 4:►F◄►D



FRACT FUNCT MTRX T YVAR

Access the secret menu to add a fraction template and other fraction tools (Chapter 3)

NORMAL FLOAT AUTO REAL RADIAN MP




Plot1 Plot2 Plot3

■ Y₁ = $\begin{cases} (X+4)^2 - 8; X < -2 \\ -.5X - 2; X \geq -2 \end{cases}$

Insert the new piecewise template to graph piecewise functions (Chapter 9)

NORMAL FLOAT FRAC REAL RADIAN MP
QUICKPLOT & FIT-EQ



DROP POINTS
X=3.2

Y=-1.4


FITEQ

Use Quick Plot to place points directly on a graph (Chapter 20)

NORMAL FLOAT FRAC REAL RADIAN MP
QUICKPLOT & FIT-EQ



Re9EQ=-.1662X^2+-.1285X+.776



STORE RESULTS?

STORE

Perform a quadratic regression right on a graph (Chapter 20)

NORMAL FLOAT AUTO REAL RADIAN MP
PRESS \blacktriangleleft TO SELECT AN OPTION



Plot1 Plot2 Plot3

Y₁=X²

Color:	BLUE	\blacktriangleleft
Line:	\backslash	
OK		CLEAR


Y₂=
Y₃=
Y₄=
Y₅=
Y₆=
Y₇=

Graph functions in up to sixteen different colors (Chapter 9)

NORMAL FLOAT FRAC REAL RADIAN MP
CALC INTERSECT



Y₂=-.5X+1.5




Intersection

X=1

Y=1


Make grid lines look like graph paper (Chapter 9)

NORMAL FLOAT FRAC REAL RADIAN MP



Easily distinguish the solution region of a system of inequalities (Chapter 9)

NORMAL FLOAT AUTO REAL RADIAN MP
INEQUALITY GRAPHING APP



SHADES


PT OF INTEREST-TRACE

?

Use the Inequalz app to shade only the intersection area (Chapter 12)

NORMAL FLOAT AUTO REAL RADIAN MP
CALC MAXIMUM

$$Y_1 = .2(X-2)X(X+4)$$




Maximum

$$X = -2.430503$$

$$Y = 3.3801789$$

Find points of interest of a function on a graph (Chapter 11)


NORMAL FLOAT AUTO REAL RADIAN MP
CALC INTEGRAL OVER INTERVAL



$$\int f(x) dx = 7.2$$
$$[-3, 3]$$

Calculate and display the area between a curve and the x-axis (Chapter 11)

NORMAL FLOAT FRAC REAL RADIAN MP



Graph functions and scatter plots on the same graph (Chapter 10)

NORMAL FLOAT FRAC REAL RADIAN MP
PRESS + FOR Δ Tb1



X	Y ₁	Y ₂	Y ₃		
0	$\frac{1}{10}$	0	0		
1	$\frac{1}{5}$	$\frac{1}{10}$	1		
2	$\frac{2}{5}$	$\frac{2}{5}$	2		
3	$\frac{4}{5}$	$\frac{9}{10}$	3		
4	$\frac{8}{5}$	$\frac{8}{5}$	4		


X=0

Customize lists that are color-coded to match the function (Chapter 10)

NORMAL FLOAT AUTO REAL RADIAN MP
CALC DERIVATIVE AT POINT




$r_1=4\cos(6\theta)$



$\theta=\pi/24$

Use color in Polar graphs to make the graphs more dynamic (Chapter 14)

NORMAL FLOAT AUTO REAL RADIAN MP
PRESS + FOR Δ Tb1



X	Y_1
-2	6
-1	0
0	-4
1	-6
2	-6
3	-4
4	0
5	6
6	14
7	24
8	36


$X=3$

Display a graph and a table on the same screen (Chapter 10)

NORMAL FLOAT AUTO REAL RADIAN MP



Plot1:AFC




maxX=105.8

Compare data with multiple box plots on the same graph (Chapter 17)

NORMAL FLOAT AUTO REAL RADIAN MP



Plot2:NFC



min=78.1
max<84.08

n=6

Use color to enhance histograms (Chapter 17)

WILEY END USER LICENSE AGREEMENT

Go to www.wiley.com/go/eula to access Wiley's ebook EULA.